

Test Report

No.: 70.452.22.11590.06

Date: 2023-01-18



Greater China

Applicant: HAPE INTERNATIONAL (NINGBO) LTD.
HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD
Address: 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN,NINGBO,CHINA
PC:315800
Product Name: Art Toolkit
Model No: 844423
Receipt Date of Sample: 2022-06-20
Date of Testing: 2022-06-20 to 2022-07-18
Sample Submitted: The sample(s) was (were) submitted by applicant and identified.
Test Result: Refer to the data listed in following pages

Test Item	Conclusion
1. ASTM F963-17 Standard Consumer Safety Specification for Toy Safety - Physical and Mechanical	Pass
2. ASTM F963-17 Standard Consumer Safety Specification for Toy Safety - Flammability Test of Materials Other Than Textile Materials	Pass
3. ASTM F963-17 Section 4.3.5.1(2) and Section 4.3.5.2 - Soluble Heavy Elements	Pass
4. ASTM F963-17 Section 4.3.5.2 - Total Lead Content Test (Substrate Materials)	Pass
5. Total Lead Content Test in accessible substrate materials in accordance with Consumer Product Safety Improvement Act of 2008 Section 101	Pass
6. 16 CFR Part 1307 amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
7. US California Proposition 65-Lead Content (Alameda County Superior Court RG-07-356892)	Pass
8. US California Proposition 65-Phthalates Content (Alameda BG07350969)	Pass

Remarks: 1. MDL = Method Detection Limit
2. ND = Not Detected (<MDL)
3. ≤ Less than
4. 1 mg/kg = 1 ppm = 0.0001%
5. NA=Not Applicable
6. The test results are transferred from report 70.452.22.11590.02

Test Report

No.: 70.452.22.11590.06

Date: 2023-01-18



Greater China

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

Testing Center

Prepared by:


Jenny Yao
Technical Engineer



Authorized by:


Sawyer Tang
Technical Manager


Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied. Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see "Testing and certification regulation", chapter A-3.4
For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) The results relate only to the Items tested.
- (3) The test report shall not be reproduced except in full without the written approval of the laboratory
- (4) Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.






Description of Tested Subject:

Sample	Description	Photo
001		
002	Art Toolkit	
003		



Sample	Description	Photo
004		
005		
006		
032	Red soft plastic (004)	

Sample	Description	Photo
033	Cyan soft plastic (004)	
034	Green/deep green soft plastic with base material (005)	
035	Green soft plastic with base material (005)	

T. No	Sample	Description
T1	001	Art Toolkit-Texture Wands-Set1
T2	002	Art Toolkit-Texture Wands-Set2
T3	003	Art Toolkit-Easi-Grip Chunky Rollers(3) Set1
T4	004	Art Toolkit- Easi-Grip Mark Making Set(6)
T5	005	Art Toolkit-Textured Stamps set of 6
T6	006	Art Toolkit
T7	007	Red plastic (handle 001/002)
T8	008	Yellow plastic (005)
T9	009	Orange plastic (005)
T10	010	Orange plastic (handle 006)



T. No	Sample	Description
T11	011	Green plastic (handle 006)
T12	012	White soft plastic (001)
T13	013	Blue soft plastic (001/005)
T14	014	Orange soft plastic (handle 003/006)
T15	015	Red soft plastic (004)
T16	016	Cyan soft plastic (004)
T17	017	Brown soft plastic (brush 004)
T18	018	Green soft plastic (006)
T19	019	Green/deep green soft plastic with base material (005)
T20	020	Green soft plastic with base material (005)
T21	021	White sponge (001)
T22	022	Red sponge (001)
T23	023	Yellow sponge (002)
T24	024	Light blue sponge (002)
T25	025	Purple sponge (002)
T26	026	Orange sponge (003)
T27	027	Blue sponge (003)
T28	028	Green sponge with glue (005)
T29	029	Dark blue sponge with glue (005)
T30	030	Yellow/white felt (002)
T31	031	Silvery metal (004)
T32	032	Red soft plastic (004)
T33	033	Cyan soft plastic (004)
T34	034	Green/deep green soft plastic with base material (005)
T35	035	Green soft plastic with base material (005)





Test Result(s):

1. ASTM F963-17 Standard Consumer Safety Specification for Toy Safety - Physical and Mechanical

Sample	001,002,003,004,005,006
Labelled age range	3+
Requested age range	3+
Age range in testing	Over 3 years

Clause	Requirement	Evaluation
4	Safety Requirements	--
4.1	Material quality	P
4.7	Accessible Edges	P
4.9	Accessible Points	P
5	Labeling Requirements	--
5.2	Age Grading Labeling	P
5.16	Promotional Materials	P
6	Instructional Literature	--
6.1	Definition and Description	P
7	Producer's Markings	--
7.1	Name and Address of the Producer or Distributor	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

Only applicable sections were shown.

2. ASTM F963-17 Standard Consumer Safety Specification for Toy Safety - Flammability Test of Materials Other Than Textile Materials

As per Section 4.2 of ASTM F963-17 Standard Consumer Safety Specification for Toy Safety

Sample: 001,002,003,004,005,006

Result: Ignited but Self-Extinguished before Burn Rate Could be Determined

Note:

The submitted toy sample and its accessories were tested, the above result only showed the most severe burn rate of the samples.

3. ASTM F963-17 Section 4.3.5.1(2) & Section 4.3.5.2 - Soluble Heavy Elements

Test with reference to ASTM F963-17 Section 8.3

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			007	008
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	<5.0	<5.0
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			009	010
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	<5.0	<5.0
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			011	012
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	<5.0	<5.0
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass



Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			013	014
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	<5.0	<5.0
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			015	016
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	<5.0	<5.0
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			017	018
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	54.6	<5.0
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass

Test Report

No.: 70.452.22.11590.06

Date: 2023-01-18



Greater China

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			019	020
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	<5.0	<5.0
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			021	022
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	531	20.7
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			023	024
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	9.91	8.34
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			025	026
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	54.6	<5.0
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			027	028
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	<5.0	<5.0
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			029	030
Soluble Antimony (Sb)	5.0	60	<5.0	<5.0
Soluble Arsenic (As)	2.5	25	<2.5	<2.5
Soluble Barium (Ba)	5.0	1000	<5.0	72.8
Soluble Cadmium (Cd)	5.0	75	<5.0	<5.0
Soluble Chromium (Cr)	5.0	60	<5.0	<5.0
Soluble Lead (Pb)	5.0	90	<5.0	<5.0
Soluble Mercury (Hg)	5.0	60	<5.0	<5.0
Soluble Selenium (Se)	5.0	500	<5.0	<5.0
Conclusion			Pass	Pass

Note: 1. Adjusted analytical result



4. ASTM F963-17 Section 4.3.5.2 - Total Lead Content Test (Substrate Materials)

Test with reference to CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3 , determination by ICP-OES/ICP-MS.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
007+008+009	mg/kg	10.0	100	<10.0	Pass
010+011	mg/kg	10.0	100	<10.0	Pass
012+013+014	mg/kg	10.0	100	<10.0	Pass
015+016	mg/kg	10.0	100	<10.0	Pass
017+018	mg/kg	10.0	100	<10.0	Pass
019	mg/kg	10.0	100	<10.0	Pass
020	mg/kg	10.0	100	<10.0	Pass
021+022+023	mg/kg	10.0	100	<10.0	Pass
024+025	mg/kg	10.0	100	<10.0	Pass
026+027	mg/kg	10.0	100	<10.0	Pass
028	mg/kg	10.0	100	<10.0	Pass
029	mg/kg	10.0	100	<10.0	Pass
031	mg/kg	10.0	100	<10.0	Pass

5. Total Lead Content Test in accessible substrate materials in accordance with Consumer Product Safety Improvement Act of 2008 Section 101

Test with reference to CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3 , determination by ICP-OES/ICP-MS.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
007+008+009	mg/kg	10.0	100	<10.0	Pass
010+011	mg/kg	10.0	100	<10.0	Pass
012+013+014	mg/kg	10.0	100	<10.0	Pass
015+016	mg/kg	10.0	100	<10.0	Pass
017+018	mg/kg	10.0	100	<10.0	Pass
019	mg/kg	10.0	100	<10.0	Pass
020	mg/kg	10.0	100	<10.0	Pass
021+022+023	mg/kg	10.0	100	<10.0	Pass
024+025	mg/kg	10.0	100	<10.0	Pass
026+027	mg/kg	10.0	100	<10.0	Pass
028	mg/kg	10.0	100	<10.0	Pass
029	mg/kg	10.0	100	<10.0	Pass
031	mg/kg	10.0	100	<10.0	Pass

6. 16 CFR Part 1307 amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

Test with reference to in-house method, determination by GC-MS.

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					007+008+009	010+011
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	0.012	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)
					012+013+014
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005
Conclusion					Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					017+018	021+022+023
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					024+025	026+027
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass



Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					028	029
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	0.049	0.055
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					032	033
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					034	035
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

7. US California Proposition 65 - Lead Content (Alameda County Superior Court RG-07-356892)

Test with reference to CPSC-CH-E1003-09.1, CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3, determination by ICP-OES/ICP-MS.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
007+008+009	mg/kg	10	100	<10.0	Pass
010+011	mg/kg	10	100	<10.0	Pass
012+013+014	mg/kg	10	100	<10.0	Pass
015+016	mg/kg	10	100	<10.0	Pass
017+018	mg/kg	10	100	<10.0	Pass
019	mg/kg	10	100	<10.0	Pass
020	mg/kg	10	100	<10.0	Pass
021+022+023	mg/kg	10	100	<10.0	Pass
024+025	mg/kg	10	100	<10.0	Pass
026+027	mg/kg	10	100	<10.0	Pass
028	mg/kg	10	100	<10.0	Pass
029	mg/kg	10	100	<10.0	Pass
031	mg/kg	10	100	<10.0	Pass

8. US California Proposition 65-Phthalates Content (Alameda BG07350969)

Test with reference to in-house method, determination by GC-MS.

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					007+008+009	010+011
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	0.012	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					012+013+014	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	
Conclusion					Pass	

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					017+018	021+022+023
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					024+025	026+027
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					028	029
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	0.049	0.055
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					032	033
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass



Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					034	035
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

-End of Test Report-

