



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 1 of 22

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

760001 CARS 'N' CREATURES
760002 BIRDS 'N' BEASTS
760003 CREATIVE STARTER KIT
760004 ANIMAL KINGDOM KIT
760005 ARCHITECT STARTER KIT
760006 ZOO KEEPER 'N' CARS
760008 CREATIVE BUILDER KIT
760020 RACING CAR
760021 CONSTRUCTION SITE
760023 CITY AIRPORT
760024 CITY VEHICLES
760025 ADVENTURE ROCKET
760026 MEDIEVAL CASTLE
760084 POLY M HERO SET

Item No. : 760001, 760002, 760003, 760004, 760005, 760006,

760008, 760020, 760021, 760023, 760024, 760025,

760026, 760084

Country of Destination : GLOBAL

Labeled Age Grading : 18M+ / AGE 18M+ / 1 1/2-5Y / 2-6Y/ 24M+ / 30M+

Requested Age Grading : 30M+ FOR ITEM NO.760025, 760026, 24M+ FOR ITEM

NO.760020, 760021, 760023, 760024, 18M+ FOR

OTHERS

Age Group Assessed by SGS As Per Age : OVER 18 MONTHS

Guideline

Age Group Applied in Testing : OVER 18 MONTHS

Sample Receiving Date : JUL 28, 2020

Testing Period : JUL 28, 2020 TO AUG 27, 2020



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions_aspx. and, for electronic format documents aspx. Subject to Terms and Conditions for Electronic Documents in http://www.sgs.com/en/Terms-and-Conditions_Terms-bocument.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1443, or email: CN.Doccheck@sgs.com



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 2 of 22

Test	Requested	Conclusion
1.	For compliance with the European standard on Safety of toys:-	
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
	EN 71-2:2011+A1:2014 – Safety of toys – Part 2: Flammability	PASS
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 – Migration of certain elements (All conclusive testing)	PASS

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *******

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Liu Junjie, Tony

Section Manager CNAS Approved Signatories Qu Ping, Kiky Dept. Manager

CNAS Approved Signatories







Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 3 of 22

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	Description	<u>on</u>	Result					
4	General i	requirements						
4.1	Material of	cleanliness	<u>Pass</u>					
4.2	Assembly	у	N/A					
4.3	Flexible p	plastics sheeting	N/A					
4.4	Toy bags	Toy bags						
4.5	Glass		N/A					
4.6	Expandir	ng materials	N/A					
4.7	Edges		<u>Pass</u>					
4.8	Points an	nd metallic wires	<u>Pass</u>					
4.9	Protrudin	ng parts	<u>N/A</u>					
4.10	Parts mo	ving against each other:						
	4.10.1	Folding and sliding mechanisms	<u>N/A</u>					
	4.10.2	Driving mechanisms	<u>N/A</u>					
	4.10.3	Hinges	<u>N/A</u>					
	4.10.4	Springs	<u>N/A</u>					
4.11	Mouth-ac	ctuated toys and other toys intended to be put in the mouth	<u>N/A</u>					
4.12	Balloons		<u>N/A</u>					
4.13	Cords of	toy kites and other flying toys	<u>N/A</u>					
4.14	Enclosure	es:						
	4.14.1	Toys which a child can enter	<u>N/A</u>					
	4.14.2	Masks and helmets	<u>N/A</u>					
4.15	Toys inte	ended to bear the mass of a child:						
	4.15.1	Toys propelled by the child or by other means	<u>N/A</u>					
	4.15.2	Toy bicycles	<u>N/A</u>					
	4.15.3	Rocking horses and similar toys	<u>N/A</u>					
	4.15.4	Toys not propelled by a child	<u>N/A</u>					
	4.15.5	Toys scooters	<u>N/A</u>					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification on and jurisdiction issues of lifted therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 4 of 22

4.16 Heavy immobile toys N/A 4.17 Projectiles N/A 4.18 Aquatic toys and inflatable toys N/A 4.19 Percussion caps specifically designed for use in toys and toys using percussion caps N/A 4.20 Acoustics N/A 4.21 Toys containing a non-electrical heat source N/A 4.22 Small balls N/A 4.23 Magnets N/A 4.24 Yoyo balls N/A 4.25 Toys attached to food N/A 4.26 Toy disguise costumes N/A 4.27 Flying toys N/A 5 Toys intended for children under 36 months 5.1 General requirements: 5.1a Small part requirement on toys & removable Components (Test method 8.2) Pass 5.1b Torque test (Test method 8.2) Pass Tension test (Test method 8.4) Pass Drop test (Test method 8.7) Pass Tip over test (Test method 8.7) N/A Compression test (Test method 8.12)	Clause	Descriptio		Result				
4.18 Aquatic toys and inflatable toys N/A 4.19 Percussion caps specifically designed for use in toys and toys using percussion caps N/A 4.20 Acoustics N/A 4.21 Toys containing a non-electrical heat source N/A 4.22 Small balls N/A 4.23 Magnets N/A 4.24 Yoy oballs N/A 4.25 Toys attached to food N/A 4.26 Toy disguise costumes N/A 4.27 Flying toys N/A 5 Toys intended for children under 36 months 5.1 General requirements: 5.1 Small part requirement on toys & removable Components (Test method 8.2) Pass 5.1b Torque test (Test method 8.2) Pass Tension test (Test method 8.4) Pass Drop test (Test method 8.5) N/A Tip over test (Test method 8.6) N/A Impact test (Test method 8.11) Pass Sharp edge (Test method 8.12) Pass Tension test for magnets (Test method 8.3) <t< td=""><td>_</td><td>•</td><td>•</td><td></td></t<>	_	•	•					
4.19 Percussion caps specifically designed for use in toys and toys using percussion caps N/A percussion caps 4.20 Acoustics N/A 4.21 Toys containing a non-electrical heat source N/A 4.22 Small balls N/A 4.23 Magnets N/A 4.24 Yoyo balls N/A 4.25 Toys attached to food N/A 4.26 Toy disguise costumes N/A 4.27 Flying toys N/A 5 Toys intended for children under 36 months N/A 5.1 General requirements: Small part requirement on toys & removable Pass 5.1a Small part requirement on toys & removable Components (Test method 8.2) Pass 5.1b Torque test (Test method 8.3) Pass Tension test (Test method 8.4) Pass Drop test (Test method 8.5) Pass Tip over test (Test method 8.6) N/A Impact test (Test method 8.1) Pass Sharp edge (Test method 8.1) Pass Compression test for magnets (Test method 8.34) N/A </td <td></td> <td>•</td> <td></td> <td></td>		•						
Acoustics		•	•					
4.20 Acoustics N/A 4.21 Toys containing a non-electrical heat source N/A 4.22 Small balls N/A 4.23 Magnets N/A 4.24 Yoyo balls N/A 4.25 Toys attached to food N/A 4.26 Toy disguise costumes N/A 4.27 Flying toys N/A 5.1 General requirements: N/A 5.1 General requirements: Small part requirement on toys & removable Components (Test method 8.2) Pass 5.1b Torque test (Test method 8.3) Pass Tension test (Test method 8.4) Pass Drop test (Test method 8.5) Pass Tip over test (Test method 8.7) Pass Compression test (Test method 8.8) N/A Sharp edge (Test method 8.12) Pass Tension test for magnets (Test method 8.34) N/A 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less N/A 5.1d Large and bulky toys N/A 5.1e <td>4.13</td> <td colspan="7"></td>	4.13							
4.22 Small balls N/A 4.23 Magnets N/A 4.24 Yoyo balls N/A 4.25 Toys attached to food N/A 4.26 Toy disguise costumes N/A 4.27 Flying toys N/A 5 Toys intended for children under 36 months 5.1 General requirements: 5.1a Small part requirement on toys & removable Components (Test method 8.2) Pass 5.1b Torque test (Test method 8.3) Pass Tension test (Test method 8.4) Pass Drop test (Test method 8.5) Pass Tip over test (Test method 8.6) N/A Impact test (Test method 8.7) Pass Compression test (Test method 8.8) N/A Sharp edge (Test method 8.11) Pass Sharp point (Test method 8.12) Pass Tension test for magnets (Test method 8.34) N/A 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less N/A 5.1d Large and bulky toys N/A 5.1e Glued wooden toys and toys with glued on plastic decals N/A	4.20	•	·	N/A				
4.23 Magnets N/A 4.24 Yoyo balls N/A 4.25 Toy sattached to food N/A 4.26 Toy disguise costumes N/A 4.27 Flying toys N/A 5 Toys intended for children under 36 months N/A 5.1 General requirements: Fass 5.1a Small part requirement on toys & removable Components (Test method 8.2) Pass 5.1b Torque test (Test method 8.3) Pass Tension test (Test method 8.4) Pass Pass Drop test (Test method 8.5) Pass N/A Tip over test (Test method 8.7) Pass N/A Compression test (Test method 8.7) Pass N/A Sharp edge (Test method 8.11) Pass N/A Sharp point (Test method 8.12) Pass Pass Tension test for magnets (Test method 8.34) N/A 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less N/A 5.1d Large and bulky toys N/A 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.	4.21	Toys cont	taining a non-electrical heat source	N/A				
4.24 Yo'v balls N/A 4.25 Toys attached to food N/A 4.26 Toy disguise costumes N/A 4.27 Flying toys N/A 5 Toys intended for children under 36 months Toys intended for children under 36 months 5.1 General requirements: Forguirements: 5.1a Small part requirement on toys & removable Pass Components (Test method 8.2) Pass 5.1b Torque test (Test method 8.3) Pass Tension test (Test method 8.4) Pass Drop test (Test method 8.5) Pass Tip over test (Test method 8.6) N/A Impact test (Test method 8.7) Pass Compression test (Test method 8.8) N/A Sharp edge (Test method 8.11) Pass Sharp point (Test method 8.12) Pass Tension test for magnets (Test method 8.34) N/A 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less N/A 5.1d Large and bulky toys N/A 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casin	4.22	Small ball	ls	N/A				
4.25 Toys attached to food N/A 4.26 Toy disguise costumes N/A 4.27 Flying toys N/A 5 Toys intended for children under 36 months N/A 5.1 General requirements: Formula text components 5.1a Small part requirement on toys & removable Components (Test method 8.2) Pass 5.1b Torque test (Test method 8.3) Pass 1 Tension test (Test method 8.4) Pass 2 Drop test (Test method 8.5) Pass 3 Tip over test (Test method 8.6) N/A 4 Impact test (Test method 8.7) Pass Compression test (Test method 8.11) Pass Sharp point (Test method 8.12) Pass A Tension test for magnets (Test method 8.34) N/A Sharp point (Test method 8.12) Pass Tension test for magnets (Test method 8.34) N/A 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less N/A 5.1d Large and bulky toys N/A 5.1e Glued wooden toys and toys with glued on plastic decals N/A <td< td=""><td>4.23</td><td>Magnets</td><td></td><td>N/A</td></td<>	4.23	Magnets		N/A				
4.26 Toy disguise costumes N/A 4.27 Flying toys N/A 5 Toys intended for children under 36 months N/A 5.1 General requirements: Small part requirement on toys & removable Pass 5.1a Small part requirement on toys & removable Pass Components (Test method 8.2) Pass 5.1b Torque test (Test method 8.3) Pass Tension test (Test method 8.4) Pass Drop test (Test method 8.5) Pass Tip over test (Test method 8.7) Pass Compression test (Test method 8.8) N/A Sharp edge (Test method 8.11) Pass Sharp point (Test method 8.12) Pass Tension test for magnets (Test method 8.34) N/A 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less N/A 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less N/A 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided	4.24	Yoyo balls	s	N/A				
4.27 Flying toys N/A 5 Toys intended for children under 36 months 5.1 General requirements: 5.1a Small part requirement on toys & removable Components (Test method 8.2) Pass 5.1b Torque test (Test method 8.3) Pass Tension test (Test method 8.4) Pass Drop test (Test method 8.5) Pass Tip over test (Test method 8.6) N/A Impact test (Test method 8.7) Pass Compression test (Test method 8.8) N/A Sharp edge (Test method 8.11) Pass Sharp point (Test method 8.12) Pass Tension test for magnets (Test method 8.34) N/A 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less N/A 5.1d Large and bulky toys N/A 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided N/A 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A 5.3	4.25	Toys atta	ched to food	N/A				
Toys intended for children under 36 months General requirements: 5.1a Small part requirement on toys & removable Components (Test method 8.2) 5.1b Torque test (Test method 8.3) Tension test (Test method 8.4) Pass Drop test (Test method 8.5) Tip over test (Test method 8.6) Impact test (Test method 8.7) Compression test (Test method 8.8) Sharp edge (Test method 8.11) Sharp point (Test method 8.12) Tension test for magnets (Test method 8.34) 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.3 Plastic sheeting N/A Cords, chains and electrical cable in toys	4.26	Toy disgu	rise costumes	N/A				
5.1 General requirements: 5.1a Small part requirement on toys & removable Components (Test method 8.2) Pass 5.1b Torque test (Test method 8.3) Pass Tension test (Test method 8.4) Pass Drop test (Test method 8.5) Pass Tip over test (Test method 8.6) N/A Impact test (Test method 8.7) Pass Compression test (Test method 8.8) N/A Sharp edge (Test method 8.11) Pass Sharp point (Test method 8.12) Pass Tension test for magnets (Test method 8.34) N/A 5.1c Potential hazardous metal points and wires with a cross section of 2m or less N/A 5.1d Large and bulky toys N/A 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided N/A 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A 5.3 Plastic sheeting N/A 5.4 Cords, chains and electrical cable in toys	4.27	Flying toy	vs	N/A				
5.1a Small part requirement on toys & removable Components (Test method 8.2) 5.1b Torque test (Test method 8.3) Pass Tension test (Test method 8.4) Pass Drop test (Test method 8.5) Tip over test (Test method 8.6) Impact test (Test method 8.7) Compression test (Test method 8.8) Sharp edge (Test method 8.11) Sharp point (Test method 8.12) Tension test for magnets (Test method 8.34) 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A Cords, chains and electrical cable in toys N/A Cords, chains and electrical cable in toys	5	Toys inter	nded for children under 36 months					
Components (Test method 8.2) 5.1b Torque test (Test method 8.3)	5.1	General r	equirements:					
5.1b Torque test (Test method 8.3) Pass Tension test (Test method 8.4) Pass Drop test (Test method 8.5) Pass Tip over test (Test method 8.6) Impact test (Test method 8.7) Compression test (Test method 8.8) Sharp edge (Test method 8.11) Sharp point (Test method 8.12) Tension test for magnets (Test method 8.34) 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.3 Plastic sheeting Cords, chains and electrical cable in toys N/A N/A N/A N/A N/A N/A N/A N/A		5.1a	Small part requirement on toys & removable					
Tension test (Test method 8.4) Drop test (Test method 8.5) Tip over test (Test method 8.6) Impact test (Test method 8.7) Compression test (Test method 8.8) Sharp edge (Test method 8.11) Sharp point (Test method 8.12) Tension test for magnets (Test method 8.34) 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.3 Plastic sheeting N/A Cords, chains and electrical cable in toys			Components (Test method 8.2)	<u>Pass</u>				
Drop test (Test method 8.5) Tip over test (Test method 8.6) Impact test (Test method 8.7) Compression test (Test method 8.8) N/A Sharp edge (Test method 8.11) Sharp point (Test method 8.12) Tension test for magnets (Test method 8.34) 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A Cords, chains and electrical cable in toys N/A Cords, chains and electrical cable in toys		5.1b	Torque test (Test method 8.3)	<u>Pass</u>				
Tip over test (Test method 8.6) Impact test (Test method 8.7) Compression test (Test method 8.8) Compression test (Test method 8.8) N/A Sharp edge (Test method 8.11) Sharp point (Test method 8.12) Tension test for magnets (Test method 8.34) 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A Cords, chains and electrical cable in toys			Tension test (Test method 8.4)	<u>Pass</u>				
Impact test (Test method 8.7) Compression test (Test method 8.8) N/A Sharp edge (Test method 8.11) Sharp point (Test method 8.12) Tension test for magnets (Test method 8.34) 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A Cords, chains and electrical cable in toys			Drop test (Test method 8.5)	<u>Pass</u>				
Compression test (Test method 8.8) Sharp edge (Test method 8.11) Sharp point (Test method 8.12) Tension test for magnets (Test method 8.34) 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy Plastic sheeting Cords, chains and electrical cable in toys			Tip over test (Test method 8.6)	N/A				
Sharp edge (Test method 8.11) Sharp point (Test method 8.12) Tension test for magnets (Test method 8.34) 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A Cords, chains and electrical cable in toys			Impact test (Test method 8.7)	<u>Pass</u>				
Sharp point (Test method 8.12) Tension test for magnets (Test method 8.34) 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components 5.2 Soft-filled toys and soft-filled parts of a toy Pass N/A N/A N/A 5.1c Potential hazardous metal points and wires with a cross section of N/A N/A 5.1d Large and bulky toys N/A 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A 5.3 Plastic sheeting Cords, chains and electrical cable in toys			Compression test (Test method 8.8)	N/A				
Tension test for magnets (Test method 8.34) 5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy Plastic sheeting Cords, chains and electrical cable in toys			Sharp edge (Test method 8.11)	<u>Pass</u>				
5.1c Potential hazardous metal points and wires with a cross section of 2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A 5.3 Plastic sheeting Cords, chains and electrical cable in toys N/A			Sharp point (Test method 8.12)	<u>Pass</u>				
2mm or less 5.1d Large and bulky toys 5.1e Glued wooden toys and toys with glued on plastic decals N/A 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A 5.3 Plastic sheeting Cords, chains and electrical cable in toys			Tension test for magnets (Test method 8.34)	N/A				
5.1e Glued wooden toys and toys with glued on plastic decals 5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A 5.3 Plastic sheeting Cords, chains and electrical cable in toys N/A		5.1c	·	<u>N/A</u>				
5.1f The casing of toys intended for children too young to sit up unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A 5.3 Plastic sheeting N/A Cords, chains and electrical cable in toys		5.1d	Large and bulky toys	N/A				
unaided 5.1g Foam toys and toys containing accessible foam components N/A 5.2 Soft-filled toys and soft-filled parts of a toy N/A 5.3 Plastic sheeting Cords, chains and electrical cable in toys N/A		5.1e	Glued wooden toys and toys with glued on plastic decals	N/A				
5.2 Soft-filled toys and soft-filled parts of a toy 5.3 Plastic sheeting 6.4 Cords, chains and electrical cable in toys N/A N/A		5.1f		<u>N/A</u>				
5.3 Plastic sheeting N/A 5.4 Cords, chains and electrical cable in toys N/A		5.1g	Foam toys and toys containing accessible foam components	N/A				
5.4 Cords, chains and electrical cable in toys N/A	5.2	Soft-filled toys and soft-filled parts of a toy						
5.4 Cords, chains and electrical cable in toys N/A	5.3	Plastic sh	eeting	N/A				
N/A	5.4	Cords, ch	ains and electrical cable in toys					
5.5 Liquid lilled toys <u>IN/A</u>	5.5	Liquid fille	ed toys	<u>N/A</u>				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions_aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issued effined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 5 of 22

0.1		
<u>Clause</u>	<u>Description</u>	Result
5.6	Speed limitation of electrically driven toys	<u>N/A</u>
5.7	Glass and porcelain	<u>N/A</u>
5.8	Shape and size of certain toys	<u>N/A</u>
5.9	Toys comprising monofilament fibres	<u>N/A</u>
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric shaped toys	<u>N/A</u>
5.13	Suction cups	<u>N/A</u>
5.14	Straps intended to be used fully or partially around the neck	N/A
5.15	Sledges with cords for pulling	N/A
6	Packaging	<u>Pass</u>
7	Warnings, markings and instructions for use	
7.1	General Requirements	<u>Pass</u>
	Note: Please note that for assessing the visibility and legibility of warnings,	
	CEN has introduced good practice in the informative Annex A.33 by	
	addressing the following aspects:	
	a) Emphasising the warning	
	b) Contrast, background and colours	
	c) Reflecting surfaces and obscuring material	
	d) Font type	
	e) Font size	
	f) Logical direction of text	
	For more details, see EN 71-1.	
7.2	Toys not intended for children under 36 months	N/A
7.3	Latex Balloon	N/A
7.4	Aquatic toys	<u>N/A</u>
7.5	Functional Toys	N/A
7.6	Hazardous sharp functional edges and points	N/A
7.7	Projectiles	N/A
7.8	Imitation protective masks and helmets	N/A
7.9	Toy kites	N/A
7.10	Roller skates, inline skates and toy skateboards and certain other ride-on	N/A
	toys	
7.11	Toys intended to be strung across a cradle, cot, or perambulator	N/A
7.12	Liquid filled teethers	N/A
7.13	Percussion caps specifically designed for use in toys	N/A
7.14	Acoustics	<u>N/A</u>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expense a stream of the company and the company an



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 6 of 22

<u>Clause</u>	Description	Result
7.15	Toys bicycle	N/A
7.16	Toys intended to bear the mass of a child	N/A
7.17	Toys comprising monofilament fibres	N/A
7.18	Toy scooters	N/A
7.19	Rocking horses and similar toys	N/A
7.20	Magnetic/electrical experimental sets	N/A
7.21	Toys with electrical cables exceeding 300 mm in length	N/A
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	<u>N/A</u>
7.23	Toys intended to be attached to a cradle, cot or perambulator	<u>N/A</u>
7.24	Sledges with cords for pulling	N/A
7.25	Flying toys	<u>N/A</u>
7.26	Improvised projectiles	<u>N/A</u>

According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.

N/A = Not Applicable



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 7 of 22

EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4.1	General requirements	<u>Pass</u>
4.2.2	Beards, moustaches, wigs etc., made from hair, pile or material with similar features (e.g. free-hanging ribbons, paper or cloth strands or other flowing elements), which protrude 50mm or more from the surface of the toy	Not Applicable
4.2.3	Beards, moustaches, wigs etc. made from hair, pile or material with similar features (e.g. free-hanging ribbons, paper ,cloth strands or other flowing elements), which protrude less than 50mm from the surface of the toy	Not Applicable
4.2.4	Full or partial moulded head masks	Not Applicable
4.2.5	Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and masks not covered by 4.2.4 which partially or fully cover the head (e.g. fabric and cardboard masks, eye masks, face masks), but excluding those items covered by 4.3	Not Applicable
4.3	Toy disguise costumes and toys intended to be worn by a child in play	Not Applicable
4.4	Toys intended to be entered by a child	Not Applicable
4.5	Soft filled toys	Not Applicable

Type of gas: Butane gas used in the test burner





Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 8 of 22

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Present	Packaging
CE mark	Present	Packaging
Importer's Name & Address	Present	Packaging
Manufacturer's Name & Address	Present	Packaging
Product ID	Present	Toy & Packaging

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification on and jurisdiction issues of lifted therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 9 of 22

Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 - EN 71-3:2019 - Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis / LC-ICP-MS and organic tin was analyzed by GC-MS.

Test Item(s)	Result(s)			MDL	Permissible Limit		
Specimen No.			1	2	3		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000





Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 10 of 22

Test Item(s)	Result(s)			MDL	Permissible Limit		
Specimen No.			4	5	6		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 11 of 22

Test Item(s)	Result(s)			MDL	Permissible Limit		
Specimen No.			7	8	9		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 12 of 22

Test Item(s)			Result(s)			MDL	Permissible Limit
Specimen No.			10	11	12		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 13 of 22

Test Item(s)	Result(s)			MDL	Permissible Limit		
Specimen No.			13	14	15		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 14 of 22

Test Item(s)	Result(s)			MDL	Permissible Limit		
Specimen No.			16	17	18		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 15 of 22

Test Item(s)	Result(s)			MDL	Permissible Limit		
Specimen No.			19	20	21		
Mass of trace amount		(mg)	18.5	/	/		
Soluble Aluminium	(AI)	(mg/kg)	74	257	63	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	0.16	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

 1443_oremail: CN.Doccheck@egs.com

 SSBkb, No. Langba hotsking Park, No. 43, Ilha eaks Bartian, Longsang District, Shenchen, China 518129
 1 (86-755) 25328888
 f (86-755) 83106190
 www.sgsgroup.com.cn

 中国 - 深圳 - 龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼
 邮编: 518129
 f (86-755) 25328888
 f (86-755) 83106190
 e sgs.china@sgs.com



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 16 of 22

Specimen Description:

- 1. Brown plastic (Block)
- 2. Light grey plastic (Block)
- 3. Grey plastic (Wheel connector)
- 4. Red plastic (Block)
- 5. Orange plastic (Block, figure)
- 6. Cream-white plastic (Block)
- 7. Green plastic (Figure)
- 8. Black plastic (Wheel)
- 9. Black-grey plastic (Hair)
- 10. Apricot plastic (Head)
- 11. Chocolate plastic (Head)
- 12. Blue plastic (Figure)
- 13. Red plastic (Figure, block)
- 14. Black plastic (Neck)
- 15. Dull black plastic (Block)
- 16. Light green plastic (Block)
- 17. Bright green plastic (Block)
- 18. Matt-black plastic (Wheel)
- 19. White paper label w/ black printing (Sticker)
- 20. Bright white paper label w/ multi-color coating (Sticker)
- 21. White paper sheet w/ multi-color coating (Guidebook)

Note: - mg/kg = milligram per kilogram

- mg = milligram
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- -1% = 10000 mg/kg = 10000 ppm
- + Soluble Chromium is not restricted by EN 71-3:2019, results shown only for reference



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/ferms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document tadvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 17 of 22

Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U95. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (Tu):

Pass - when the measurement result is below Tu-U95

Fail - when the measurement result is above T_U+U₉₅

Inconclusive - when the measurement result is falling in guard band [Tu-U95, Tu+U95]

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above T_L+U₉₅

Fail - when the measurement result is below T_L-U₉₅

Inconclusive - when the measurement result is falling in guard band [T_L-U₉₅, T_L+U₉₅]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions_aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issued effined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1443。or email: CR. Doccheck@sgs.com \$SSBbig, No. 4, langhap Industria Pink, 149, illum Rack Berlain, Linggang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国-深圳·龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com




Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 18 of 22







Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 19 of 22








Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 20 of 22







Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 21 of 22



SGS authenticate the photo on original report only

*** End of Report ***





Test Report No.: T52010272026TY Date: AUG 27, 2020 Page 22 of 22

Attachment:

Component Informations								
Item NO.	Component Item NO.	Spare Item NO.	Item Description	Component Description EN				
	760177	230101	PolyM building bricks PE- LD	20 building brick red PE-LD				
	760178	230102		20 building brick blue PE-LD				
	760179	230104		20 building brick green PE-LD				
	760181	230201		30 building brick red PE-LD				
	760182	230202		30 building brick blue PE-LD				
799999	760183	230204		30 building brick green PE-LD				
	760184	230302		40 building brick blue PE-LD				
	760185	231102		14 angular brick blue PE-LD				
	760186	231601		10L reverse sleeve long red PE-LD				
	760188	231604		10L reverse sleeve long green PE-LD				
	760189	231804		18 tube long green PE-LD	4004			
	760191	231703		10/90L reverse sleeve long yellow PE-LD	18M+			
	760193	232204		70R round plate green PE-LD				
	760194	232303		210 base plate yellow PE-LD				
	760195	232901		Twini brick 42 red PE-LD				
	760196	232903		Twini brick 42 yellow PE-LD				
	760197	233101		Twini brick 44 red PE-LD				
	760198	233102		Twini brick 44 blue PE-LD				
	760199	233103		Twini brick 44 yellow PE-LD				
	760200	233201		Twini brick 66 red PE-LD]			
	760176	233202		Twini brick 66 blue PE-LD	-			
	760175	233203		Twini brick 66 yellow PE-LD				
	760174	353284		Yellow assembled long wheel				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.