



No.: T52410260076TY

Date: MAR 19, 2024

Page 1 of 32

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD

9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

761820,761829 GARBAGE SORTING,TRU 761821 FIRE RESCUE TRUCK 760094 POLY M SQUARE BUCKET SET 760056,761830 100PCS BUILDING BLOCK 760019 POLY-M DOLL TEAM 1 - RYBG 760171 LAND, SEA AIR RESCUE BUCKET	SET	F,BUCKET FOR BLOCKS
Item No.	:	761820, 761829, 761821, 760094, 760056, 761830,
		760019, 760171
Country of Origin	:	CHINA
Country of Destination	:	GLOBAL
Labeled Age Grading	:	1 <sup>1</sup> / <sub>2</sub> - 5Y, SUITABLE FOR CHILDREN OVER 18
		MONTHS OLD
Requested Age Grading	:	1.5-5Y, 18M+
*******	*****	****
Age Group Assessed by SGS As Per Age Guideline	:	OVER 18 MONTHS
Age Group Applied in Testing	:	OVER 18 MONTHS
Sample Receiving Date	:	FEB 02, 2024
Further Information Date	:	MAR 15, 2024
Testing Period	:	FEB 02, 2024 TO MAR 19, 2024



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.rems-abc.conditions-rems-abc.condition</u> 8307

Acom Mitherit, Banar 4 & Room Mit, Pan 2 & Room Mit, Pan 3, Janyhao (Banian) Industrial Plant Anza, No. 50, Jhua Road, Bantian Chmunih, Bantian Street, Longgang District, Shenzhen, Guangtong, China 518129 www.sagsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 25328888 sgs.com



## Test Report No.: T52410260076TY

Date: MAR 19, 2024 Pa

Page 2 of 32

Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test	Requested	Conclusion
1.	For compliance with the test requirement of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety.	
	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS*
2.	With reference to the test requirement of ASTM F963-23 Standard Consumer Safety Specification on Toy Safety.	
	ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	PASS
3.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501:	
	-US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages	
	-US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age	PASS
	-US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts	
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
4.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS
5.	Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions</u>

Room 101-091, Pant 4 & Room 101, Pant 2 & Room 101, Pant 3 & Room 301-501, Plant 3, Janghao (Bantian) Industrial Plant Ane, No. 501, Juha Road, Bantian Comunity, Bantian Street, Longgang District, Stenzhen, Guangdong, Chine 518129 www.sgsgroup.com.cn 中国•广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.com



Date: MAR 19, 2024

Page 3 of 32

Test	Requested	Conclusion				
6.	6. CPSIA section 101 - Total Lead content					
	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS				
	Client's Requirement – Lead in paint/similar surface coating material	PASS				
	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS				
	Client's Requirement – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS				

Remark: Test item (s) with "\*" is (are) not accredited by CNAS

\*\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*\*

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Sun Yaqing, Sunny Supervisor CNAS Approved Signatories

Sun Enxu, Aaron Dept. Manager CNAS Approved Signatories





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document as advised that information contained herein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of lis intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconsible parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unarthorized alteration, forgery or falsification to be content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dos only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CN.Doccheck@sgs.com

Acon 11/1-40, Harr # 8 Koon 101, Patr 12 Koon 11/1-501, Plant 3, Jianphao (Banian) Industrial Plant Ana, No. 40, Jihua Road, Banian Chmunity, Banian Street, Longang District, Shenzhen, Guangtong, China 518129 www.spsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 4300 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 単編:518129 t (86-755) 25328888 sgs.com



No.: T52410260076TY

Date: MAR 19, 2024

Page 4 of 32

**Results:** 

### ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

Clause	Description	Result
4	Safety Requirements	
4.1	Material Quality **	PASS
4.2	Flammability Test	PASS (See Result Page)
4.3	Toxicology	
4.3.2	Manufacturing and Packaging of Food	N/A
4.3.3	Indirect Food Additives	N/A
4.3.4	Cosmetics	N/A
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	PASS (See Result Page)
4.3.5.2	Heavy Metal in Substrate Materials	PASS (See Result Page)
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin	N/A
4.3.7	Stuffing Materials	N/A
4.3.8	DEHP (DOP)	N/A
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-Producing Toys	N/A
4.6.1	Small Objects	PASS
4.6.2	Mouth-Actuated Toys	N/A
4.6.3	Labelling Requirements	N/A
4.7	Accessible Edges	PASS
4.8	Projections	PASS
4.9	Accessible Points	PASS
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	PASS
4.13.1	Folding Mechanisms	N/A
4.13.2	Hinge-Line Clearance	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is does used to the final their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dogs only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sps.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jacophao (Bantian) Industrial Plant Anex, No. 500, Juliae Road, Bantian Community, Bantian Street, Longgang District, Stenzhen, Guangdong, Chine 518129 www.sgsgroup.com.cn 中国・广东深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 1 (86-755) 25328888 sgs.com



**'t** No.: '

No.: T52410260076TY

Date: MAR 19, 2024

Page 5 of 32

<u>Clause</u>	Description	Result
4.14	Cords, Straps and Elastic	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	PASS
4.18	Holes, Clearance & Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (Rechargeable battery/Non-rechargeable battery)	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys and Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chest	N/A
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	N/A
5.4	Aquatic Toys	N/A
5.5	Crib & Playpen Toys	N/A
5.6	Mobile	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheK@sgs.com

Room 101-901, Pant 4 & Room 101, Pant 2 & Room 101, Pant 3 & Room 301-901, Plant 3, Jianghao (Bartian) Industrial Plant Ave, No. 301, Julua Road, Bantian Tormunity, Bantian Street, Longgang District, Silenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.com



No.: T52410260076TY

Date: MAR 19, 2024

Page 6 of 32

Clause	Description	Result
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	N/A
5.12	Toy Caps	N/A
5.13	Art Materials	N/A
5.14	Electric Toys	N/A
5.15	Battery-Operated Toys	
5.16	Promotional Materials	PASS
5.17	Magnets	N/A
6	Instructional Literature	
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	N/A
6.6	Battery Powered Ride-on Toy	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
7	Producer's Markings	
7.1	Producer's Markings	PASS
7.2	Battery-Powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	PASS
8.7	Impact Test	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	PASS
8.12	Flexure Test	N/A
8.16	Tension Test for Pompoms	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. An unthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 3 dogs only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocchec@egs.com

Room 101-301, Pamt 4 & Room 101, Pamt 2 & Room 101, Pamt 3 & Room 301-301, Plant 3, Jianghao (Banian) Plant strate, No.001, Jihua Road, Banian Comunity, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国•广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



#### Page 7 of 32

Result Page: Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample	Burning Rate (inch/sec)
See sample description	0.03

Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

#### ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-17 Clause 8.3 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)					
MDL (ppm)			10		
Total Limit (ppm)					
Specimen Description     Alias     Tracing       No.     No.					
<ol> <li>Multi-color coating on paper (Accessory, instruction) w/ Black coating on plastic (Block, doll) + Multi-color coating paper label (Sticker)</li> </ol>	7	1	ND		

#### Soluble Heavy Metal Content

Test Item(s)			Pb	Sb	As	Ba	Cd	Cr	Hg	Se	
MDL (ppm)	MDL (ppm)			5 5 2.5 10 5 5 5 1			10				
Migration L	Migration Limit (ppm)			90 60 25 1000 75 60 60 50				500			
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	11	19	/	ND	ND	ND	ND	ND	ND	ND	ND
2	11	20	/	ND	ND	ND	ND	ND	ND	ND	ND

#### Specimen Description:

- 1. Multi-color coating on paper (Accessory, instruction)
- 2. Multi-color coating on paper label (Sticker)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document as advised that information contained herein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of lis intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconsible parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unarthorized alteration, forgery or falsification to be content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dos only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CN.Doccheck@sgs.com

Acom 10-047, Family Room 1017, Pamily 28 Room 101-0617, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. X0, Jihua Read, Bantian Struet, Longgang District, Shenzhen, Giangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.com



Date: MAR 19, 2024 Page

Page 8 of 32

- Note: ppm = parts per million
  - 1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)
  - Soluble Heavy Metal Content:

Result(s) of specimen No.1 - No.2 is(are) extracted from report No.T52310271047TY.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>A</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-17 Clause 8.3.3.6 (2) – Selection of Test Portions

Black coating on plastic (Block, doll)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is does used to the final their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dogs only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sps.com

Acon 101-901, Pant J & Room 101, Pant J & Room 101-001, Pant J, Jacophao (Barrian) Industrial Plant Ana, No. 00, Jihua Road, Banian Chmunity, Banian Street, Longang District, Shonzhen, Guangdong, China S18129 www.sgsgroup.com.cn 中国・广东深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 単编:518129 t (86-755) 25328888 sgs.cohina@sgs.com



Date: MAR 19, 2024

Page 9 of 32

#### ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-17 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Total Lead Content

Test Item(s)						
M		10				
Total Limit (ppm)						
Specimen DescriptionAliasTracingNo.No.No.						
1.	Silvery metal thick pole	3	1	ND		
2.	Silvery metal thin pole	3	2	ND		
3.	Green plastic (PP) (Body) + Red plastic (PP) (Body) + Grey plastic (PP) (Wheel)	10	1	ND		
4.	Grey plastic (HDPF) (Lid) + Orange-yellow plastic (HDPF) (Lid) + Red plastic (HDPE) (Lid)	10	2	ND		
5.	Blue plastic (Block, lid) + Red plastic (LDPE) (Block, lid) + Black plastic (Block, wheel)	10	3	ND		
6.	Cream plastic (LDPE) (Block) + Grey plastic (Block) + Orange plastic (LDPE) (Block)	10	4	ND		
7.	Green plastic (LDPE) (Block) + Brown plastic (LDPE) (Block) + Yellow plastic (LDPE) (Block)	10	5	ND		
8.	Apricot plastic (PS) (Block, doll) + Dark brown plastic (PS) (Block, doll) + Matt-black plastic (PS) (Block, doll)	10	6	ND		
9.	Blue plastic (PP) (Box) + Transparent plastic (PP) (Box) + Transparent plastic sheet (Bucket)	10	7	ND		
10	White paper label (Sticker) + Transparent plastic film (Accessory)	10	8	ND		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Condition</u> at tele one:(86-755) 8307

Acom 10-047, Family Room 1017, Pamily 28 Room 101-0617, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. X0, Jihua Read, Bantian Struet, Longgang District, Shenzhen, Giangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.com



No.: T52410260076TY

Date: MAR 19, 2024

Page 10 of 32

Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration Limit (ppm) Other Than Modeling Clays				90	60	25	1000	75	60	60	500
Migration Li	mit (ppr	n) Model	ling Clays	90	60	25	250	50	25	25	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)		Adj	usted I	Migratio	on Resu	ılt(s) (p	pm)	
1	11	1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	11	2	/	ND	ND	ND	ND	ND	ND	ND	ND
3	11	3	/	ND	ND	ND	ND	ND	ND	ND	ND
4	11	4	/	ND	ND	ND	ND	ND	ND	ND	ND
5	11	5	/	ND	ND	ND	ND	ND	ND	ND	ND
6	11	6	/	ND	ND	ND	ND	ND	ND	ND	ND
7	11	7	/	ND	ND	ND	ND	ND	ND	ND	ND
8	11	9	/	ND	ND	ND	ND	ND	ND	ND	ND
9	11	10	/	ND	ND	ND	ND	ND	ND	ND	ND
10	11	11	/	ND	ND	ND	ND	ND	ND	ND	ND
11	11	12	/	ND	ND	ND	ND	ND	ND	ND	ND
12	11	13	/	ND	ND	ND	ND	ND	ND	ND	ND
13	11	14	/	ND	ND	ND	ND	ND	ND	ND	ND
14	11	15	/	ND	ND	ND	ND	ND	ND	ND	ND
15	11	16	/	ND	ND	ND	ND	ND	ND	ND	ND
16	11	17	/	ND	ND	ND	ND	ND	ND	ND	ND
17	11	18	/	ND	ND	ND	ND	ND	ND	ND	ND
18	11	21	/	ND	ND	ND	ND	ND	ND	ND	ND
19	11	22	/	ND	ND	ND	ND	ND	ND	ND	ND
20	11	23	/	ND	ND	ND	ND	ND	ND	ND	ND
21	11	24	/	ND	ND	ND	ND	ND	ND	ND	ND
22	11	25	/	ND	ND	ND	ND	ND	ND	ND	ND
23	11	26	/	ND	ND	ND	ND	ND	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheK@sgs.com

Room 101-901, Pant 4 & Room 101, Pant 2 & Room 101, Pant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No. A01, Mina Road, Banian Cimunity, Banian Street, Longang District, Shenzhen, Giangdong, China 518129 www.sgsgroup.com.cn 中国•广东•滁圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



No.: T52410260076TY

Date: MAR 19, 2024

Page 11 of 32

Specimen Description:

- 1. Green plastic (PP) (Body)
- 2. Red plastic (PP) (Body)
- 3. Grey plastic (HDPF) (Lid)
- 4. Orange-yellow plastic (HDPF) (Lid)
- 5. Brown plastic (LDPE) (Block)
- 6. Dark brown plastic (PS) (Block, doll)
- 7. Red plastic (HDPE) (Lid)
- 8. Transparent plastic sheet (Bucket)
- 9. Blue plastic (PP) (Box)
- 10. Transparent plastic (PP) (Box)
- 11. Black plastic (Block, wheel)
- 12. Yellow plastic (LDPE) (Block)
- 13. Green plastic (LDPE) (Block)
- 14. Red plastic (LDPE) (Block, lid)
- 15. Blue plastic (Block, lid)
- 16. Grey plastic (Block)
- 17. White paper label (Sticker)
- 18. Transparent plastic film (Accessory)
- 19. Grey plastic (PP) (Wheel)
- 20. Matt-black plastic (PS) (Block, doll)
- 21. Apricot plastic (PS) (Block, doll)
- 22. Orange plastic (LDPE) (Block)
- 23. Cream plastic (LDPE) (Block)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.scs.com/en/Terms-and-Conditions.agr.wad">http://www.scs.com/en/Terms-and-Conditions.agr.wad</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.scs.com/en/Terms-and-Conditions.agr.wad">http://www.scs.com/en/Terms-and-Conditions.agr.wad</a>, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to Scient and this document does not exonerate particles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the company. Any unauthorized alteration, forger or falsification of the company. Any unauthorized alteration for the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-75) 8307 1443, or email: CN.Doccheck@sgs.com

1445。の effinal CH-DeCCReview agos COTI その119-09、Pen A Son 119, Pen L Son 119, Pen L 3, Son 314-01, Plant 3, Janphao (Bantian) Industrial Plant Asa, No.403, Jihua Road, Bantian Chmunity, Bantian Street, Longgarg District, Shenzhen, Guangdong, China 51129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 4300 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 t (86-755) 25328888 sgs.com



Date: MAR 19, 2024 Pag

Page 12 of 32

- Note: ppm = parts per million
  - µg/component = microgramme per component
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit
  - 1% = 10000 mg/kg = 10000 ppm
  - Soluble Heavy Metal Content: Result(s) of specimen No.11 - No.17 & No.22 is(are) extracted from report No.T52310271047TY. Result(s) of specimen No.18 - No.21 & No.23 is(are) extracted from report No.T52310281963TY.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- <sup>△</sup> Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. And, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. And, for electronic Documents, subject to Terms and Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and uirsidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocek@esa.com</a>

1445、01 Of Hindlin - United Decision (Higher) 13 8000 191401, Planta, Jianghao Bantian Industrial Plant Asa, No.03, Jihua Road, Bantian Chmunhy, Bantian Street, Longpang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 4300 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 前编: 518129 t (86-755) 25328888 ggs.com



## Test Report No.: T52410260076TY Date: MAR 19, 2024 Page 13 of 32

#### ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

Clause	Description	Result
4	Safety Requirements	
4.1	Material Quality **	PASS
4.2	Flammability Test	PASS (See Result Page)
4.3	Toxicology	
4.3.2	Manufacturing and Packaging of Food	N/A
4.3.3	Indirect Food Additives	N/A
4.3.4	Cosmetics	N/A
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	PASS (See Result Page)
4.3.5.2	Heavy Metal in Substrate Materials	PASS (See Result Page)
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin	N/A
4.3.7	Stuffing Materials	N/A
4.3.8	Phthalates	PASS (See Result Page)
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-producing Toys	N/A
4.6.1	Small Objects	PASS
4.6.2	Mouth-actuated Toys	N/A
4.6.3	Labelling Requirements	N/A
4.7	Accessible Edges	PASS
4.8	Projections	PASS
4.9	Accessible Points	PASS
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	PASS
4.13.1	Folding Mechanisms	N/A
4.13.2	Hinge-line Clearance	N/A
4.14	Cords, Straps and Elastic	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is diverged in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related of 304 org sont). Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocchecle@sps.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jacophao (Bantian) Industrial Plant Anex, No. 500, Juliae Road, Bantian Community, Bantian Street, Longgang District, Stenzhen, Guangdong, Chine 518129 www.sgsgroup.com.cn 中国・广东深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 1 (86-755) 25328888 sgs.com



No.: T52410260076TY

Date: MAR 19, 2024

D24 Page 14 of 32

Clause	Description	<u>Result</u>
4.15	Stability and Over-load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	PASS
4.18	Holes, Clearance & Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-operated Toys (Rechargeable battery/Non-rechargeable battery)	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys and Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chest	N/A
5	Labeling Requirements	
5.1	Federal Government Requirements	
5.1.1	Specific Labeling Requirement	See Remark
	(Remark: All toys that fall within the definitions and requirements of the U.S. FHSA shall conform to the labeling requirement of that act. For specific requirements, reference 16 CFR 1500.3, 1500.14, 1500.19, 1500.82, 1500.83, 1500.86, 1500.121, 1500.122, 1500.123, 1500.125, 1500.126, 1500.127, 1500.128, 1500.130, 1505.3, and 1511.7. In addition, state labeling requirements may exist.)	
5.1.2	Tracking Label	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic format documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and unisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company. Sole responsibility is to its Client and this document does not excore the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com</a>

Room 101-301, Pamt 4 & Room 101, Pamt 2 & Room 101, Pamt 3 & Room 301-301, Plant 3, Jianghao (Banian) Plant strate, No.001, Jihua Road, Banian Comunity, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国•广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



Drt No.:

No.: T52410260076TY

Date: MAR 19, 2024

Page 15 of 32

Clause	Description	Result
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	N/A
5.4	Aquatic Toys	N/A
5.5	Crib & Playpen Toys	N/A
5.6	Mobile	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	N/A
5.12	Art Materials	N/A
5.13	Electric Toys	N/A
5.14	Battery-operated Toys	N/A
5.15	Promotional Materials	PASS
5.16	Magnets	N/A
6	Instructional Literature	
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-operated Toys	N/A
6.6	Battery-powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	N/A
7	Producer's Markings	
7.1	Producer's Markings	PASS
7.2	Battery-powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	PASS
8.7	Impact Test	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	PASS
8.12	Flexure Test	N/A
8.16	Tension Test for Pompoms	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is diverged in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related of 304 org sont). Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocchecle@sps.com

Room 101-901, Pant 4 & Room 101, Pant 2 & Room 101, Pant 3 & Room 301-901, Plant 3, Jianghao (Bartian) Industrial Plant Ave, No. 301, Julua Road, Bantian Tormunity, Bantian Street, Longgang District, Silenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.com



#### Page 16 of 32

Result Page: Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample	Burning Rate (inch/sec)
See sample description	0.03

Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

#### ASTM F963-23, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-23 Clause 8.3 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)			Lead (Pb)		
MDL (ppm)					
Total Limit (ppm)					
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)		
<ol> <li>Multi-color coating on paper (Accessory, instruction) w/ Black coating on plastic (Block, doll) + Multi-color coating paper label (Sticker)</li> </ol>	4	1	ND		

#### Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration L	imit (ppn	n)		90 60 25 1000 75 60 60 50				500			
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	12	19	/	ND	ND	ND	ND	ND	ND	ND	ND
2	12	20	/	ND	ND	ND	ND	ND	ND	ND	ND

#### Specimen Description:

- 1. Multi-color coating on paper (Accessory, instruction)
- 2. Multi-color coating on paper label (Sticker)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document as advised that information contained herein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of lis intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconsible parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unarthorized alteration, forgery or falsification to be content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dos only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CN.Doccheck@sgs.com

Acom Mitherit, Banar 4 & Room Mit, Pan 2 & Room Mit, Pan 3, Janyhao (Banian) Industrial Plant Anza, No. 50, Jhua Road, Bantian Chmunih, Bantian Street, Longgang District, Shenzhen, Guangtong, China 518129 www.sagsgroup.com.cn 中国・广东•深圳市龙岗区坂田街遊坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 25328888 sgs.com



Date: MAR 19, 2024 Page

Page 17 of 32

Note: - ppm = parts per million

- 1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- Soluble Heavy Metal Content: Result(s) of specimen No.1 - No.2 is(are) extracted from report No.T52310271047TY.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>A</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-23 Clause 8.3.3.6 (2) – Selection of Test Portions

Black coating on plastic (Block, doll)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's old responsibility is to its Client and this document does not excore the company solic responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 do so only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 [1443, or email: CNLDoccheck@sgs.com]

1445。の Enhant Controlled Control Read 39,8000,111-011, Jian 5, Jianghao (Bantian) Industrial Plant Ana, No. 400, Jihua Road, Bantian Chmunity, Bantan Street, Longgang District, Shenzhen, Guangdong, China 518129 www.soggroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 単編: 518129 t (86-755) 25328888 sgs.cohina@sgs.com



## Test Report No.: T52410260076TY Date: I

Date: MAR 19, 2024 Page 18 of 32

#### ASTM F963-23, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-23 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Total Lead Content

Test Item(s)						
MDL (ppm)						
То	tal Limit (ppm)			100		
Specimen DescriptionAliasTracingNo.No.No.						
1.	Silvery metal thick pole	1	1	ND		
2.	Silvery metal thin pole	1	2	ND		
3.	Green plastic (PP) (Body) + Red plastic (PP) (Body) + Grey plastic (PP) (Wheel)	8	1	ND		
4.	Grey plastic (HDPF) (Lid) + Orange-yellow plastic (HDPF) (Lid) + Red plastic (HDPE) (Lid)	8	2	ND		
5.	Blue plastic (Block, lid) + Red plastic (LDPE) (Block, lid) + Black plastic (Block, wheel)	8	3	ND		
6.	Cream plastic (LDPE) (Block) + Grey plastic (Block) + Orange plastic (LDPE) (Block)	8	4	ND		
7.	Green plastic (LDPE) (Block) + Brown plastic (LDPE) (Block) + Yellow plastic (LDPE) (Block)	8	5	ND		
8.	Apricot plastic (PS) (Block, doll) + Dark brown plastic (PS) (Block, doll) + Matt-black plastic (PS) (Block, doll)	8	6	ND		
9.	Blue plastic (PP) (Box) + Transparent plastic (PP) (Box) + Transparent plastic sheet (Bucket)	8	7	ND		
10	White paper label (Sticker) + Transparent plastic film (Accessory)	8	8	ND		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic format documents, subject to Terms and Conditions of lability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is diverged in figure difficult or discover a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dors only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CNLDocchecle@sps.com

Acon 11/9-09, Panel & Boom 101, Panet 2 Boom 11/9-01 Stoom 31/9/01, Plant 3, Jacophao (Bantian) Industrial Plant Ana, No. 300, Jihua Road, Bantian Chmunity, Bantian Street, Longgang District, Shenzhen, Guangtong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 1 (86-755) 25328888 sgs.cchina@sgs.com



No.: T52410260076TY

Date: MAR 19, 2024

Page 19 of 32

Soluble Heavy Metal Content

Test Item(s)				Pb Sb As Ba Cd Cr Hg					Se		
MDL (ppm)				5	5	2.5	10	5	5	5	10
	mit (ppr	n) Other	Than Modeling	90	60	25	1000	75	60	60	500
Migration Li	mit (ppr	n) Model	ling Clays	90	60	25	250	50	25	25	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)		Adj	usted N	Aigratio	on Resu	lt(s) (p	pm)	
1	12	1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	12	2	/	ND	ND	ND	ND	ND	ND	ND	ND
3	12	3	/	ND	ND	ND	ND	ND	ND	ND	ND
4	12	4	/	ND	ND	ND	ND	ND	ND	ND	ND
5	12	5	/	ND	ND	ND	ND	ND	ND	ND	ND
6	12	6	/	ND	ND	ND	ND	ND	ND	ND	ND
7	12	7	/	ND	ND	ND	ND	ND	ND	ND	ND
8	12	9	/	ND	ND	ND	ND	ND	ND	ND	ND
9	12	10	/	ND	ND	ND	ND	ND	ND	ND	ND
10	12	11	/	ND	ND	ND	ND	ND	ND	ND	ND
11	12	12	/	ND	ND	ND	ND	ND	ND	ND	ND
12	12	13	/	ND	ND	ND	ND	ND	ND	ND	ND
13	12	14	/	ND	ND	ND	ND	ND	ND	ND	ND
14	12	15	/	ND	ND	ND	ND	ND	ND	ND	ND
15	12	16	/	ND	ND	ND	ND	ND	ND	ND	ND
16	12	17	/	ND	ND	ND	ND	ND	ND	ND	ND
17	12	18	/	ND	ND	ND	ND	ND	ND	ND	ND
18	12	21	/	ND	ND	ND	ND	ND	ND	ND	ND
19	12	22	/	ND	ND	ND	ND	ND	ND	ND	ND
20	12	23	/	ND	ND	ND	ND	ND	ND	ND	ND
21	12	24	/	ND	ND	ND	ND	ND	ND	ND	ND
22	12	25	/	ND	ND	ND	ND	ND	ND	ND	ND
23	12	26	/	ND	ND	ND	ND	ND	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is obler expensibility is to unathorized alteration, forgery or falsification of the Content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related of asy only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccHeck@sgs.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianphao (Bantian) Industrial Plant Ana, No. A01, Jihua Road, Bantian Chmunity, Bantian Street, Longgang District, Shenzhen, Giangdong, China 518129 www.sgsgroup.com.cn 中国•广东•豫训市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



No.: T52410260076TY

Date: MAR 19, 2024

Page 20 of 32

Specimen Description:

- 1. Green plastic (PP) (Body)
- 2. Red plastic (PP) (Body)
- 3. Grey plastic (HDPF) (Lid)
- 4. Orange-yellow plastic (HDPF) (Lid)
- 5. Brown plastic (LDPE) (Block)
- 6. Dark brown plastic (PS) (Block, doll)
- 7. Red plastic (HDPE) (Lid)
- 8. Transparent plastic sheet (Bucket)
- 9. Blue plastic (PP) (Box)
- 10. Transparent plastic (PP) (Box)
- 11. Black plastic (Block, wheel)
- 12. Yellow plastic (LDPE) (Block)
- 13. Green plastic (LDPE) (Block)
- 14. Red plastic (LDPE) (Block, lid)
- 15. Blue plastic (Block, lid)
- 16. Grey plastic (Block)
- 17. White paper label (Sticker)
- 18. Transparent plastic film (Accessory)
- 19. Grey plastic (PP) (Wheel)
- 20. Matt-black plastic (PS) (Block, doll)
- 21. Apricot plastic (PS) (Block, doll)
- 22. Orange plastic (LDPE) (Block)
- 23. Cream plastic (LDPE) (Block)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.scs.com/en/Terms-and-Conditions.agr.wad">http://www.scs.com/en/Terms-and-Conditions.agr.wad</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.scs.com/en/Terms-and-Conditions.agr.wad">http://www.scs.com/en/Terms-and-Conditions.agr.wad</a>, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to Scient and this document does not exonerate particles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the company. Any unauthorized alteration, forger or falsification of the company. Any unauthorized alteration for the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-75) 8307 1443, or email: CN.Doccheck@sgs.com

1445。の effinal CH-DeCCReview agos COTI その119-09、Pen A Son 119, Pen L Son 119, Pen L 3, Son 314-01, Plant 3, Janphao (Bantian) Industrial Plant Asa, No.403, Jihua Road, Bantian Chmunity, Bantian Street, Longgarg District, Shenzhen, Guangdong, China 51129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 4300 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 t (86-755) 25328888 sgs.com



Date: MAR 19, 2024 Page

Page 21 of 32

- Note: ppm = parts per million
  - µg/component = microgramme per component
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit
  - 1% = 10000 mg/kg = 10000 ppm
  - Soluble Heavy Metal Content: Result(s) of specimen No.11 - No.17 & No.22 is(are) extracted from report No.T52310271047TY. Result(s) of specimen No.18 - No.21 & No.23 is(are) extracted from report No.T52310281963TY.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- <sup>A</sup> Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

1445。の Enhant Controlled Control Read 39,5000.111 Appont19-40、Penal Abon 110、Penal 2 Abon 117,Penal 3 Abon 317-017,Penal 3, Jianghao (Bantian) Industrial Plant Ana, No. 40, Jihua Road, Bantian Chmunity, Bantan Street, Longgang District, Shenzhen, Guangdong, China 318129 www.soggroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 単編: 518129 t (86-755) 25328888 sgs.cohina@sgs.com



## Test Report No.: T52410260076TY Date: MAR 19, 2024 Page 22 of 32

#### Standard Consumer Safety Specification on Toy Safety, ASTM F963-23, Clause 4.3.8 – Phthalate Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No. Result (s) (%)					
Specimen No.		1	2	3		Permissible
Alias No.		13	13	13	MDL (%)	Limit (%)
Tracing No.		1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.015	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.015	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.015	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.015	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.015	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.015	0.1
Di-n-pentlyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.015	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.015	0.1

Test Item(s)	CAS No.	Result (s) (%)				
Specimen No.		4	5	6		Permissible
Alias No.		13	13	13	MDL (%)	Limit (%)
Tracing No.		4	5	6		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.015	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.015	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.015	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.015	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.015	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.015	0.1
Di-n-pentlyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.015	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.015	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. And, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. And, for electronic Documents, subject to Terms and Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and uirsidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocek@esa.com</a>

1946。 (19 email: A Boom 101, Pearl 2 & Boom 319-601 & Boom 319-601, Piant 3, Jianghao (Bantian) Industrial Plant Ana, No. 30, Jihua Road, Bantian Streit, Longang District, Shenzhen, Guangkong, China 518129 www.sgsgroup.com.cn 中国・广东深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎编: 518129 1 (86-755) 25328888 sgs.com.ina@sgs.com



	Test	Report
--	------	--------

#### No.: T52410260076TY

Date: MAR 19, 2024

Page 23 of 32

Test Item(s)	CAS No.	Result	(s) (%)		
Specimen No.		7	8		Permissible
Alias No.		13	13	MDL (%)	Limit (%)
Tracing No.		7	8		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.015	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.015	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.015	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.015	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.015	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.015	0.1
Di-n-pentlyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	0.015	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.015	0.1

Specimen Description:

- 1. White paper label (Sticker) + Transparent plastic film (Accessory)
- 2. Green plastic (PP) (Body) + Red plastic (PP) (Body) + Grey plastic (PP) (Wheel)
- 3. Grey plastic (HDPF) (Lid) + Orange-yellow plastic (HDPF) (Lid) + Red plastic (HDPE) (Lid)
- 4. Blue plastic (Block, lid) + Red plastic (LDPE) (Block, lid) + Black plastic (Block, wheel)
- 5. Cream plastic (LDPE) (Block) + Grey plastic (Block) + Orange plastic (LDPE) (Block)
- 6. Green plastic (LDPE) (Block) + Brown plastic (LDPE) (Block) + Yellow plastic (LDPE) (Block)
- 7. Apricot plastic (PS) (Block, doll) + Dark brown plastic (PS) (Block, doll) + Matt-black plastic (PS) (Block, doll)
- Blue plastic (PP) (Box) + Transparent plastic (PP) (Box) + Transparent plastic sheet (Bucket) 8.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.fors.acc</u> Agreed Terms and Conditions for Electronic Documents as thtp://www.sqs.com/en/Terms-and-Conditions.forms-enDccument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document for Client's instructions, if any. The Company's sole responsibility is to its Client and this document. Any holder of this document is transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or responsibility is to be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Acom Mitherit, Banar 4 & Room Mit, Pan 2 & Room Mit, Pan 3, Janyhao (Banian) Industrial Plant Anza, No. 50, Jhua Road, Bantian Chmunih, Bantian Street, Longgang District, Shenzhen, Guangtong, China 518129 www.sagsgroup.com.cn 中国・广东•深圳市龙岗区坂田街遊坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 25328888 sgs.com



## Test Report No.: T52410260076TY

Date: MAR 19, 2024 Page 24 of 32

Note: - % = percentage by weight

- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- <sup>A</sup> Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- \* Exceeds Permissible Limit

#### US CPSC

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	<u>No. of</u> sample tested	<u>Sharp point</u> (16 CFR 1500.48)	<u>Sharp edge</u> (16 CFR 1500.49)	<u>Small part</u> (16 CFR 1501)
As received	7	Pass	Pass	Pass
Impact test (16 CFR 1500.52b)	7	Pass	Pass	Pass
Bite test (16 CFR 1500.52c)	7	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	7	Pass	Pass	Pass
Tension test (16 CFR 1500.52f)	7	Pass	Pass	Pass
Compression test (16 CFR 1500.53g)	7	Pass	Pass	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic format documents, subject to Terms and Conditions of lability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dors only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CNLDoccheck@sgs.com

1946。の1911年18 Concitify Part 2 & Boom 1947, Part 3 & Boom 31/947, Plant 3, Jianghao (Bantian) Industrial Plant Ana, No. X0, Jihua Road, Bantian Tomunity, Bantian Street, Longang District, Shenzhen, Guangdong, China 18129 www.seggroup.com.cn 中国・方示深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 単編:518129 t (86-755) 25328888 sgs.cohina@sgs.com



## Test Report No.: T52410260076TY Date: MAR 19, 2024 Page 25 of 32

# US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample	Burning Rate (inch/sec)
See sample description	0.03

Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

#### CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)			Lead (Pb)
Permissible Limit (ppm)			90
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
<ol> <li>Multi-color coating on paper (Accessory, instruction) w/ Black coating on plastic (Block, doll) + Multi-color coating paper label (Sticker)</li> </ol>	6	1	ND

#### Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>A</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-and-Condition</u>

Acon 101-901, Panal & Room 101, Panal 2 & Room 101, Panal 2 & Room 301-901, Panal 3, Jacophao (Bantian) Industrial Planat Ana, No. 301, Juha Rood, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 1 (86-755) 25328888 sgs.com.ina@sgs.com



## Test Report No.: T52410260076TY Date: MAR 19, 2024 Page 26 of 32

# As specified in 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label on the packaging: Present
- Tracking label on the product: Present
- Tracking label on the product (For Item No. 760019) : Not Applicable

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

#### **CPSIA - Lead in Paint/Similar Surface Coating Materials**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)			Lead (Pb)
Permissible Limit (ppm)			90
Client's Limit (ppm)			40
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
<ol> <li>Multi-color coating on paper (Accessory, instruction) w/ Black coating on plastic (Block, doll) + Multi-color coating paper label (Sticker)</li> </ol>	5	1	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>A</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-and-Condition</u>

Acon 101-901, Pant / & Room 101, Pant 2 & Room 101, Pant 3 & Room 301-901, Pant 3, Jianghao (Bantian) Industrial Plant Ana, No. 301, Jihna Road, Bantian Streit, Longang District, Shenzhen, Guangtong, China 518129 www.sgsgroup.com.cn 中国・广东 深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎编: 518129 t (86-755) 25328888 sgs.cchina@sgs.com



## Test Report No.: T52410260076TY Date: MAR 19, 2024 Page 27 of 32

#### **CPSIA - Lead in Accessible Substrate Materials**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)			Lead (Pb)	
Pe	Permissible Limit (ppm) Client's Limit (ppm)			100
Cli				40
Specimen Description		Alias No.	Tracing No.	Result(s) (ppm)
1.	Silvery metal thick pole	2	1	ND
2.	Silvery metal thin pole	2	2	ND
3.	Green plastic (PP) (Body) + Red plastic (PP) (Body) + Grey plastic (PP) (Wheel)	9	1	ND
4.	Grey plastic (HDPF) (Lid) + Orange-yellow plastic (HDPF) (Lid) + Red plastic (HDPE) (Lid)	9	2	ND
5.	Blue plastic (Block, lid) + Red plastic (LDPE) (Block, lid) + Black plastic (Block, wheel)	9	3	ND
6.	Cream plastic (LDPE) (Block) + Grey plastic (Block) + Orange plastic (LDPE) (Block)	9	4	ND
7.	Green plastic (LDPE) (Block) + Brown plastic (LDPE) (Block) + Yellow plastic (LDPE) (Block)	9	5	ND
8.	Apricot plastic (PS) (Block, doll) + Dark brown plastic (PS) (Block, doll) + Matt-black plastic (PS) (Block, doll)	9	6	ND
9.	Blue plastic (PP) (Box) + Transparent plastic (PP) (Box) + Transparent plastic sheet (Bucket)	9	7	ND
10	White paper label (Sticker) + Transparent plastic film (Accessory)	9	8	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic format documents, subject to Terms and Conditions of lability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dors only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CNLDoccheck@sgs.com

Acon 11/9-09, Panel & Boom 101, Panet 2 Boom 11/9-01 Stoom 31/9/01, Plant 3, Jacophao (Bantian) Industrial Plant Ana, No. 300, Jihua Road, Bantian Chmunity, Bantian Street, Longgang District, Shenzhen, Guangtong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 1 (86-755) 25328888 sgs.cchina@sgs.com



Date: MAR 19, 2024

Page 28 of 32

Note: ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- <sup>A</sup> Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- \* Exceeds Permissible Limit

Note:

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A = Not Applicable	** = Visual Examination	DNI = Did Not Ignite
SE = Self-Extinguishing	IBE = Ignite But Self-Extinguished	
SE within 50mm - Self-extinguished within	n 50 mm of flame application	

E within 50mm = Self-extinguished within 50 mm of flame application



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.com/en/Terms-and-Conditions.terms-and-terms-and-Conditions.te</u>

Acom Mirver, Barral 4 Room Mir Van 2 Room Mir Van 13 Room Mir Van Jangkao (Barrian) Industrial Plant Ansa, No. 50, Jhua Road, Barrian Omunity, Barrian Street, Longgang District, Stenzben, Guargoog, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 ggs.com



## Test Report No.: T52410260076TY Date: MAR 19, 2024 Page 29 of 32

#### Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U<sub>95</sub>. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%. For Upper Tolerance Limit (T<sub>U</sub>):

Pass - when the measurement result is below  $T_{U}\text{-}U_{95}$ 

Fail - when the measurement result is above  $T_{U} + U_{95}$ 

Inconclusive - when the measurement result is falling in guard band  $[T_U-U_{95}, T_U+U_{95}]$ 

For Lower Tolerance Limit  $(T_{L})$ :

Pass - when the measurement result is above  $T_{\rm L} + U_{\rm 95}$ 

Fail - when the measurement result is below  $T_L$ - $U_{95}$ 

Inconclusive - when the measurement result is falling in guard band  $[T_L-U_{95}, T_L+U_{95}]$ 

### Sample Picture (As received)






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. A defined therein. Any holder of this document is advised that information on liability, indemnification and uirsidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocek@sas.com</a>

Room 11/4-04, Fare 1 & Room 11/, Bart 2 & Room 11/, Bart 3 & Room 31/401, Part 3, Janghao (Barkian) Plastikal Plant A #ae, No. 430, Jiwa Road, Bankian Chmunhy, Bankian Sireat, Longgang District, Shenzhen, Guangdong, China 318129 www.segoroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 郎塢: 518129 t (86-755) 25328888 gs.com







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's old responsibility is to its Client and this document does not excore the company solic responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for ago ago only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 [1443, or email: CNLDoccheck@sgs.com]

Room 101-301, Pamt 4 & Room 101, Pamt 2 & Room 101, Pamt 3 & Room 301-301, Plant 3, Jianghao (Banian) Plant strate, No.001, Jihua Road, Banian Comunity, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国•广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com





SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is does used to the final their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dogs only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sps.com

Room 101-991, Pam 4 & Room 101, Pam 2 & Room 101, Pam 3 & Room 301-901, Plam 3, Jacophao (Barrian) Industrial Plant Area, No. X01, Jhua Road, Barrian Chmunity, Barrian Street, Longgang District, Stenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



No.: T52410260076TY

Date: MAR 19, 2024 Pa

Page 32 of 32

Appendix

Remark: The photo was submitted by the clients. The test results only related to the tested model and the conclusion was given based on the result tested model.





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions of Electronic format documents, subject to Terms and Conditions of lability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dors only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CNLDoccheck@sgs.com

Room 101-991, Pam 4 & Room 101, Pam 2 & Room 101, Pam 3 & Room 301-901, Plam 3, Jacophao (Barrian) Industrial Plant Area, No. X01, Jhua Road, Barrian Chmunity, Barrian Street, Longgang District, Stenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com