

Test Report

No.: 70.452.22.13061.08

Date: 2023-01-18



Greater China

Applicant: HAPE INTERNATIONAL (NINGBO) LTD.
HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD
Address: 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN,NINGBO,CHINA
PC:315800
Product Name: Dot Markers, Set of 8
Model No: 844271
Receipt Date of Sample: 2022-09-08
Date of Testing: From 2022-09-08 to 2022-09-29
Sample Submitted: The sample(s) was (were) submitted by applicant and identified.
Test Result: Refer to the data listed in following pages

Test Item

1. AS/NZS ISO 8124.1:2019+AMD1:2020+AMD2:2020 Safety of toys - Part 1: Safety aspects related to mechanical and physical properties - AMENDMENT 1: Flying toys - AMENDMENT 2: Various
2. AS/NZS 8124.2:2016 Flammability
3. AS/NZS 8124.3:2021 Migration of Certain Elements

Conclusion


Pass

Pass

Pass



- Remarks:
1. MDL = Method Detection Limit
 2. ND = Not Detected (<MDL)
 3. ≤ Less than
 4. 1 mg/kg = 1 ppm = 0.0001%
 5. NA=Not Applicable
 6. The test results are transferred from report 70.452.22.13061.04





TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

Testing Center

Prepared by:


Jenny Yao
Technical Engineer



Authorized by:


Sawyer Tang
Technical Manager




Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied.
Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.
For further details, please see "Testing and certification regulation", chapter A-3.4
For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) The results relate only to the Items tested.
- (3) The test report shall not be reproduced except in full without the written approval of the laboratory
- (4) Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.



Description of Tested Subject:

Sample	Description	Photo
001	Dot Markers, Set of 8	

T. No	Sample	Description
T1	001	Dot Markers, Set of 8
T2	002	White plastic (shell)
T3	003	White foam (nib)
T4	004	Transparent plastic (nib)
T5	005	Black plastic (cap)
T6	006	Green plastic (cap)
T7	007	Brown plastic (cap)
T8	008	Pink plastic (cap)
T9	009	Blue plastic (cap)
T10	010	Orange plastic (cap)
T11	011	Yellow plastic (cap)
T12	012	Red plastic (cap)
T13	013	White soft plastic with black printing (film)
T14	014	White soft plastic with green printing (film)
T15	015	White soft plastic with brown printing (film)
T16	016	White soft plastic with pink printing (film)
T17	017	White soft plastic with blue printing (film)
T18	018	White soft plastic with orange printing (film)
T19	019	White soft plastic with yellow printing (film)
T20	020	White soft plastic with red printing (film)
T21	021	Black liquid ink
T22	022	Green liquid ink
T23	023	Brown liquid ink
T24	024	Pink liquid ink
T25	025	Blue liquid ink
T26	026	Orange liquid ink
T27	027	Yellow liquid ink
T28	028	Red liquid ink



Test Result(s):

- AS/NZS ISO 8124.1:2019+AMD1:2020+AMD2:2020 Safety of toys - Part 1: Safety aspects related to mechanical and physical properties - AMENDMENT 1: Flying toys - AMENDMENT 2: Various**

Sample	001
Labelled age range	3+
Requested age range	3+
Age range in testing	Over 3 years


Clause	Requirement	Evaluation
4	Requirements	--
4.1	Normal use	P
4.2	Reasonably foreseeable abuse	P
4.3	Materials	P
4.6	Edges	P
4.7	Points	P
Annex B	Safety-labelling guidelines and manufacturer's markings	--
B.2	Safety-labelling guidelines	--
B.2.2	Age grading	P
B.3	Instructional literature	--
B.3.1	Information and instructions	P
B.4	Manufacturer's marking	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

Only applicable clauses were shown.



2. AS/NZS 8124.2:2016 Flammability

Sample		001
Clause	Requirement	Evaluation
4.1	General requirements	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

Only applicable clauses were shown.

3. AS/NZS 8124.3:2021 Migration of Certain Elements

Test with reference to AS/NZS 8124.3:2021, determination by ICP-OES/ICP-MS.

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]				
			002	003	005	006	007
Soluble Antimony	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Arsenic	5.0	25	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Barium	5.0	1000	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Cadmium	5.0	75	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Chromium	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Lead	5.0	90	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Mercury	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Selenium	5.0	500	<5.0	<5.0	<5.0	<5.0	<5.0
Conclusion			Pass	Pass	Pass	Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]				
			008	009	010	011	012
Soluble Antimony	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Arsenic	5.0	25	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Barium	5.0	1000	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Cadmium	5.0	75	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Chromium	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Lead	5.0	90	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Mercury	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Selenium	5.0	500	<5.0	<5.0	<5.0	<5.0	<5.0
Conclusion			Pass	Pass	Pass	Pass	Pass

Test Report

No.: 70.452.22.13061.08

Date: 2023-01-18



Greater China

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]				
			013	014	015	016	017
Soluble Antimony	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Arsenic	5.0	25	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Barium	5.0	1000	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Cadmium	5.0	75	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Chromium	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Lead	5.0	90	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Mercury	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Selenium	5.0	500	<5.0	<5.0	<5.0	<5.0	<5.0
Conclusion			Pass	Pass	Pass	Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]				
			018	019	020	021	022
Soluble Antimony	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Arsenic	5.0	25	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Barium	5.0	1000	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Cadmium	5.0	75	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Chromium	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Lead	5.0	90	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Mercury	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Selenium	5.0	500	<5.0	<5.0	<5.0	<5.0	<5.0
Conclusion			Pass	Pass	Pass	Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]					
			023	024	025	026	027	028
Soluble Antimony	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Arsenic	5.0	25	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Barium	5.0	1000	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Cadmium	5.0	75	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Chromium	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Lead	5.0	90	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Mercury	5.0	60	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Soluble Selenium	5.0	500	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Conclusion			Pass	Pass	Pass	Pass	Pass	Pass

- Note:
- Adjusted analytical result
 - The test results of the sample 021~028 is transferred from sample 002~009 of report 70.452.22.12522.01
 - Mass of trace amount of sample 013 is 31.00 mg, sample 014 is 31.00 mg, sample 015 is 36.00 mg, sample 016 is 35.00 mg, sample 017 is 24.00 mg, sample 018 is 30.00 mg, sample 019 is 33.00 mg

-End of Test Report-