

CONSUMER PRODUCTS SERVICES DIVISION

CARPENTERS MANUFACTORY LIMITED

March 13, 2020 **Technical Report:** (8520)020-0200 Date Received: January 21, 2020 Page 1 of 31

CARPENTERS MANUFACTORY LIMITED HUANG JIN JI INDUSTRIAL ZONE, SHANG JIE VILLAGE, QI SHI TOWN, DONG GUAN CITY, GUANG DONG PROVINCE, P.R.CHINA

A.) A - OUTDOOR STEM WALL 800L X 1200H WALL PANEL 1 PIECE SET Sample Description:

> B.) B - OUTDOOR STEM WALL 800L X 1200H WALL PANELS 2 PIECE SET C.) C - OUTDOOR STEM WALL 800L X 800H WALL PANEL 1 PIECE SET D.) D - OUTDOOR STEM WALL 400L X 400H WALL PANEL 1 PIECE SET E.) E - OUTDOOR STEM WALL 100L X 400H WALL PANEL 1 PIECE SET F.) F - OUTDOOR STEM WALL 200L X 400H WALL PANEL 1 PIECE SET

Vendor: CARPENTERS MANUFACTORY Sample Size:

LIMITED 东莞天志木制品有限公司

Manufacturer: N/A Style No(s): ME15358 (PA90966/

PA90973), ME15365 (PA90966/PA90980),

ME15372

(PA90997/PA91000),

ME15389

(PA91017/PA91024), ME15402, ME15426

N/A

SKN/SKU No.: N/A 3 YEARS+ PO No.: N/A **NOT REQUESTED** Ref #: N/A Country of Origin: **CHINA**

Client Specified Age Grade:

Labeled Age Grade:

Appropriate Age Grade:

Buyer:

Tested Age Grade:

UPC Code:

OVER 3 YEARS OF AGE

6955920090973, 6955920090980, 6955920091000, 6955920091024,

6955920015402, 6955920015426

Assortment No.: N/A Country of Destination: **GLOBAL**



March 13, 2020 Page 2 of 31

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The flammability requirements of 16 CFR 1500.3(c)(6)(vi), "Flammable solid" (FHSA regulations).
- Labeling requirements of "CE marking, manufacturer/ Importer name and address, and product identification" under "Directive 2009/48/EC Safety of Toy".
- The migration of certain elements requirements of the AS/NZS Standard, "Safety of toys", AS/NZS 8124: Part 3: 2012 with Amendment No. 1: 2016.
- The labeling requirements of the tested subclauses of the Australian/New Zealand Standard, "Safety of toys", AS/NZS ISO 8124: Part 1: 2019.
- The mechanical and physical properties requirements of the tested subclauses of the Australian/New Zealand Standard, "Safety of toys", AS/NZS ISO 8124: Part 1: 2019.
- The flammability requirements of the AS/NZS Standard, "Safety of toys", AS/NZS 8124: Part 2: 2016.
- The labeling requirements of ASTM F963-17, "Standard consumer safety specification for toy safety".
- The mechanical hazards requirements of ASTM F963-17, "Standard consumer safety specification for toy safety".
- The soluble heavy metals content in substrate requirements of ASTM F963-17, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).
- The mechanical hazards requirements of the tested sections of Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 and Schedule 2.
- The total lead content requirements of the Canada Consumer Product Safety Act, Consumer Products Containing Lead Regulations SOR/2018-83.
- The 17 phthalates content requirements of the client's specifications.
- The phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of the Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(a) and 108(c), 16 CFR 1307).
- The total lead content of 100ppm requirements by composite testing in substrate materials (Consumer Products Safety Improvement Act (CPSIA) of 2008).
- The cellulose nitrate requirements of Canada Toys Regulations, SOR/2011-17, section 21.
- The BBP, DBP DEHP and DIBP content requirements of the European Regulation (EC) No. 1907/2006 of the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex XVII concerning the Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles, Item no. 51 (amended up to EU No. 2018/2005).
- The BBP, DBP and DEHP content requirements of the European Regulation (EC) No. 1907/2006 of the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex XVII concerning the Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles. Item no. 51.



March 13, 2020 Page 3 of 31

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The cadmium content requirement of the European Regulation (EC) No. 1907/2006 of the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex XVII concerning the Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles, Item no. 23 (amended up to EU No. 2016/217).
- The DNOP, DINP and DIDP content requirements of the European Regulation (EC) No. 1907/2006 of the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex XVII concerning the Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles, Item no. 52.
- The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018, clauses 1-7.
- The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2011+ A1: 2014.
- The migration of certain elements requirements of the European Standard, "Safety of Toys", EN 71 Part 3: 2019.
- The migration of certain elements in Category III Scraped off toy material requirements of the European Standard, "Safety of Toys", EN 71 Part 3: 2013+A3:2018.

Note: The sample(s) was not evaluated to the Normal Use testing requirements specified in ASTM F963-17, Section 8.5. It is the responsibility of the manufacturer, vendor or distributor to conduct tests that will simulate normal use conditions. These tests shall ensure that hazards are not generated through normal wear and deterioration of the sample(s). These tests shall also simulate the normal play mode of the toy and to simulate the expected mode of use of the particular toy. The tests shall be conducted in an expected use environment. These normal use tests shall simulate the intended use of the toy based on its estimated lifetime.

Note: At the request of the client, the sample(s) was evaluated for use by children 3+.

Note: The product identification is present on the packaging only. It has to be noted that, according to TSD 2009/48/EC, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or, where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

Note: The manufacturer / importer information was present on the packaging only. It has to be noted that, according to TSD 2009/48/EC, the manufacturers/importer shall indicate their name, registered trade name or registered trade mark and the address at which they can be contacted on the toy, or, where that is not possible, on its packaging or in a document accompanying the toy.

Note: No accessible surface coating was present on the received sample(s). Consequently, the lead content analysis of surface coatings according to modified 16 CFR 1303, "Ban of lead-containing paint and certain consumer products bearing lead-containing paint" (Consumer Products Safety Improvement Act (CPSIA) of 2008), was not conducted.



March 13, 2020 Page 4 of 31

EXECUTIVE SUMMARY:

Note: No accessible surface coating was present on the received sample(s). Consequently, the heavy metals content analysis of surface coatings according to ASTM F963-17, "Standard consumer safety specification on toy safety", Section 4.3.5.1(2), was not conducted.

Note: No surface coating was present on the received sample(s). Consequently, the heavy metals content analysis on surface coatings according to the Canada Consumer Product Safety Act - Toys Regulations, SOR/2011-17 Sec. 23 with Amendment in SOR/2016-195 or the lead content analysis on surface coatings according to the Canada Consumer Product Safety Act, Surface Coating Materials Regulation, SOR/2016-193 Sec 2 and 6 was not conducted.

Note: The sample(s) submitted do not fall within the scope of EN 71 Pt.9 formaldehyde thus the corresponding testing has/have not been conducted.

Note: Based on visual evaluation and/or material breakdown received, there is no applicable material(s) found in the sample(s) submitted and thus the corresponding testing of EC No.1907/2006 Azodyes / 2009/48/EC formamide has/have not been conducted.

Note: Based on visual evaluation and/or material breakdown received, there is no polyvinyl chloride (PVC) found in the samples submitted and thus the corresponding testing of the Canada Consumer Product Safety Act, Phthalates Regulations, SOR/2016-188 regarding to the restriction of use of certain phthalates content have not been conducted.

BUREAU VERITAS SHENZHEN CO., LTD.

Hon Yin Kan Manager

Toys And Juvenile Products Department

HK/ ha



Page 5 of 31

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-17, "Standard Consumer Safety Specification for Toy Safety". Annex A1

Note: The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for

testing.

Note: If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products

Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

USE AND ABUSE TESTS

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable						
Test	Test Parameters	Standard Reference				
Impact Test	4 x 3 ft	1500.53(b)				
Torque Test	4 in-lbs	1500.53(e)				
Tension Test	15 lbs	1500.53(f)				
Compression Test	30 lbs	1500.53(g)				



RESULTS:

PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-17)

Section	Requirement	Result
4.1	Material Quality	M
4.3.7	Stuffing Materials	N/A
4.5	Sound-Producing Toys	N/A
4.6	Small Objects	N/A
4.7	Accessible Edges	M
4.8	Projections	N/A
4.9	Accessible Points	M
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	M
4.12	Plastic Film	M
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearances and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys	N/A
	(exclude Section 4.25.10 Battery-powered ride-on toys & Section 4.25.11 Toys that Contain Secondary Cells or Secondary Batteries)	
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A



RESULTS:

LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-17)

Section	Requirement	Result
5.4 & 5.3	Aquatic Toys	N/A
5.5 & 5.3	Crib and Playpen Toys	N/A
5.6 & 5.3	Mobiles	N/A
5.7 & 5.3	Stroller and Carriage Toys	N/A
5.8 & 5.3	Toys Intended to be Assembled by an Adult	M
5.9 & 5.3	Simulated Protective Devices	N/A
5.10 & 5.3	Toys with Functional Sharp Edges or Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	N/A
5.12	Toy Caps (16CFR1500.86)	N/A
5.13	Art Materials (16 CFR 1500.14(b)(8))	N/A
5.15	Battery-Operated Toys (exclude 5.15.1 and 5.15.2)	N/A
5.15.1 & 5.3	Battery-Powered Ride-On Toys	N/A
5.15.2 & 5.3	Button or Coin Cell Batteries	N/A
5.16	Promotional Materials	M
5.17 & 5.3	Magnets	N/A
6.1	Definition and Description	M
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4 & 5.3	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	N/A
6.6	Battery-Powered Ride-On Toys	N/A
6.7	Toys in Contact with Food	N/A
7.1	Producer's Name and Address	M
7.2	Battery-Powered Ride-on Toys	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

FLAMMABILITY (16 CFR SECTION 1500.3(c)6)(vi))

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	16 CFR 1500.44	Ignited but Self-Extinguished.



Page 8 of 31

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN71: Part 1: 2014 +A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age Determination Guidelines prepared by Technical Committee CEN/TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).

Note: The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be

used for testing.

Note: If the client does not specify an age grade for testing or request Bureau Veritas Consumer

Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used

for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6

Symbol	Explanation					
NM	The sample(s) DOES	NOT MEET	Γ the requirement of this ${\sf S}$	ubclause		
M	The sample(s) MEET	the require	ment of this Subclause			
N/A	Not Applicable					
NR	Not Requested					
NE	Not Evaluated					
NT	Not Tested					
NP	None Present					
Р	Present					
R	Refer to Comment Se	ction of this	report			
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present	
В	Belgian language	G	German language	PR	Portuguese language	
D	Danish language GR Greek language S Spanish language					
E	English language H Dutch language SD Swedish language					
F	Finnish language		Italian language	SZ	Swiss language	
FR	French language	N	Norwegian language			



March 13, 2020 Page 9 of 31

RESULTS:

MECHANICAL & PHYSICAL PROPERTIES (EN 71: PART 1 – 2014+A1 – 2018)

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	M for style#
		E,F
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17.2	All projectiles	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA



RESULTS:

MECHANICAL & PHYSICAL PROPERTIES (EN 71: PART 1 – 2014+A1 – 2018)

Subclause	Requirement	Result
4.17.4 & 7.26	Certain projectiles toys without stored energy	NA
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA
4.20.2.1- 4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	NA
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	NA
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27.1	Flying toys – General	NA
4.27.2 & 7.25.1	Rotors and propellers on flying toys	NA
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	NA
	FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	NA
5.2	Fillings, coverings and seams	NA
5.3	Adhesion of plastic sheeting	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6 & 7.21	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA



March 13, 2020 Page 11 of 31

RESULTS:

MECHANICAL & PHYSICAL PROPERTIES (EN 71: PART 1 – 2014+A1 – 2018)

Subclause	Requirement	Result
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15 & 7.24	Sledges with cords for pulling	NA
6	Packaging	М
	WARNINGS, INSTRUCTIONS FOR USE	
7.1	General	M
7.2	Toys not intended for children under 36 months	M
7.5	Functional toys	NA

2009/48/EC GENERAL LABELING REQUIREMENT

Requirement	Result
CE Mark	M
Manufacturer/ Importer name and address	M
Product Identification	M

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section



March 13, 2020 Page 12 of 31

RESULTS:

FLAMMABILITY (EN 71 PART 2: 2011 + A1: 2014)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Surface flash on a piled surface	NA
4.1	Flammable gases	NA
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by a child	NA
4.4	warning on product and packaging (10 – 30 mm/s)	NA
4.5	Soft-filled toys	NA

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub- clause	Test Method	Sub- clause	Test Method	Sub- clause	Test Method	Sub- clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-



Page 13 of 31

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age-grading guidelines of the Annex A of the AS/NZS Standard, "Safety of toys", AS/NZS 8124: Part 1: 2019

Note: The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be

used for testing.

Note: If the client does not specify an age grade for testing or request Bureau Veritas Consumer

Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used

for testing.



RESULTS:

MECHANICAL & PHYSICAL PROPERTIES - (AS/NZS ISO 8124.1:2019)

Subclause	Requirement	Result
4.1	Normal use	M
4.2	Reasonably foreseeable abuse	M
4.3	Material	M
4.4	Small parts	NA
4.5	Shape, size and strength of certain toys	NA
4.6	Edges	М
4.7	Points	M
4.8	Projections	NA
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in packaging and in toys	М
4.11	Cords	NA
4.12	Folding mechanisms	NA
4.13	Holes, clearances and accessibility of mechanisms	NA
4.14	Springs	NA
4.15	Stability and overload requirements	NA
4.16	Enclosures	NA
4.17	Simulated protective equipment	NA
4.18	Projectile toys	NA
4.19	Rotors and propellers	NA
4.20	Aquatic toys	NA
4.21	Braking	NA
4.22	Toy bicycles	NA
4.23	Speed limitation of electrically driven ride-on toys	NA
4.24	Toys containing a heat source	NA
4.25	Liquid-filled toys	NA
4.26	Mouth-actuated toys	NA
4.27	Toy roller skates, toy inline skates and toy skateboards	NA
4.28	Percussion caps specifically designed for use in toys	NA
4.29	Acoustic requirement	NA
4.30	Toy scooters	NA
4.31	Magnets and magnetic components	NA
4.32	Yo-yo balls	NA
4.33	Straps intended to be worn fully or partially around the neck	NA
4.34	Sledges and toboggans with cords for pulling	NA
4.35	Jaw entrapment in handles and steering wheels	NA



March 13, 2020 Page 15 of 31

RESULTS:

FLAMMABILITY (AS/NZS 8124.2: 2016)

Subclause	Requirement	Result
4.1	Celluloid (cellulose nitrate)	NP
4.1	Surface flash on a piled surface	NA
4.1	Flammable Gases	NA
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by a child	NA
4.4	warning on product and packaging (10 - 30 mm/s)	NA
4.5	Soft - filled toys	NA

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section P = Present NP = Not Present



Page 16 of 31

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is recommended with reference to the Toys: Age Classification Guidelines (1998-01-13) of the Product Safety Bureau, Health Canada.

Note: The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for

testing.

Note: If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products

Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

CANADA CONSUMER PRODUCT SAFETY ACT, TOYS REGULATIONS, SOR/2011-17

Section	Parameter / Requirement	Result
Mechanical I	Hazards	<u> </u>
4	Flexible film bag used for package	M
7	Small Toys and Detachable component	NA
8	Metal edge	M
9	Wires frames	NA
10	Plastic Edges	M
11	Wood	NA
12	Glass	NA
13	Nails and fasteners	M
14	Safety stops/Locking Device for Folding product	NA
15 (a, b)	Moving Mechanism	NA
15 (c)	Non- Detachable Winding Key Clearance	NA
15 (d)	Detachable Key	NA
16	Projectile Toy	NA
17	Enclosures	NA
18	Stability	NA
19	Auditory hazards	NA
Specific Pro	ducts - Dolls, Plush Toys and Soft Toys	•
28	Exposed Sharp Points and Edges	NA
29. (a)	Stuffing Materials shall be clean and free from vermin	NA
29. (b)	Stuffing Materials shall be free from hard and sharp foreign matter	NA
30	Squeaker, Reed and Valve	NA
31	Eyes and Nose	NA



narch 13, 2020 Page 17 of 31

RESULTS:

CANADA CONSUMER PRODUCT SAFETY ACT, TOYS REGULATIONS, SOR/2011-17

Section	Parameter / Requirement	Result
Specific Pro	ducts	1
35*&36*	Plant seeds	NA
37	Pull and Push toys	NA
38*	Toys Steam engine Boilers	NA
39*	Finger Paints	NA
40(a)	Rattles – Sharp wire	NA
40(b, c)	Rattles – Impaction	NA
41	Elastic	NA
42	Yo-Yo type balls	NA
43	Magnetic force	NA
44	Educational experimental kit - Labeling	NA

CANADA CONSUMER PRODUCT SAFETY ACT, SCHEDULE 2

Section	Parameter / Requirement	Result
Mechanical H		
1*	Jequirity Beans	M
8*	Kites	NA
9	Kite strings	NA
14*	Lawn, darts with elongated tips	NA

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section *= Non-accreditated section

FLAMMABILITY OF CELLULOSE NITRATE TOY REGULATIONS SOR/2011-17 SECTION 21

Requirement Reference	Observation	Flammability Classification
Section 21	No Flash Effect	M

M = Meet NM-See comment = Not Meet - Refer to Comment Section NA = Not Applicable



March 13, 2020 Page 18 of 31

RESULTS:

TOTAL LEAD CONTENT IN SUBSTRATE BY COMPOSITE TESTING (100PPM) (Consumer Product Safety Improvement Act (CPSIA) of 2008)

Test Method: U.S. CPSC-CH-E1001-08.3:2012 or U.S. CPSC-CH-E1002-08.3:2012

Analyte	Lead
Requirement: Maximum allowable limit:	100 mg/kg

Ana	lyte	Lead (Pb)			
	Samp	Result	Conclusion		
	Color / Component	Location	Style	(mg/kg)	
(A)	Dull green plastic	Block & accessory	A-F	LT 10	PASS
	Flesh plastic / brown plastic	Base board	A-F		
(B)	Silvery metal	Frame	A-D	LT 10	PASS
(C)	Dull silvery metal	Big hexgon screw	A-F	LT 10	PASS
(D)	Soft silvery metal	Round screw	A-F	LT 10	PASS
(E)	Flat silvery metal	Flat round screw	A-D	LT 10	PASS

LT = Less Than

mg/kg = milligrams per kilogram (ppm = parts per million)

^{* =} Average of duplicate analyses



March 13, 2020 Page 19 of 31

RESULTS:

SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE (ASTM F963-17, Section 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.5 (Excluding 8.3.5.5(3))

Sample Identity	Color	Location	Style		
Type I: Substrate other than modeling clay					
Α	A-F				
В	Flesh plastic / brown plastic	Base board	A-F		

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit Type I (mg/kg)	25	1000	75	60	60	90	60	500
Max. Limit Type II (mg/kg)	25	250	50	25	25	90	60	500
Analytical Correction	60%	30%	30%	30%	50%	30%	60%	60%

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Sample		Result (mg/kg)								
А	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		PASS
В	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		PASS

mg/kg = milligrams per kilogram (ppm=parts per million) CR = adjusted analytical result

LT = Less Than

ND = None Detected

As = Arsenic, Ba = Barium, Cd = Cadmium, Cr = Chromium, Hg = Mercury, Pb = Lead,

Sb = Antimony, Se = Selenium

Detection limit (mg/kg): Each element 2

Remark:

Textiles (natural or synthetic) are exempted for lead content requirement according to clarification of Toy Industry Association for ASTM F963-17. The lead content analysis result of corresponding material herein is for client's reference only.



March 13, 2020 Page 20 of 31

RESULTS:

TOTAL LEAD CONTENT (Canada Consumer Product Safety Act – Consumer Products Containing Lead Regulations SOR/2018-83)

Health Canada, Product Safety Laboratory, Reference Manual, Book 5 - Laboratory Policies and Procedures – Part B: Test Method Section, Method C-02.2:2017, C-02.3:2017 or C-02.4-2017 Test Method:

Analyte	Lead
Requirement: Maximum allowable limit:	90 mg/kg

Ana	yte	Lead (Pb)			
	Sample	Result	Conclusion		
	Color / Component	Location	Style	(mg/kg)	
(A)	Dull green plastic	Block & accessory	A-F	LT 10	PASS
	Flesh plastic / brown plastic	Base board	A-F		
(B)	Silvery metal	Frame	A-D	LT 10	PASS
(C)	Dull silvery metal	Big hexgon screw	A-F	LT 10	PASS
(D)	Soft silvery metal	Round screw	A-F	LT 10	PASS
(E)	Flat silvery metal	Flat round screw	A-D	LT 10	PASS

LT = Less Than

mg/kg =milligrams per kilogram (ppm=parts per million) ND=Not detected

^{* =} Average of duplicate analyses



March 13, 2020 Page 21 of 31

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (AS/NZS 8124 Part 3: 2012 with Amendment No. 1: 2016)

Test Method: Soluble heavy metals content analysis was determined by Inductively Coupled Plasma Spectrometry.

Sample Identity	Color / Component	Location	Style			
Type II: Polymeric Materials						
A.	Dull green plastic	Block & accessory	A-F			
B.	Flesh plastic / brown plastic	Base board	A-F			

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit								
All except								
Type VIII	25	1000	75	60	60	90	60	500
(mg/kg)								
Max. Limit								
Type VIII (mg/kg)	25	250	50	25	25	90	60	500
Analytical								
Correction	60%	30%	30%	30%	50%	30%	60%	60%

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Sample		Result (mg/kg)						(g)		
A.	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		PASS
B.	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		PASS

mg/kg = milligrams per kilogram (ppm=parts per million) CR = adjusted analytical result LT = Less Than

* = Average of duplicate analysis

As = Arsenic, Ba = Barium, Cd = Cadmium, Cr = Chromium, Hg = Mercury, Pb = Lead, Sb = Antimony, Se = Selenium



March 13, 2020 Page 22 of 31

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2013+A3:2018)

European Standard EN 71 Part 3: 2013+A3:2018, Annex E. Test Method:

Class: Category III - Scraped off toy material

Sample Identity	Color	Location	Style
A.	Dull green plastic	Block & accessory	A-F
B.	Flesh plastic / brown plastic	Base board	A-F

	Requirement	Result (mg/kg)					
Analyte	(mg/kg)	Sample ID					
	Category III	A.	B.				
Aluminium (AI)	70000	LT 2	2				
Arsenic (As)	47	LT 2	LT 2				
Boron (B)	15000	LT 2	LT 2				
Barium (Ba)	18750	LT 2	LT 2				
Cadmium (Cd)	17	LT 2	LT 2				
Cobalt (Co)	130	LT 2	LT 2				
Chromium III (Cr III)	460	LT 0.050	LT 0.050				
Chromium VI (Cr VI)	0.2	L1 0.030	L1 0.050				
Copper (Cu)	7700	LT 2	LT 2				
Mercury (Hg)	94	LT 2	LT 2				
Manganese (Mn)	15000	LT 2	LT 2				
Nickel (Ni)	930	LT 2	LT 2				
Lead (Pb)	23	LT 2	LT 2				
Antimony (Sb)	560	LT 2	LT 2				
Selenium (Se)	460	LT 2	LT 2				
Tin (Sn)	180000	LT 2	LT 2				
Organic tin	12	LT 2	LT 2				
Strontium (Sr)	56000	LT 2	LT 2				
Zinc (Zn)	46000	LT 2	LT 2	İ			
Mass of trace am	ount (gram)						
Conclus	ion	Pass	Pass				

mg/kg = milligrams per kilogram (ppm=parts per million)

LT = Less Than

FR = Failed Result

* = Average of duplicate analysis Organic tin = migration of total organic tin is expressed as tributyl tin cation content in mg/kg # = Verified results (see note)

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified. Remark:

- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.

Note: If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: In house Ion-chromatography analysis
- Organic tin: EN71 part 3:2013+A3:2018, Annex G by Gas Chromatography Mass Spectroscopy analysis.



March 13, 2020 Page 23 of 31

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2019)

European Standard EN 71 Part 3: 2019, Section 9. Test Method:

Class: Category III - Scraped off toy material

Sample Identity	Color	Location	Style
A.	Dull green plastic	Block & accessory	A-F
B.	Flesh plastic / brown plastic	Base board	A-F

	Requirement	Result (mg/kg)					
Analyte	(mg/kg)	Sample ID					
	Category III	A.	B.				
Aluminium (AI)	70000	LT 2	2				
Arsenic (As)	47	LT 2	LT 2				
Boron (B)	15000	LT 2	LT 2				
Barium (Ba)	18750	LT 2	LT 2				
Cadmium (Cd)	17	LT 2	LT 2				
Cobalt (Co)	130	LT 2	LT 2				
Chromium III (Cr III)	460	LT 0.050	LT 0.050				
Chromium VI (Cr VI)	0.053	L1 0.030	L1 0.030				
Copper (Cu)	7700	LT 2	LT 2				
Mercury (Hg)	94	LT 2	LT 2				
Manganese (Mn)	15000	LT 2	LT 2				
Nickel (Ni)	930	LT 2	LT 2				
Lead (Pb)	23	LT 2	LT 2				
Antimony (Sb)	560	LT 2	LT 2				
Selenium (Se)	460	LT 2	LT 2				
Tin (Sn)	180000	LT 2	LT 2				
Organic tin	12	LT 2	LT 2				
Strontium (Sr)	56000	LT 2	LT 2				
Zinc (Zn)	46000	LT 2	LT 2				
Mass of trace am	ount (gram)						
Conclus	ion	Pass	Pass				

mg/kg = milligrams per kilogram (ppm=parts per million)

LT = Less Than

FR = Failed Result

* = Average of duplicate analysis Organic tin = migration of total organic tin is expressed as tributyl tin cation content in mg/kg # = Verified results (see note)

Remark:

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.

Note:

If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: EN71 part 3:2019, Annex F
- Organic tin: EN71 part 3:2019, Annex G by Gas Chromatography Mass Spectroscopy analysis.



March 13, 2020 Page 24 of 31

RESULTS:

CADMIUM CONTENT (European Regulation (EC) No. 1907/2006 REACH Annex XVII, Item no. 23)

Cate	Category:				Plastics			
Elem	lement: Cadmium							
Test	Method				BS EN 1122: 20	01, Method	В	
Maxi	mum Allowable Limit:				100 mg/kg (0.0°	1% by weigh	t)	
Sample Description				Reading 1	Reading 2	Average	Conclusion	
(Color / Component	Location	Style	Result (mg/kg)				
(A)	Dull green plastic	Block & accessory	A-F	LT 10	LT 10	LT 10	PASS	
	Flesh plastic / brown plastic	Base board	A-F					
(B)	Flat white plastic	Washer of screw	A-F	LT 10	LT 10	LT 10	PASS	
	Green plastic	Washer of screw	A-D					

LT = Less than mg/kg = milligrams per kilogram (ppm = parts per million)

#= Insufficient sample for duplicate Operator: Zhang Shao Zheng, Ryan

analyses



March 13, 2020 Page 25 of 31

RESULTS:

PHTHALATES CONTENT IN CHILDREN'S TOYS AND CHILD CARE ARTICLES (Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 108(a) and 108(c), 16 CFR 1307)

Test Method: With reference to U. S. CPSC-CH-C1001-09.3 (April 1, 2010) / CPSC-CH-C1001-09.4 (January 17, 2018).

Sample Identity	Color / Component	Location	Style
A.	Dull green plastic	Block & accessory	A-F
	Flesh plastic / brown plastic	Base board	A-F

Test Parameter:	Listed Phthalates (See Remark)					
Requirement:	Each 0.1%					
Sample ID	Detected Analyte	Concentration (%)	Conclusion			
A.	ND	ND	PASS			

Results reported in percentage ND = None detected Detection Limit: Each Phthalate (0.005%)

	LIST OF RESTRICTED PHTHALATES							
Number	Chemical Name	CAS Number						
1.	Butyl benzyl phthalate (BBP)	85-68-7						
2.	Dibutyl phthalate (DBP)	84-74-2						
3.	Di(2-ethylhexyl) phthalate (DEHP)	117-81-7						
4.	Di-iso-nonyl phthalate (DINP)	28553-12-0 & 68515-48-0						
5.	Di-iso-butyl phthalate (DIBP)	84-69-5						
6.	Di-n-pentyl phthalate (DPENP or DnPP)	131-18-0						
7.	Di-n-hexyl phthalate (DHEXP or DnHP)	84-75-3						
8.	Dicyclohexyl phthalate (DCHP)	84-61-7						



March 13, 2020 Page 26 of 31

RESULTS:

BBP/DBP/DEHP CONTENTS IN TOYS AND CHILDCARE ARTICLES (European Regulation (EC) No. 1907/2006 REACH Annex XVII, Item no. 51)

Test Method: With referenced to EN 14372:2004 Section 6.3.2, sample was extracted with organic solvent and

then analyzed by Gas Chromatograph Mass Spectrometer

Sample Identity	Test Component	Location	Style
A.	Dull green plastic	Block & accessory	A-F
	Flesh plastic / brown plastic	Base board	A-F
B.	Flat white plastic	Washer of screw	A-F
	Green plastic	Washer of screw	A-D

Test Parameter:	BBP	DBP	DEHP	Sum of three phthalates	
Limit (%):	0.1	0.1	0.1	0.1	
Sample		Re	esult (%)		Conclusion
A.	LT 0.005	LT 0.005	LT 0.005	LT 0.015	PASS
B.	LT 0.005	LT 0.005	LT 0.005	LT 0.015	PASS

Detection Limit:

BBP = Butyl benzyl phthalate (0.005%)

DBP = Dibutyl phthalate (0.005%)

DEHP = Di(2-ethylhexyl) phthalate (0.005%)

Results reported in percentage

LT = Less than

ND = None detected



March 13, 2020 Page 27 of 31

RESULTS:

DNOP/DINP/DIDP CONTENTS IN TOYS AND CHILDCARE ARTICLES WHICH CAN BE PLACED IN MOUTH BY THE CHILDREN (European Regulation (EC) No. 1907/2006 REACH Annex XVII, Item no. 52)

Test Method: With referenced to EN 14372:2004 Section 6.3.2, sample was extracted with organic solvent and

then analyzed by Gas Chromatograph Mass Spectrometer

Sample Identity	Test Component	Location	Style
A.	Dull green plastic	Block & accessory	A-F
	Flesh plastic / brown plastic	Base board	A-F

Test Parameter:	DNOP	DINP	DIDP	Sum of three phthalates	
Limit (%):	0.1	0.1	0.1	0.1	
Sample		Res	sult (%)		Conclusion
A.	LT 0.005	LT 0.005	LT 0.005	LT 0.015	PASS
B.	LT 0.005	LT 0.005	LT 0.005	LT 0.015	PASS

Detection Limit:

DNOP= Di-n-octyl phthalate (0.005%)Results reported in percentageDINP= Di-iso-nonyl phthalate (0.005%)LT= Less thanDIDP= Di-iso-decyl phthalate (0.005%)ND= None detected



March 13, 2020 Page 28 of 31

RESULTS:

BBP/DBP/DEHP/DIBP CONTENTS (European Regulation (EC) No. 1907/2006 REACH Annex XVII, Item no. 51 (amended up to EU No. 2018/2005))

With referenced to EN 14372:2004 Section 6.3.2, sample was extracted with organic solvent and Test Method:

then analyzed by Gas Chromatograph Mass Spectrometer

Sample Identity	Test Component	Location	Style
A.	Dull green plastic	Block & accessory	A-F
	Flesh plastic / brown plastic	Base board	A-F
B.	Flat white plastic	Washer of screw	A-F
	Green plastic	Washer of screw	A-D

Test Parameter:	BBP	DBP	DEHP	DIBP	Sum of four phthalates	
Limit (%):	0.1	0.1	0.1	0.1	0.1	
Sample	Result (%)					0
Cample			Result (%)			Conclusion
A.	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.020	PASS

Detection Limit:

BBP = Butyl benzyl phthalate (0.005%) Results reported in percentage

= Dibutyl phthalate (0.005%) = Di(2-ethylhexyl) phthalate (0.005%) = Diisobutyl phthalate (0.005%) DBP LT = Less than DEHP ND = None detected

DIBP



March 13, 2020 Page 29 of 31

RESULTS:

CLIENT'S 17 PHTHALATES CONTENT SPECIFICATION

BBP/DBP/DEHP/DNOP/DINP/DIDP Content

	Color / Component	Location	Style
	Composite of		
A.	Dull green plastic	Block & accessory	A-F
	Flesh plastic / brown plastic	Base board	A-F
B.	Flat white plastic	Washer of screw	A-F
	Green plastic	Washer of screw	A-D

Test Parameter	BBP	DBP	DEHP	DNOP	DINP	DIDP	
Limit (%)	0.1	0.1	0.1	0.1	0.1	0.1	
Sample		Result (%)					
А	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	PASS
В	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	PASS

Detection Limit:

DNOP = Di-n-octyl phthalate (0.005%) 117-84-0

DINP µ

DIDP = Di-iso-decyl phthalate (0.005%) 26761-40-0 /

68515-49-1

BBP = Butyl benzyl phthalate (0.005%) 85-68-7 DBP = Dibutyl phthalate (0.005%) 84-74-2

DEHP = Di(2-ethylhexyl) phthalate (0.005%) 117-81-7

Results reported in percentage

LT = Less than ND = None detected



March 13, 2020 Page 30 of 31

RESULTS:

CLIENT'S 17 PHTHALATES CONTENT SPECIFICATION

EC No. 201-559-5 / DiBP / DHNUP / DIHP / DMEP / DIPP / DPP / DPP / DPP / DHP / 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear Content

Test Parameter	EC No. 201- 559-5	DiBP	DHNUP	DIHP	DMEP	DIPP	
Limit (%)	0.1	0.1	0.1	0.1	0.1	0.1	
Sample							Conclusion
А	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	PASS
В	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	PASS

Test Parameter	DnPP	DPP	PiPP	DHP	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	
Limit (%)	0.1	0.1	0.1	0.1	0.1	
Sample						Conclusion
А	LT 0.005	PASS				
В	LT 0.005	PASS				

Results reported in percentage LT = Less than ND = None detected

Detection Limit:

DiBP = Diisobutylphthalate 84-69-5

DHNUP = 1,2-Benzenedicarboxylic acid,di-C7,11-branched and linear alkyl

esters 68515-42-4

DIHP = 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-

rich 71888-89-6

DMEP = Dimethoxyethyl phthalate 117-82-8
DIPP = Diisopentylphthalate 605-50-5
DnPP = Dipentylphthalate 131-18-0

DPP = 1,2-benzenedicarboxylic acid dipentylester, branched and linear

84777-06-0

PiPP = n-Pentyl-Isopentylphthalate 776297-69-9

DHP = Dihexylphthalate 84-75-3


1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear 68515-50-4 EC No. 201-559-5 = 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate 68515-51-5 /68648-93-1



March 13, 2020 Page 31 of 31

RESULTS:





END OF REPORT