



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 1 of 16

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E0133 SHAKE 'N SPARKLE FLOWER RATTLE

Item No.: E0133Country of Origin: CHINACountry of Destination: GLOBALClient Reference Information: E0133K

Labeled Age Grading : 0-18 MONTHS

Requested Age Grading : 0-18 M

Age Group Assessed by SGS As Per Age : ALL AGES

Guideline

Age Group Applied in Testing : ALL AGES
Sample Receiving Date : SEP 10, 2024
Last Submission Sample Date : SEP 23, 2024

Testing Period : SEP 10, 2024 TO OCT 15, 2024





Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 2 of 16

Test	Requested	Conclusion
1.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501: -US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages -US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age -US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts	PASS
	US CPSC 16 CFR 1510 – Requirements for rattles	PASS
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
2.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS
3.	Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS*
4.	For compliance with the test requirement of ASTM F963-23 Standard Consumer Safety Specification on Toy Safety.	
	ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-

1443, of email: CN_Doccheckesgs.com 中国・广东・深圳市走岗区坂田街道振田社区吉年路 430 号江瀬(坂田)工业「区庁房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 前編: 518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 3 of 16

Test	Test Requested					
5.	15 U.S.C. § 1278a and CPSIA section 101 - Total Lead content					
	15 U.S.C. § 1278a and CPSIA section 101(f) (1) – Lead in paint/similar surface coating material					
	Client's Requirement – Lead in paint/similar surface coating material					
	15 U.S.C. § 1278a and CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS				
	Client's Requirement – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS				

Remark: Test item (s) with "*" is (are) not accredited by CNAS

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *******

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Tang Yanwei, Lynn Senior Engineer

CNAS Approved Signatories

Xiang Suqiong, Irene
Dept. Manager
CNAS Approved Signatories





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1443, or email: Un. Doccreck 他 sgs.com #Rom 194mil Pan 18 Arom 11 Pant 18 Arom 19 Pant 18 Ar



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 4 of 16

Results:

US CPSC

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	No. of sample tested	Sharp point (16 CFR 1500.48)	Sharp edge (16 CFR 1500.49)	Small part (16 CFR 1501)
As received	2	PASS	PASS	PASS
Impact test (16 CFR 1500.51b)	1	PASS	PASS	PASS
Bite test (16 CFR 1500.52c、53c)	1	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	1	PASS	PASS	PASS
Tension test (16 CFR 1500.52f)	1	PASS	PASS	PASS
Compression test (16 CFR 1500.53g)	0	N/A	N/A	N/A

US CPSC 16 CFR 1510 - REQUIREMENTS FOR RATTLES

PASS

US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample	Burning Rate (inch/sec)
See sample description	DNI

Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Rom 101-01/Rau 4 Rom 101, Plan 13 Rom 101, Plan 13 Rom 301-501, Janglao (Bantian Industrial Plan Area, No.430, Jhua Read, Bantian Community, Bantian Street, Longang Usrict, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.c

中国 - 广东、深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 5 of 16

CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)			90
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
Black coating (Pattern)	6	1	ND

Note:

- ppm = parts per million
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- ^A Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit

As specified in 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label on the packaging: Present
- Tracking label on the product: Present

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

1943, of email: CM. Doccheck wiss.com from 101401, Pant 48 from 101, Plant 38 from 101, Plant 38 from 301-501, Plant 3, Janghao (Bantian) Industrial Plant Area, No.401, Jhua Road, Bantian Community, Bantian Street, Longgang Ustric, Shenzhen, Guangdong, China 510129 中国广东深圳市龙岗区项田街道新田社区音华第430号江瀬(坂田)工业厂区)房 4号 101-901、2号 101、3号 301-501 邮第:518129 1(86-755) 25328888 sps.chlina@egs.com



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 6 of 16

ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

Clause	<u>Description</u>	Result
4	Safety Requirements	
4.1	Material Quality **	PASS
4.2	Flammability Test	PASS (See Result Page)
4.3	Toxicology	
4.3.2	Manufacturing and Packaging of Food	N/A
4.3.3	Indirect Food Additives	N/A
4.3.4	Cosmetics	N/A
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	PASS (See Result Page)
4.3.5.2	Heavy Metal in Substrate Materials	PASS (See Result Page)
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin	N/A
4.3.7	Stuffing Materials	N/A
4.3.8	Phthalates	PASS (See Result Page)
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-producing Toys	PASS
4.6.1	Small Objects	PASS
4.6.2	Mouth-actuated Toys	N/A
4.6.3	Labelling Requirements	N/A
4.7	Accessible Edges	PASS
4.8	Projections	N/A
4.9	Accessible Points	PASS
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	N/A
4.13.1	Folding Mechanisms	N/A
4.13.2	Hinge-line Clearance	N/A
4.14	Cords, Straps and Elastic	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-en/Coment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-75) 8307

1443, or email: CN.Doccheck@sgs.com Room 101-901, Plant 4.8 Room 101, Plant 3.8 Room 301-501, Plant



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 7 of 16

Clause	Description	Result
4.15	Stability and Over-load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearance & Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	PASS
4.23	Rattles	PASS
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (Non-rechargeable battery)	PASS
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	PASS
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys and Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chest	N/A
5	Labeling Requirements	
5.1	Federal Government Requirements	
5.1.1	Specific Labeling Requirement	See Remark
	(Remark: All toys that fall within the definitions and requirements of the U.S. FHSA shall conform to the labeling requirement of that act. For specific requirements, reference 16 CFR 1500.3, 1500.14, 1500.19, 1500.82, 1500.83, 1500.86, 1500.121, 1500.122, 1500.123, 1500.125, 1500.126, 1500.127, 1500.128, 1500.130, 1505.3, and 1511.7. In addition, state labeling requirements may exist.)	
5.1.2	Tracking Label	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Rom 101-019, Paul 4 & Rom 101 (Paul 2 & Rom 101 (Paul 3 & Rom 10



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 8 of 16

Clause	<u>Description</u>	Result
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	N/A
5.4	Aquatic Toys	N/A
5.5	Crib & Playpen Toys	N/A
5.6	Mobile	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	N/A
5.12	Art Materials	N/A
5.13	Electric Toys	N/A
5.14	Battery-Operated Toys	N/A
5.15	Promotional Materials	PASS
5.16	Magnets	N/A
6	Instructional Literature	
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	PASS
6.6	Battery Powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies) shall direct caregivers to retain the tool for future use, to store it where the child cannot access it, and state that the tool is not a toy.	N/A
7	Producer's Markings	
7.1	Producer's Markings	PASS
7.2	Battery-Powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	PASS
8.7	Impact Test	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	N/A
8.12	Flexure Test	N/A
8.16	Tension Test for Pompoms	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-

Rom 101-00 P. Dear & Romo 101 P. Paul 2 & Rom 101 P. Paul 2 & Rom 101 P. Paul 3 & Ro



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 9 of 16

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample	Burning Rate (inch/sec)				
See sample description	DNI				

Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

ASTM F963-23, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-23 Clause 8.3 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)				
MDL (ppm)				
Total Limit (ppm)				
Specimen Description		Tracing	Result(s)	
		No.	(ppm)	
Black coating (Pattern)	7	1	ND	

Note:

- ppm = parts per million
- -1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- ^A Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

1443, or email: U.N. LDOCCNECK @ SSS_COM #Com 101401, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Room 101-501, Plant 3, Room 10



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 10 of 16

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-23 Clause 8.3.3.6 (2) – Selection of Test Portions

Black coating (Pattern)

ASTM F963-23, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-23 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Total Lead Content

Test Item(s)	Lead (Pb)					
MDL (ppm)	10					
Total Limit (ppm)						
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)			
 Light purple silicone rubber (Body) + Blue silicone rubber (Body) + Yellow silicone rubber (Body) 	2	1	ND			
 Orange silicone rubber (Body) + Red silicone rubber (Body) + Yellow-green silicone rubber (Body) 	2	2	ND			
3. Silvery metal screw (Battery cover)	4	1	ND			
4. Silvery metal small screw (Body)	4	2	ND			
Green plastic (PP) (Body) + White plastic (ABS) (Body, battery cover)	9	1	ND			
6. Transparent plastic (ABS) (Body) w/ Transparent plastic sheet (Inner)	9	2	ND			
7. White fabric w/ green, dark green printing (Leaf)	9	3	ND			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307
1443, or email: CN.Doccheck@egs.com
Rom IIIV4MI, Part 4 & Rom IIIV, Part 3 & Rom IIV, Part 3 & Rom



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 11 of 16

Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration Limit (ppm) Other Than Modeling Clays				90	60	25	1000	75	60	60	500
Migration Li	mit (ppr	n) Model	ling Clays	90	60	25	250	50	25	25	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	11	1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	11	2	/	ND	ND	ND	ND	ND	ND	ND	ND
3	11	3	/	ND	ND	ND	ND	ND	ND	ND	ND
4	11	4	/	ND	ND	ND	ND	ND	ND	ND	ND
5	11	5	/	ND	ND	ND	ND	ND	ND	ND	ND
6	11	6	/	ND	ND	ND	ND	ND	ND	ND	ND
7	11	7	/	ND	ND	ND	ND	ND	ND	ND	ND
8	11	8	/	ND	ND	ND	ND	ND	ND	ND	ND
9	11	9	/	ND	ND	ND	ND	ND	ND	ND	ND
10	11	10	/	ND	ND	ND	ND	ND	ND	ND	ND
11	11	12	/	ND	ND	ND	ND	ND	ND	ND	ND

Specimen Description:

- 1. Light purple silicone rubber (Body)
- 2. Blue silicone rubber (Body)
- 3. Yellow silicone rubber (Body)
- 4. Orange silicone rubber (Body)
- 5. Red silicone rubber (Body)
- 6. Yellow-green silicone rubber (Body)
- 7. Green plastic (PP) (Body)
- 8. Transparent plastic (ABS) (Body)
- 9. White plastic (ABS) (Body, battery cover)
- 10. White fabric w/ green, dark green printing, light green fabric thread (Leaf)
- 11. Transparent plastic sheet (Inner)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 12 of 16

Note: - ppm = parts per million

- μg/component = microgramme per component

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit

-1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- ^A Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Permissible Limit

Standard Consumer Safety Specification on Toy Safety, ASTM F963-23, Clause 4.3.8 – Phthalate Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result (s) (%)			
Specimen No.		1	2	MDL (9/)	Permissible Limit (%)
Alias No.		10	10	MDL (%)	
Tracing No.		1	2		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.015	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.015	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.015	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.015	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.015	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.015	0.1
Di-n-pentlyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	0.015	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.015	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing / insection report & certificate, please contact us at telephone.@6-755 8307



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 13 of 16

Test Item(s)	CAS No.	Result (s) (%)			
Specimen No.		3	4	MDI (0/)	Permissible Limit (%)
Alias No.		10	10	MDL (%)	
Tracing No.		3	4		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.015	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.015	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.015	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.015	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.015	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.015	0.1
Di-n-pentlyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	0.015	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.015	0.1

Specimen Description:

- 1. Light purple silicone rubber (Body) + Blue silicone rubber (Body) + Yellow silicone rubber (Body)
- 2. Orange silicone rubber (Body) + Red silicone rubber (Body) + Yellow-green silicone rubber (Body)
- 3. Green plastic (PP) (Body) + Transparent plastic (ABS) (Body) + White plastic (ABS) (Body, battery cover)
- 4. Transparent plastic sheet (Inner)

Note: - % = percentage by weight

- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- -1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- [^] Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

1443, or email: UN. LDoccheck (@ sgs_com Kom 1914nf] Pan 18 kom 11 月 Pan 18 Anom 11 月 Pan 18 Anom 19 Ann 18 Anom 19 Ann 18 Ann



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 14 of 16

15 U.S.C. § 1278a and CPSIA section 101(f) (1) - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)			Lead (Pb)
Permissible Limit (ppm)			90
Client's Limit (ppm)			40
Specimen Description	Alias	Tracing	Result(s)
	No.	No.	(ppm)
Black coating (Pattern)	5	1	ND

Note:

- ppm = parts per million
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- -1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- [^] Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing / insection report & certificate, please contact us at telephone.@6-755 8307

1943, of email: CM. Doccheck wiss.com from 101401, Pant 48 from 101, Plant 38 from 101, Plant 38 from 301-501, Plant 3, Janghao (Bantian) Industrial Plant Area, No.401, Jhua Road, Bantian Community, Bantian Street, Longgang Ustric, Shenzhen, Guangdong, China 510129 中国广东深圳市龙岗区项田街道新田社区音华第430号江瀬(坂田)工业厂区)房 4号 101-901、2号 101、3号 301-501 邮第:518129 1(86-755) 25328888 sps.chlina@egs.com



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 15 of 16

15 U.S.C. § 1278a and CPSIA section 101(a) (2) - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)	Lead (Pb) 100		
Permissible Limit (ppm)			
Client's Limit (ppm)	40		
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
 Light purple silicone rubber (Body) + Blue silicone rubber (Body) + Yellow silicone rubber (Body) 	1	1	ND
Orange silicone rubber (Body) + Red silicone rubber (Body) + Yellow-green silicone rubber (Body)	1	2	ND
Silvery metal screw (Battery cover)	3	1	ND
4. Silvery metal small screw (Body)	3	2	ND
5. Green plastic (PP) (Body) + White plastic (ABS) (Body, battery cover)	8	1	ND
6. Transparent plastic (ABS) (Body) w/ Transparent plastic sheet (Inner)	8	2	ND
7. White fabric w/ green, dark green printing (Leaf)	8	3	ND

Note:

- ppm = parts per million
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- -1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- ^Δ Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Rom 101-01/R part 4 Rom 10, Part 3 Rom 10, Part 3 Rom 11 (Part 3 Rom 3 Sq. (Part 3 Rom 2 Rom 3 Sq. (Part 3 Rom 3 Rom 3 Sq. (Part 3 Rom 3 Rom 3 Sq. (Part 3 Rom 3 Rom 3 Rom 3 Sq. (Part 3 Rom 3 Ro



Test Report No.: T52410330592TY Date: OCT 15, 2024 Page 16 of 16

Note:

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A = Not Applicable ** = Visual Examination DNI = Did Not Ignite

SE = Self-Extinguishing IBE = Ignite But Self-Extinguished

SE within 50mm = Self-extinguished within 50 mm of flame application

Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

Sample Picture (As received)



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are tained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 830
1443, or email: CN.Doccheck@egs.com
Rown M/M, Rant 4 & Rown M, Part 3 & Rown M/SM, Part 3, Jacqbao (Banian Industrial Plant Area, No.43N, Jhua Road, Banian Community, Banian Street, Longsang Usrict, Sheabhea, Giarqbong, Clina 5/81/29 www.sgsgroup.com.
中国*广东*深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.chlna@sgs.com