

SGS United Kingdom Ltd. Consumer Testing Services Units 41 & 43, Listerhills Park of Science and Commerce, Campus Road, Bradford, West Yorkshire, United Kingdom BD7 1HR

Tel: +44 (0)1274-303080 Fax:+44(0)1274-303098

Sample Description

CERTIFICATE OF COMPLIANCE

SGS United Kingdom A UKAS Accredited Test House

Client Name : HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD

HAPE INTERNATIONAL (NINGBO) LTD

Test Report Number T52010321616TY **Reference Number** : WSZ-UK5201320136TY **Item Number** : E0363, E0508, E0458 Client Reference Information : E0363A,E0508A,E0458A

E0508 JUNGLE PRESS AND SLIDE

E0363 DANTE PUSH & GO

E0458 SUNNY VALLEY ADVENTURE DOME

Date of Issue JAN 08, 2021

Applied Standards Result

1) EN 71-1:2014+A1:2018 - Safety of toys - Part 1: Mechanical and Physical Properties **Pass** 2) EN 71-2:2011+A1:2014 - Safety of toys - Part 2: Flammability Pass

3) Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 – Migration of Pass certain elements

This certificate of compliance must not be used without the attached reference test report.

Ouyang Qin, Cansy Lab Operation Manager SGS SHENZHEN

Nina Pratt

Senior Technologist

SGS UNITED KINGDOM LTD.

The report attached to this certificate has been checked and approved by SGS United Kingdom Ltd who holds a copy of the relevant documentation in its office. This certificate confirms test results by another SGS entity without SGS UK Ltd having done the testing itself. This Certificate is issued by SGS UK Ltd. under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. It cannot be reproduced other than in full and with the prior approval of SGS U K Ltd.. Member of SGS Group (SGS SA)

Registered in England No. 1193985. Rossmore Business Park, Ellesmere Port, Cheshire CH65 3EN



Registered in England No. 1193985. Rossmore Business Park, Ellesmere Port, Chesnire Choo Senio Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/rerms-and-Conditions.aspx. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/rerms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307





Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 1 of 18

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E0363 DANTE PUSH & GO E0508 JUNGLE PRESS AND SLIDE E0458 SUNNY VALLEY ADVENTURE DOME

Item No. : E0363, E0508, E0458

Country of Destination : GLOBAL

Client Reference Information : E0363A,E0508A,E0458A

Labeled Age Grading : 12M+FOR E0363/ 18M+ FOR E0508 / 24M+ FOR E0458

Requested Age Grading : 12M+FOR E0363/ 18M+ FOR E0508 / 24M+ FOR E0458

Age Group Assessed by SGS As Per Age : OVER 12 MONTHS FOR E0363 /OVER 18 MONTHS FOR

Guideline E0508 / OVER 24 MONTHS FOR E0458

Age Group Applied in Testing : OVER 12 MONTHS FOR E0363 /OVER 18 MONTHS FOR

E0508 / OVER 24 MONTHS FOR E0458

Sample Receiving Date : DEC 22, 2020

Testing Period : DEC 22, 2020 TO JAN 08, 2021





Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 2 of 18

Test	Requested	Conclusion					
1.	For compliance with the European standard on Safety of toys:-						
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS					
	EN 71-2:2011+A1:2014 – Safety of toys – Part 2: Flammability	PASS					
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT					
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 – Migration of certain elements (All conclusive testing)	PASS					

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *******

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Qu Ping, Kiky Dept. Manager

CNAS Approved Signatories

Liu Junjie, Tony Section Manager CNAS Approved Signatories







Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 3 of 18

Result:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

Clause	<u>Description</u>	Result
4	General Requirements	
4.1	Materials cleanliness	Pass
4.2	Assembly	N/A
4.3	Flexible Plastic Sheeting	N/A
4.4	Toy Bags	N/A
4.5	Glass	N/A
4.6	Expanding Materials	N/A
4.7	Edges	Pass
4.8	Points and Metallic Wires	Pass
4.9	Protruding Parts	N/A
4.10	Parts moving against each other:	
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving Mechanisms	Pass
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth Actuated Toys and toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of Toy Kites and Other Flying Toys	N/A
4.14	Enclosures	
4.14.1	Toys Which A Child Can Enter	N/A
4.14.2	Masks and Helmets	N/A
4.15	Toys intended to bear the mass of a child	
4.15.1	Toys propelled by the child or by other means	N/A
4.15.2	Toy bicycles	N/A
4.15.3	Rocking horses and similar toys	N/A
4.15.4	Toys not propelled by a child	N/A
4.15.5	Toy scooters	N/A
4.16	Heavy immobile toys	N/A
4.17	Projectile toys	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printeoverleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or islaffication of the content of results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test	t Report	No.: T52010321616TY	Date: JAN 08, 2021	Page 4 of 18
<u>Clause</u>	Description			Result
4.18	•	and inflatable toys		N/A
4.19	Percussion (Caps Specifically Designed for	Use in Toys	N/A
4.20	Acoustics		•	Pass
4.21	Toys contain	ning a non-electrical heat source	Э	N/A
4.22	Small balls			N/A
4.23	Magnets			Pass
4.24	Yoyo balls			N/A
4.25	Toys attache	ed to food		N/A
4.26	Toy Disguise	e Costumes		N/A
4.27	Flying toys			N/A
5	Toys intende	ed for Children under 36 months	S	
5.1	General Rec	quirements		
5.1a	Small part re	equirement on toys & removable	e Components (Test method 8.2	2) Pass
5.1b	Torque test	(Test method 8.3)		Pass
5.1b	Tension test	(Test method 8.4)		Pass
5.1b	Drop test (Te	est method 8.5)		Pass
5.1b	Tip over test	(Test method 8.6)		N/A
5.1b	Impact test (Test method 8.7)		Pass
5.1b	Compression	n test (Test method 8.8)		Pass
5.1b	Sharp edge	(Test method 8.11)		Pass
5.1b	Sharp point	(Test method 8.12)		Pass
5.1b	Tension test	for magnet (Test method 8.34)		N/A
5.1c	Potential haz less	zardous metal points and wires	with a cross section of 2mm or	N/A
5.1d	Large and b	ulky toys		N/A
5.1e	Glued wood	en toys and toys with glued on լ	plastic decals	N/A
5.1f	The casing o	of toys intended for children too	young to sit up unaided	N/A
5.1g	Foam toys a	nd toys containing accessible for	oam components	N/A
5.2	Soft-filled to	ys and soft-filled parts of a toy		N/A
5.3	Plastic Shee	ting		N/A
5.4	Cords, chain	s and electrical cables in toys		Pass
5.5	Liquid Filled	Toys		N/A
5.6	Speed limita	tion of electrically-driven ride-or	n toys	N/A
5.7	Glass and P	orcelain		N/A
5.8	Shape and S	Size of certain Toys		N/A
5.9	Toys compri	sing Monofilament Fibres		N/A
5.10	Small balls			N/A
5.11	Play figures			N/A
- 40				



Hemispheric shaped toys

5.12

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regular-rems-end-Conditions-e

SCO_LLID. SGS Bids, No. 4, Janghao Industrial Park, No. 430, Jihua Road, Bartian, Longgang Destrict, Sherchen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn dardlines 中国·深圳·龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

N/A



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 5 of 18 Clause Description Result 5.13 Suction cups N/A 5.14 Straps intended to be worn fully or partially around the neck N/A 5.15 Sledges with cords for pulling N/A 6 Packaging N/A 7 Warnings, markings and instructions for use 7.1 N/A General Toys not intended for children under 36 months 7.2 N/A 7.3 Latex Balloon N/A 7.4 Aquatic Toys N/A 7.5 **Functional Toys** N/A 7.6 Hazardous sharp Functional Edges and Points N/A 7.7 Projectile toys N/A 7.8 Imitation protective masks and helmets N/A 7.9 Toy Kites N/A 7.10 Roller skates, inline skates and toy skateboards and certain other ride-on N/A 7.11 Toys intended to be strung across a cradle, cot, or perambulator N/A 7.12 Liquid filled teethers N/A 7.13 Percussion caps specifically designed for use in toys N/A 7.14 Acoustics N/A 7.15 Toy bicycles N/A Toys intended to bear the mass of a child 7.16 N/A 7.17 Toys comprising monofilament fibres N/A 7.18 Toy scooters N/A 7.19 Rocking horses and similar toys N/A Magnetic/ electrical experimental set 7.20 N/A 7.21 Toys with electrical cables exceeding 300 mm in length N/A 7.22 Toys with cords or chains intended for children of 18 months and over but N/A under 36 months 7.23 Toys intended to be attached to a cradle, cot or perambulator N/A 7.24 Sledges with cords for pulling N/A 7.25 Flying toys N/A 7.26 Improvised projectiles N/A According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.

N/A = Not Applicable



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 6 of 18

EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4.1	General requirements	Pass
4.2.2	Beards, moustaches, wigs etc., made from hair, pile or material with similar features (e.g. free-hanging ribbons, paper or cloth strands or other flowing elements.), which protrude 50mm or more from the surface of the toy	N/A
4.2.3	Beards, moustaches, wigs etc. made from hair, pile or material with similar features (e.g. free-hanging ribbons, paper, cloth strands or other flowing elements), which protrude less than 50mm from the surface of the toy	N/A
4.2.4	Full or partial moulded head masks	N/A
4.2.5	Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and masks not covered by 4.2.4 which partially or fully cover the head(e.g. fabric and cardboard masks, eye masks, face masks), but excluding those items covered by 4.3	N/A
4.3	Toy disguise costumes and toys intended to be worn by a child in play	N/A
4.4	Toys intended to be entered by a child	N/A
4.5	Soft-filled toys	N/A

Type of gas: Butane gas used in the test burner

N/A = Not Applicable





Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 7 of 18

LABELING REQUIREMENT (WASHING/CLEANING LABEL, CE MARK, IMPORTER / MANUFACTURER MARK (NAME, ADDRESS), PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC-SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not Applicable	
CE mark	Present	Toy & Packaging
Importer's Name & Address	Present	Toy & Packaging
Manufacturer's Name & Address	Present	Toy & Packaging
Product ID	Present	Toy & Packaging

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification on and jurisdiction issues of lifted therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 8 of 18

<u>Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 – Migration of certain elements</u>

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis / LC-ICP-MS and organic tin was analyzed by GC-MS.

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			1	2	3	-	-
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	3679	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	140	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	2.81	1.90	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	2.81	1.90	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions_aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issued effined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 9 of 18

Test Item(s)		Result(s)			Permissible Limit		
Specimen No.			4	5	6		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	0.26	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	20	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	103	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 10 of 18

Test Item(s)		Result(s)			Permissible Limit		
Specimen No.			7	8	9		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 11 of 18

Test Item(s)				Result(s)			Permissible Limit
Specimen No.			10	11	12		
Mass of trace amount		(mg)	/	40.1	/		
Soluble Aluminium	(AI)	(mg/kg)	137	171	204	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	63	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.16	0.91	1.04	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1.04	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	227	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 12 of 18

Test Item(s)		Result(s)			Permissible Limit		
Specimen No.			13	14	15		
Mass of trace amount		(mg)	/	77.3			
Soluble Aluminium	(AI)	(mg/kg)	584	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.25	1.01	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	1.01	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 13 of 18

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			16	17	18		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	1513	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.35	0.69	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	92	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 14 of 18

Test Item(s)				Result(s)	MDL	Permissible Limit	
Specimen No.			19	20	21	1	
Mass of trace amount		(mg)	87.6		/		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.38	0.22	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	851	1932	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 15 of 18

Test Item(s)			Result(s)		MDL	Permissible Limit
Specimen No.			22	23		
Mass of trace amount		(mg)	/	53.1		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	88	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 16 of 18

Specimen Description:

- 1. Multi-color coating on wood (Pattern)
- 2. Red coating on metal (Bell)
- 3. Cream rubber tube (Tail)
- 4. Black rubber (Wheel)
- 5. Dull cream plastic (Holder) (ABS)
- 6. Orange plastic (Bird)
- 7. Red plastic (Track) (HDPE)
- 8. Dark red woven cord (Body)
- 9. Red woven cord (Body)
- 10. Orange coating on wood (Body)
- 11. Light orange coating on wood (Animal)
- 12. Red coating on wood (Bird)
- 13. Yellow coating on wood (Ball)
- 14. Transparent lacquer coating on wood (Body)
- 15. Transparent plastic (Body) (ABS)
- 16. White coating on wood (Pattern)
- 17. Cream wood
- 18. Off-white plastic (Nut)
- 19. White woven cord (Elastic cord)
- 20. White rubber core (Elastic cord)
- 21. Dark brown wood
- 22. Cream plywood
- 23. Transparent hot melt glue (Body)





Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 17 of 18

Note: - mg/kg = milligram per kilogram

- mg = milligram

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit

-1% = 10000 mg/kg = 10000 ppm

- + Soluble Chromium is not restricted by EN 71-3:2019, results shown only for reference

 Result(s) of specimen No.10 – No.11, No.21 – No.22 is(are) extracted from report No.T52010321603TY.

Result(s) of specimen No.12 – No.14 is(are) extracted from report No.T52010311475TY.

Result(s) of specimen No.15 is(are) extracted from report No.T52010250439TC.

Result(s) of specimen No.16 is(are) extracted from report No.T52010290871TY.

Result(s) of specimen No.17 is(are) extracted from report No.T52010271859TY.

Result(s) of specimen No.18 is(are) extracted from report No.T52010321613TY.

Result(s) of specimen No.19, No.23 is(are) extracted from report No.T52010241739TY.

Result(s) of specimen No.20 is(are) extracted from report No.T52010241718TY.

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for migration of certain elements, as specified in EN 71-3:2019.

Black coating on wood (Pattern, lettering), brown coating on wood (Logo), sky-blue coating on wood (Pattern)

N.B.: - Only applicable clauses were shown.

Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U₉₅. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (Tu):

Pass - when the measurement result is below T_U - U_{95}

Fail - when the measurement result is above T_U+U_{95}

Inconclusive - when the measurement result is falling in quard band $[T_U-U_{95}, T_U+U_{95}]$

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above T_L+U₉₅

Fail - when the measurement result is below T_L-U₉₅

Inconclusive - when the measurement result is falling in guard band [T_L-U₉₅, T_L+U₉₅]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-Cond



Test Report No.: T52010321616TY Date: JAN 08, 2021 Page 18 of 18

Sample Picture (As received) Pic.1 E0458



Pic.3



SGS authenticate the photo on original report only

*** End of Report ***

