



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 1 of 19

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E0370 WONDER WALKER E0371 BLOCK AND ROLL

Item No. : E0370, E0371

Asin No. : B006WZNXBA,B00DQRVFDU

Country of Origin : CHINA
Country of Destination : GLOBAL

Client Reference Information : E0370A,E0371B

Labeled Age Grading : 12M+ Requested Age Grading : 12M+

Age Group Assessed by SGS As Per Age : OVER 12 MONTHS

Guideline

Age Group Applied in Testing : OVER 12 MONTHS
Sample Receiving Date : MAY 30, 2022

Testing Period : MAY 30, 2022 TO JUN 06, 2022





Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 2 of 19

Test	Requested	Conclusion
1.	For compliance with the test requirement of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety. (Except tools)	
	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS
2.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A (Except tools)	
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501:	
	- US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages	
	- US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age	PASS
	- US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts	
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
3.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS
4.	Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banúan) Industrial Plant Area, No.501, Jihus Rood, Banúan Chmunihy, Banúan Street, Longgang District, Shenzhen, Guangdong, Chine 518129 www.spsgroup.com.cn 中国。广东、深圳市龙岗区坂田街道坂田柱区吉华路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮線:518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 3 of 19

Test	Test Requested			
5.	CPSIA section 101 - Total Lead content			
	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS		
	Client's Requirement – Lead in paint/similar surface coating material	PASS		
	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS		
6.	Client's Requirement – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS		

Remark: Test item(s) with "*" is(are) not accredited by CNAS.

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *******

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Huang Yao, Lucy Section Head

CNAS Approved Signatories

Qu Ping, Kiky

CNAS Approved Signatories

Dept. Manager





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 4 of 19

Results:

ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	Description	Result
4	Safety Requirements	
4.1	Material Quality **	<u>Pass</u>
4.2	Flammability Test	<u>Pass</u>
		(See Result Page)
4.3	Toxicology	
4.3.2	Manufacturing and Packaging of Food	<u>N/A</u>
4.3.3	Indirect Food Additives	<u>N/A</u>
4.3.4	Cosmetics	<u>N/A</u>
4.3.5	Heavy Elements	
	4.3.5.1 Heavy Elements in Paint/Similar Surface Coating Materials	<u>Pass</u>
		(See Result Page)
	4.3.5.2 Heavy Metal in Substrate Materials	<u>Pass</u>
		(See Result Page)
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian	<u>N/A</u>
407	Feather Origin	NI/A
4.3.7 4.3.8	Stuffing Materials	<u>N/A</u>
4.3.6 4.4	DEHP (DOP) Floatrice//Thermal Energy	<u>N/A</u>
4.4 4.5	Electrical/Thermal Energy	<u>N/A</u>
4.5 4.6.1	Sound-Producing Toys	<u>N/A</u>
4.6.1	Small Objects Mouth-Actuated Toys	<u>Pass</u> N/A
4.6.3	Labelling Requirements	<u>N/A</u> <u>N/A</u>
4.0.3	Accessible Edges	Pass
4.8	Projections	<u>Pass</u>
4.9	Accessible Points	Pass
4.10	Wires or Rods	<u>n/A</u>
4.11	Nails and Fasteners	Pass
4.12	Plastic Film	<u>Pass</u>
4.13.1	Folding Mechanisms	<u>N/A</u>
4.13.2	Hinge-Line Clearance	<u>N/A</u> <u>N/A</u>
	Timigo Ento otoarantoo	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Cimmunity, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市 定岗区坂田街道坂田社区吉年路 430 号江瀬(坂田)工业厂区厂房 4 号 1011-901、2 号 101、3 号 101、3 号 301-501 邮線: 518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 5 of 19

Clause 4.14 4.15 4.16 4.17 4.18 4.19 4.20 4.21 4.22 4.23 4.24 4.25 4.26 4.27 4.28 4.29 4.30 4.31 4.32 4.33 4.34 4.35 4.36 4.37 4.38 4.39 4.40 4.41 5	Cords, Straps and Elastic Stability and Over-Load Requirements Confined Spaces Wheels, Tires, and Axles Holes, Clearance & Accessibility of Mechanisms Simulated Protective Devices Pacifiers Projectile Toys Teethers and Teething Toys Rattles Squeeze Toys Battery-Operated Toys (Rechargeable battery/Non-rechargeable battery) Toys Intended to be Attached to a Crib or Playpen Stuffed and Beanbag-Type Toys Stroller and Carriage Toys Art Materials Toy Gun Marking Balloons Certain Toys and Nearly Spherical Ends Marbles Balls Pompoms Hemispheric-Shaped Objects Yo Yo Elastic Tether Toys Magnets Jaw Entrapment in Handles and Steering Wheels Expanding Materials Toy Chest Safety Labeling Requirements	Result Pass N/A N/A N/A Pass N/A
	·	<u>N/A</u>
		Daga
5.2 5.3	Age Grading Labeling Safety Labeling Requirements	<u>Pass</u> <u>Pass</u>
5.4	AquaticToys	<u>N/A</u>
5.5	Crib & Playpen Toys	N/A
5.6	Mobile	N/A
5.7	Stroller and Carriage Toys	N/A
	· · · · · · · · · · · · · · · · · · ·	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banúan) Industrial Plant Area, No.501, Jihus Rood, Banúan Chmunihy, Banúan Street, Longgang District, Shenzhen, Guangdong, Chine 518129 www.spsgroup.com.cn 中国。广东、深圳市龙岗区坂田街道坂田柱区吉华路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮線:518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 6 of 19

Clause	Description	Result
5.8	Toys Intended to be Assembled by an Adult	<u>Pass</u>
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	N/A
5.12	Toy Caps	N/A
5.13	Art Materials	N/A
5.14	Electric Toys	N/A
5.15	Battery-Operated Toys	N/A
5.16	Promotional Materials	<u>Pass</u>
5.17	Magnets	N/A
6	Instructional Literature	
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	<u>Pass</u>
6.5	Battery-Operated Toys	N/A
6.6	Battery Powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
7	Producer's Markings	
7.1	Producer's Markings	<u>Pass</u>
7.2	Battery-Powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>
8.10	Compression Test	<u>Pass</u>
8.12	Flexure Test	N/A
8.16	Tension Test for Pompoms	<u>N/A</u>

N/A = Not Applicable

** Visual Examination



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1443, of email: CN. Doccnecky eggs.com Arom 10149f Part & Room 101/Part 2 & Room 101 Part 2 & Room 1



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 7 of 19

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample E0370 WONDER WALKER E0371 BLOCK AND ROLL Burning Rate (inch/sec) DNI

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-

Room 101-019 Part & Room 101-101 Part & Room 101-101 Part & Room 101-101 Part A Room



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 8 of 19

ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-17 Clause 8.3 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)			Lead (Pb)			
MDL (ppm)						
Total Limit (ppm)						
Specimen Description Alias No. No. No.						
Transparent lacquer coating on wood (Body) w/ Dull orange, bright red, dark blue, brown coating on wood (Bead, slider), light red coating on wood (Wheel)	5	1	ND			
2. Dark red coating on wood (Bead, gear) + Blue coating on wood (Bead, gear) + Transparent lacquer w/ blue coating on wood (Bead)	5	2	ND			
3. Red coating on wood (Body) w/ Dark green coating on wood (Gear, slider), dark brown coating on wood (Logo), dark grey coating on wood (Pattern), black coating on wood (Lettering, bead, slider)	5	3	ND			
 4. Transparent lacquer w/ green coating on wood (Bead, slider, body) + Transparent lacquer w/ purple coating on wood (Bead) + Transparent lacquer w/ light orange coating on wood (Bead) 	5	4	ND			
5. Transparent lacquer w/ yellow coating on wood (Bead) + Light yellow coating on wood (Pattern) + Transparent lacquer w/ orange coating on wood (Crown)	5	5	ND			
6. Transparent lacquer w/ yellow coating on wood (Crown, slider, block) + White coating on wood (Slider) + Transparent lacquer w/ light purple coating on wood (Block)	5	6	ND			
7. Transparent lacquer w/ cyan coating on wood (Block) + Transparent lacquer w/ dark blue coating on wood (Block) + Transparent lacquer w/ bright orange coating on wood (Block)	5	7	ND			
Transparent lacquer w/ red coating on wood (Block) + Transparent lacquer w/ light green coating on wood (Block)	5	8	ND			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.

Room 101-019 Part & Room 101-101 Part & Room 101-101 Part & Room 101-101 Part A Room



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 9 of 19

Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration Li	Migration Limit (ppm)				60	25	1000	75	60	60	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)		Adj	usted N	/ligratio	n Resu	ılt(s) (p	pm)	
1	2	1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	2	15	/	ND	ND	ND	14	ND	ND	ND	ND
3	2	16	/	ND	ND	ND	ND	ND	ND	ND	ND
4	2	17	62.2	ND	ND	ND	ND	ND	ND	ND	ND
5	2	18	57.8	ND	ND	ND	ND	ND	ND	ND	ND
6	2	19	/	ND	ND	ND	ND	ND	ND	ND	ND
7	2	20	73.3	ND	ND	ND	ND	ND	ND	ND	ND
8	2	21	83.4	ND	ND	ND	ND	ND	ND	ND	ND
9	2	22	/	ND	ND	ND	ND	ND	ND	ND	ND
10	2	23	48.6	ND	ND	ND	91	ND	ND	ND	ND
11	2	24	/	ND	ND	ND	ND	ND	ND	ND	ND
12	2	25	/	ND	ND	ND	ND	ND	ND	ND	ND
13	2	26	/	ND	ND	ND	ND	ND	ND	ND	ND
14	2	27	/	ND	ND	ND	ND	ND	ND	ND	ND
15	2	28	/	ND	ND	ND	ND	ND	ND	ND	ND
16	2	29	/	ND	ND	ND	ND	ND	ND	ND	ND
17	2	30	/	ND	ND	ND	ND	ND	ND	ND	ND
18	2	31	/	ND	ND	ND	ND	ND	ND	ND	ND
19	2	32	/	ND	ND	ND	ND	ND	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-en/Coment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-75) 8307

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Cimmunity, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市 定岗区坂田街道坂田社区吉年路 430 号江瀬(坂田)工业厂区厂房 4 号 1011-901、2 号 101、3 号 101、3 号 301-501 邮線: 518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 10 of 19

Specimen Description:

- 1. Transparent lacquer coating on wood (Body)
- 2. Dark red coating on wood (Bead, gear)
- 3. Red coating on wood (Body)
- 4. Blue coating on wood (Bead, gear)
- 5. Transparent lacquer w/ blue coating on wood (Bead)
- 6. Transparent lacquer w/ green coating on wood (Bead, slider, body)
- 7. Transparent lacquer w/ purple coating on wood (Bead)
- 8. Transparent lacquer w/ light orange coating on wood (Bead)
- 9. Transparent lacquer w/ yellow coating on wood (Bead)
- 10. Light yellow coating on wood (Pattern)
- 11. Transparent lacquer w/ orange coating on wood (Crown)
- 12. Transparent lacquer w/ yellow coating on wood (Crown, slider, block)
- 13. White coating on wood (Slider)
- 14. Transparent lacquer w/ light purple coating on wood (Block)
- 15. Transparent lacquer w/ cyan coating on wood (Block)
- 16. Transparent lacquer w/ dark blue coating on wood (Block)
- 17. Transparent lacquer w/ bright orange coating on wood (Block)
- 18. Transparent lacquer w/ red coating on wood (Block)
- 19. Transparent lacquer w/ light green coating on wood (Block)

Note: - ppm = parts per million

- -1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- For Soluble Heavy Metal Content: Result(s) of specimen No.1 is(are) extracted from report No. T52110321297TY



Room (1-1-0ft) and 4 a Room (1) Flant 2 Room (10, Flant 2 Room (



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 11 of 19

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-17 Clause 8.3.3.6 (2) – Selection of Test Portions

Dark green coating on wood (Gear, slider), dark brown coating on wood (Logo), dark grey coating on wood (Pattern), black coating on wood (Lettering, bead, slider)

Dull orange, bright red, dark blue, brown coating on wood (Bead, slider), light red coating on wood (Wheel)

ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-17 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Total Lead Content

Test Item(s)		Lead (Pb)	
MDL (ppm)	10		
Total Limit (ppm)	100		
Specimen Description	Result(s) (ppm)		
Silvery metal bolt	1	1	ND
Iridescent silvery metal nut	1	2	ND
3. Silvery metal screw	1	3	ND
Silvery metal rivet	1	4	ND
5. Silvery metal axle (Wheel)	1	5	ND
6. Silvery metal nut (Wheel)	1	6	ND
7. Silvery metal washer (Wheel)	1	7	ND
8. Silvery metal large bolt	1	8	ND
Silvery metal large nut	1	9	ND
10. Silvery metal thin axle (Wheel)	1	10	ND
11. Silvery metal small nut (Wheel)	1	11	ND
12. Silvery metal thick washer (Wheel)	1	12	ND
13. Transparent plastic (Cover) (PMMA) + Cream-white plastic (Nut) (PA) + Light green soft plastic (Wheel) (TPE)	3	1	ND
14. Red plastic (Wheel holder) + Orange plastic (Gear) (ABS) + Light green plastic (Gear) (ABS)	3	2	ND
15. Light blue plastic (Gear) (ABS) + White plastic (Nut) + Green soft plastic (Wheel) (TPE)	3	3	ND
16. Cream plywood (Body) + Brown hardboard (Crown)	3	4	ND
17. White rubber core (Elastic cord)	4	1	11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 12 of 19

Soluble Heavy Metal Content

Test Item(s)			Pb	Sb	As	Ва	Cd	Cr	Hg	Se	
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration Limit (ppm) Other Than Modeling Clays				90	60	25	1000	75	60	60	500
Migration Li	mit (ppr	n) Mode	ling Clays	90	60	25	250	50	25	25	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)		Adj	usted N	/ligratio	n Resu	lt(s) (p	pm)	
1	2	2	/	ND	ND	ND	ND	ND	ND	ND	ND
2	2	3	/	ND	ND	ND	ND	ND	ND	ND	ND
3	2	4	/	ND	ND	ND	ND	ND	ND	ND	ND
4	2	5	68.2	ND	ND	ND	ND	ND	ND	ND	ND
5	2	6	/	ND	ND	ND	ND	ND	ND	ND	ND
6	2	7	/	ND	ND	ND	ND	ND	ND	ND	ND
7	2	8	/	ND	ND	ND	ND	ND	ND	ND	ND
8	2	9	/	ND	ND	ND	ND	ND	ND	ND	ND
9	2	10	/	ND	ND	ND	ND	ND	ND	ND	ND
10	2	11	/	ND	ND	ND	ND	ND	ND	ND	ND
11	2	12	/	ND	ND	ND	ND	ND	ND	ND	ND
12	2	13	/	ND	ND	ND	ND	ND	ND	ND	ND
13	2	14	/	ND	ND	ND	ND	ND	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Cimmunity, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市 定岗区坂田街道坂田社区吉年路 430 号江瀬(坂田)工业厂区厂房 4 号 1011-901、2 号 101、3 号 101、3 号 301-501 邮線: 518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 13 of 19

Specimen Description:

- 1. Cream plywood (Body)
- 2. White rubber core (Elastic cord)
- 3. Transparent plastic (Cover) (PMMA)
- 4. Red woven (Elastic cord)
- 5. Cream-white plastic (Nut) (PA)
- 6. Light green soft plastic (Wheel) (TPE)
- 7. Red plastic (Wheel holder)
- 8. Orange plastic (Gear) (ABS)
- 9. Light green plastic (Gear) (ABS)
- 10. Light blue plastic (Gear) (ABS)
- 11. White plastic (Nut)
- 12. Green soft plastic (Wheel) (TPE)
- 13. Brown hardboard (Crown)

Note: - ppm = parts per million

- µg/component = microgramme per component
- $-1\% = 10000 \text{ mg/kg} = 10000 \text{ ppm} = 10000 \mu \text{g/g}$
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- For Soluble Heavy Metal Content: Result(s) of specimen No.1 is(are) extracted from report No. T52210251514TY



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit

1443, or email: Un. Doccneck@sgs.com ため、即は中間には、App mil (Plant 3 App mil



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 14 of 19

US CPSC

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	No. of	Sharp point	Sharp edge	
	<u>sample</u>	(16 CFR	(16 CFR	Small part
	tested	1500.48)	1500.49)	(16 CFR 1501)
As received	4	Pass	Pass	Pass
Impact test (16 CFR 1500.51b)	2	Pass	Pass	Pass
Bite test (16 CFR 1500.52c)	2	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	2	Pass	Pass	Pass
Tension test (16 CFR 1500.52f)	2	Pass	Pass	Pass
Compression test (16 CFR	2	Pass	Pass	Pass
1500.53g)				

N/A = Not Applicable

US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample
E0370 WONDER WALKER
E0371 BLOCK AND ROLL
Burning Rate (inch/sec)
DNI

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.

Room (1-1-0ft) and 1-4 Room (1) Flant 2 Room (1) Flant 2 Room (1) Flant 3 Room (1) Flant 2 Room (1) Flant 3 Room (1) Flant 2 Room (1) Flant 3 Flant 3 Flant (1) Flant 3 Flant 3 Flant (1) Flant 3 Fl



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 15 of 19

CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)	90		
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
Transparent lacquer coating on wood (Body) w/ Dull orange, bright red, dark blue, brown coating on wood (Bead, slider), light red coating on wood (Wheel)	6	1	ND
2. Dark red coating on wood (Bead, gear) + Blue coating on wood (Bead, gear) + Transparent lacquer w/ blue coating on wood (Bead)	6	2	ND
3. Red coating on wood (Body) w/ Dark green coating on wood (Gear, slider), dark brown coating on wood (Logo), dark grey coating on wood (Pattern), black coating on wood (Lettering, bead, slider)	6	3	ND
4. Transparent lacquer w/ green coating on wood (Bead, slider, body) + Transparent lacquer w/ purple coating on wood (Bead) + Transparent lacquer w/ light orange coating on wood (Bead)	6	4	ND
5. Transparent lacquer w/ yellow coating on wood (Bead) + Light yellow coating on wood (Pattern) + Transparent lacquer w/ orange coating on wood (Crown)	6	5	ND
6. Transparent lacquer w/ yellow coating on wood (Crown, slider, block) + White coating on wood (Slider) + Transparent lacquer w/ light purple coating on wood (Block)	6	6	ND
7. Transparent lacquer w/ cyan coating on wood (Block) + Transparent lacquer w/ dark blue coating on wood (Block) + Transparent lacquer w/ bright orange coating on wood (Block)	6	7	ND
Transparent lacquer w/ red coating on wood (Block) + Transparent lacquer w/ light green coating on wood (Block)	6	8	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 10 ppm

- 1% = 10000 mg/kg = 10000 ppm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianphao (Bartian) Industrial Plant Area, No.430, Jihua Road, Bartian Camunihy, Bartian Street, Longgang District, Shanzhen, Guangdong, Chine 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 - 邮第:518129 t (86-755) 25328888 sga.china@sga.com



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 16 of 19

As specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label found on the packaging:

1) Name: Hape International AG

2) Location: MADE IN CHINA, P2122401414 NBCN 6/2021;

P2222400142 NBCN 04/2022

3) Date: P2122401414 NBCN 6/2021;

P2222400142 NBCN 04/2022

4) Cohort information: P2122401414 NBCN 6/2021;

P2222400142 NBCN 04/2022

- Tracking label found on the product:

1) Name: Hape International AG

2) Location: P2122401414 NBCN 06/2021;

P2222400142 NBCN 04/2022

3) Date: P2122401414 NBCN 06/2021;

P2222400142 NBCN 04/2022

4) Cohort information: P2122401414 NBCN 06/2021;

P2222400142 NBCN 04/2022

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.





Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 17 of 19

CPSIA - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)	90		
Client's Limit (ppm)		_	40
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
Transparent lacquer coating on wood (Body) w/ Dull orange, bright red, dark blue, brown coating on wood (Bead, slider), light red coating on wood (Wheel)	8	1	ND
2. Dark red coating on wood (Bead, gear) + Blue coating on wood (Bead, gear) + Transparent lacquer w/ blue coating on wood (Bead)	8	2	ND
3. Red coating on wood (Body) w/ Dark green coating on wood (Gear, slider), dark brown coating on wood (Logo), dark grey coating on wood (Pattern), black coating on wood (Lettering, bead, slider)	8	3	ND
Transparent lacquer w/ green coating on wood (Bead, slider, body) + Transparent lacquer w/ purple coating on wood (Bead) + Transparent lacquer w/ light orange coating on wood (Bead)	8	4	ND
5. Transparent lacquer w/ yellow coating on wood (Bead) + Light yellow coating on wood (Pattern) + Transparent lacquer w/ orange coating on wood (Crown)	8	5	ND
 Transparent lacquer w/ yellow coating on wood (Crown, slider, block) + White coating on wood (Slider) + Transparent lacquer w/ light purple coating on wood (Block) 	8	6	ND
 Transparent lacquer w/ cyan coating on wood (Block) + Transparent lacquer w/ dark blue coating on wood (Block) + Transparent lacquer w/ bright orange coating on wood (Block) 	8	7	ND
8. Transparent lacquer w/ red coating on wood (Block) + Transparent lacquer w/ light green coating on wood (Block)	8	8	ND

Note: - ppm = parts per million

- 1% = 10000 mg/kg = 10000 ppm

- MDL = Method Detection Limit = 10 ppm

- ND = Not Detected (lower than MDL)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianphao (Bartian) Industrial Plant Area, No.430, Jihua Road, Bartian Camunihy, Bartian Street, Longgang District, Shanzhen, Guangdong, Chine 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 - 邮第:518129 t (86-755) 25328888 sga.china@sga.com



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 18 of 19

CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)			Lead (Pb)
Permissible Limit **(ppm)			100
Client's Limit (ppm)			40
Specimen Description	Alias	Tracing	Result(s)
	No.	No.	(ppm)
Silvery metal bolt	7	1	ND
Iridescent silvery metal nut	7	2	ND
Silvery metal screw	7	3	ND
4. Silvery metal rivet	7	4	ND
5. Silvery metal axle (Wheel)	7	5	ND
6. Silvery metal nut (Wheel)	7	6	ND
7. Silvery metal washer (Wheel)	7	7	ND
8. Silvery metal large bolt	7	8	ND
9. Silvery metal large nut	7	9	ND
10. Silvery metal thin axle (Wheel)	7	10	ND
11. Silvery metal small nut (Wheel)	7	11	DN
12. Silvery metal thick washer (Wheel)	7	12	DN
13. Transparent plastic (Cover) (PMMA) + Cream-white plastic (Nut) (PA) + Light green soft plastic (Wheel) (TPE)	9	1	ND
14. Red plastic (Wheel holder) + Orange plastic (Gear) (ABS) + Light green plastic (Gear) (ABS)	9	2	ND
15. Light blue plastic (Gear) (ABS) + White plastic (Nut) + Green soft plastic (Wheel) (TPE)	9	3	ND
16. Cream plywood (Body) + Brown hardboard (Crown)	9	4	ND
17. White rubber core (Elastic cord)	10	1	11

^{**} Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

MDL = Method Detection Limit = 10 ppm

- 1% = 10000 mg/kg = 10000 ppm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Proposed-Parts of the Service-Proposed-Parts of Service-Proposed-Proposed-Parts of Service-Proposed-Parts of Service-Parts of Service-Proposed-Parts of Service-Parts of Service-Par

Room (1-1-04) Team 14 Room (1) Flant 2 Room (1) Flant 2 Room (1) Flant 3 Room (1) Flant 3 Room (1) Flant 3 Room (1) Flant 3 Room (1) Flant 2 Room (1) Flant 3 Room (1) Flant 3



Test Report No.: T52210272180TY Date: JUN 06, 2022 Page 19 of 19

Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.

2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U₉₅. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (T_U):

Pass - when the measurement result is below T_U - U_{95}

Fail - when the measurement result is above $T_U + U_{95}$


Inconclusive - when the measurement result is falling in guard band $[T_U-U_{95}, T_U+U_{95}]$

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above TL+U95

Fail - when the measurement result is below T_L-U₉₅

Inconclusive - when the measurement result is falling in guard band [T_L-U₉₅, T_L+U₉₅]



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.