



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 1 of 30

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E1223 WIGGLE CAR WITH SOUND& LIGHT RED E1224 WIGGLE CAR WITH SOUND& LIGHT WHITE

Item No. : E1223, E1224

Country of Origin : CHINA
Country of Destination : GLOBAL

Client Reference Information : E1223A,E1224A

Labeled Age Grading : 2+YEARS
Requested Age Grading : 2-8Y

\*\*\*\*\*\*\*\*\*\*\*\*\*\*

Age Group Assessed by SGS As Per Age : OVER 2 YEARS

Guideline

Age Group Applied in Testing : OVER 2 YEARS
Sample Receiving Date : JAN 31, 2024
Last Submission Sample Date : MAR 01, 2024
Further Information Date : AUG 22, 2024

Testing Period : JAN 31, 2024 TO AUG 28, 2024





**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 2 of 30

Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test	Requested	Conclusion
1.	With reference to the test requirement of ASTM F963-17Standard Consumer Safety Specification on Toy Safety. (Except tool)	
	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS*
2.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501:	
	-US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages	
	-US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age	PASS
	-US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts	
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
3.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS
4.	Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS
5.	With reference to the test requirement of ASTM F963-23Standard Consumer Safety Specification on Toy Safety. (Except tool)	
	ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and correct for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Compants advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document and and compants of the content of the subject of the subject

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Langhao (Barian) Industrial Plant Area, No.40, Jihua Road, Barnian Community, Barnian Street, Longgang District, Stenzhen, Guargdong, China 518129 www.sgsgroup.com.cn 中国•广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 劇稿: 518129 t (86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 3 of 30

Test	Conclusion	
6.	15 U.S.C. § 1278a and CPSIA section 101 - Total Lead content	
	15 U.S.C. § 1278a and CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
	Client's Requirement – Lead in paint/similar surface coating material	PASS
	15 U.S.C. § 1278a and CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
	Client's Requirement – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS

Remark 1: Test item (s) with "\*" is (are) not accredited by CNAS

Remark 2: #The result indicated was based on re-testing on new sample submitted by applicant.

\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Tang Yanwei, Lynn
Senior Engineer
CNAS Approved Signatories

Xiang Suqiong, Irene Dept. Manager CNAS Approved Signatories







**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 4 of 30

#### Results:

# ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4	Safety Requirements	
4.1	Material Quality **	PASS
4.2	Flammability Test	PASS (See Result Page)
4.3	Toxicology	
4.3.2	Manufacturing and Packaging of Food	N/A
4.3.3	Indirect Food Additives	N/A
4.3.4	Cosmetics	N/A
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	PASS (See Result Page)
4.3.5.2	Heavy Metal in Substrate Materials	PASS (See Result Page)
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin	N/A
4.3.7	Stuffing Materials	N/A
4.3.8	DEHP (DOP)	N/A
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-Producing Toys	PASS
4.6.1	Small Objects	PASS
4.6.2	Mouth-Actuated Toys	N/A
4.6.3	Labelling Requirements	N/A
4.7	Accessible Edges	PASS
4.8	Projections	PASS
4.9	Accessible Points	PASS
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions.aspx">http://www.sqs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com/en/Terms-and-Conditions/Terms-en/Coment.aspx">http://www.sqs.com/en/Terms-and-Conditions/Terms-en/Coment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-75) 8307

1443, of email: CN. Doccheck we sgs.com Arom 11941 (Part A Rom 11) Part 2 A Rom 119 Part 2 A Rom 319 (Frent), Langhao (Barrian) Industrial Part A Rom 40, Jihua Road, Barrian Community, Barrian Street, Longgang Distric, Shenzhea, Guarqufong, Chine 518129 中国・广东・深圳市走岗区坂田街道坂田社区吉辛路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎錦: 518129 t(86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 5 of 30

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4.13.1	Folding Mechanisms	N/A
4.13.2	Hinge-Line Clearance	N/A
4.14	Cords, Straps and Elastic	N/A
4.15	Stability and Over-Load Requirements	PASS
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	PASS
4.18	Holes, Clearance & Accessibility of Mechanisms	PASS
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (Non-rechargeable battery)	PASS
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys and Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chest	N/A
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	N/A
5.4	Aquatic Toys	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1443, of email: CN\_Doccheckesgs.com 中国・广东・深圳市走岗区坂田街道振田社区吉年路 430 号江瀬(坂田)工业「区庁房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 前編: 518129 t (86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 6 of 30

<u>Clause</u>	Description	Result
5.5	Crib & Playpen Toys	N/A
5.6	Mobile	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	N/A
5.12	Toy Caps	N/A
5.13	Art Materials	N/A
5.14	Electric Toys	N/A
5.15	Battery-Operated Toys	N/A
5.16	Promotional Materials	PASS
5.17	Magnets	N/A
6	Instructional Literature	
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	PASS
6.6	Battery Powered Ride-on Toy	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
7	Producer's Markings	
7.1	Producer's Markings	PASS
7.2	Battery-Powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	PASS
8.7	Impact Test	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	PASS
8.12	Flexure Test	N/A
8.16	Tension Test for Pompoms	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1443, or email: CN.Doccheck@sgs.com Room 101-901, Plant 4 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-501, Plant 3, Janghao (Bantian) Industrial Plant Area, No.400, Jihua Road, Bantian Community, Bantian Street, Longgang District, Stenzhen, Grangdong, China 5101/29 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业「区厂房4号 101-901、2号 101、3号 301、3号 301-501 咸錦:518129 1 (86-755) 253288888 sgs.china@sgs.com



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 7 of 30

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample
E1223 WIGGLE CAR WITH
SOUND& LIGHT RED E1224
WIGGLE CAR WITH SOUND&
LIGHT WHITE

Burning Rate (inch/sec)
DNI

#### Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and correct for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Compants advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document and and compants of the content of the subject of the subject



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 8 of 30

## ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-17 Clause 8.3 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

## **Total Lead Content**

Test Item(s)				
MDL (ppm)				
Total Limit (ppm)				
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)	
Orange, black coating on paper label (Sticker) w/ White coating on plastic (Logo)	4	1	ND	

### Soluble Heavy Metal Content

Test Item(s)			Pb	Sb	As	Ва	Cd	Cr	Hg	Se	
MDL (ppm)			5	5	2.5	10	5	5	5	10	
Migration Limit (ppm)			90	60	25	1000	75	60	60	500	
Specimen	Alias	Tracing	Mass of trace	Adjusted Migration Desult(s) (npm)							
No.	No.	No.	amount (mg)	Adjusted Migration Result(s) (ppm)							
1	11	14	26.8	ND	ND	ND	28	ND	ND	ND	ND

## Specimen Description:

1. Orange, black coating on paper label (Sticker)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Compant-Service-Terms-En/Conditions-E

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com
Rom 101-901, Rall 4 Rom 101, Plant 2 Rom 101, Plant 3, Janghao (Barian Industrial Plant Area, No.60, Jihua Road, Bardian Community, Bardian Street, Longgang District, Shenthet, Georgiang Chine 518123 www.sgsgroup.com.cn
中国广东、深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 9 of 30

Note: - ppm = parts per million

-1% = 10000 mg/kg = 10000 ppm = 10000 µg/g

- MDL = Method Detection Limit

- ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>^</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-17 Clause 8.3.3.6 (2) – Selection of Test Portions

White coating on plastic (Logo)





**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 10 of 30

## ASTM F963-17, Clause 4.3.5.2 - Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-17 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

## **Total Lead Content**

Test Item(s)		Lead (Pb)	
MDL (ppm)	10		
Total Limit (ppm)	100		
Specimen Description	Result(s) (ppm)		
Silvery metal screw	2	1	ND
2. Black metal screw	2	2	ND
Silvery metal hexagonal screw	2	3	ND
4. White fabric w/ multi-color (Band)	8	1	ND
5. White plastic (PP) (Body) + Black plastic (Bottom) + Red plastic (PP) (Body)	8	3	ND
6. Black plastic (PU) (Wheel) + White paper label (Sticker)	8	4	ND
7. Dark brown plastic (PP) (Steering wheel) + Brown plastic (Body)	8	6	ND
8. Transparent soft plastic (Wheel)	01T-3	1	32
Translucent orange soft plastic (TPR) (Front lampshade)	01T-3	2	ND
10. Translucent white soft plastic (TPR) (Front lampshade)	01T-3	3	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-

1443, or email: CN.Doccheck@sgs.com Room 101-901, Plant 4.8 Room 101, Plant 2.8 Room 101, Plant 3.8 Room 201-501, Plant 3.8



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 11 of 30

### Soluble Heavy Metal Content

Test Item(s)				Pb Sb As Ba Cd Cr Hg Se				Se			
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration Li Clays	mit (ppr	n) Other	Than Modeling	90 60 25 1000 75 60 60				500			
Migration Li	mit (ppr	n) Model	ling Clays	90	60	25	250	50	25	25	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	11	3	/	ND	ND	ND	ND	ND	ND	ND	ND
2	11	4	/	ND	ND	ND	ND	ND	ND	ND	ND
3	11	5	/	ND	ND	ND	ND	ND	ND	ND	ND
4	11	6	/	ND	ND	ND	ND	ND	ND	ND	ND
5	11	7	/	ND	ND	ND	ND	ND	ND	ND	ND
6	11	8	/	ND	ND	ND	ND	ND	ND	ND	ND
7	11	9	/	ND	ND	ND	ND	ND	ND	ND	ND
8	11	10	/	ND	ND	ND	ND	ND	ND	ND	ND
9	11	11	/	ND	ND	ND	ND	ND	ND	ND	ND
10	11	13	/	ND	ND	ND	ND	ND	ND	ND	ND

#### Specimen Description:

- 1. Dark brown plastic (PP) (Steering wheel)
- 2. Brown plastic (Body)
- 3. White plastic (PP) (Body)
- 4. Black plastic (Bottom)
- 5. Red plastic (PP) (Body)
- 6. Black plastic (PU) (Wheel)
- 7. Transparent soft plastic (Wheel)
- 8. Translucent orange soft plastic (TPR) (Front lampshade)
- 9. Translucent white soft plastic (TPR) (Front lampshade)
- 10. White paper label (Sticker)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.

1443, or email: CN.Doccheck@sgs.com Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Janghao (Bantian) Industrial Plant Area, No.401, Jihua Rood, Bantian Community, Bantian Street, Longgang District, Stentchen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房 4号 101-901、2号 101、3号 101、3号 301-501 - 邮第:518129 1 (86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 12 of 30

Note: - ppm = parts per million

- μg/component = microgramme per component

ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit

-1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- <sup>A</sup> Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.

1443, or email: CN. Doccheck@sgs.com

Room 101401, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 4 & Room 101, Plant 5 & Room 101, Plant 6 & Room 101, Plant 7 & Room 101, Plant 8 & Roo



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 13 of 30

### **US CPSC**

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	<u>No. of</u> <u>sample</u> tested	Sharp point (16 CFR 1500.48)	<u>Sharp edge</u> (16 CFR 1500.49)	Small part (16 CFR 1501)
As received	2	Pass	Pass	Pass
Impact test (16 CFR 1500.52b)	2	Pass	Pass	Pass
Bite test (16 CFR 1500.52c)	2	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	2	Pass	Pass	Pass
Tension test (16 CFR 1500.52f)	2	Pass	Pass	Pass
Compression test (16 CFR 1500.53g)	2	Pass	Pass	Pass

US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample
E1223 WIGGLE CAR WITH SOUND& LIGHT
RED E1224 WIGGLE CAR WITH SOUND&
LIGHT WHITE

Burning Rate (inch/sec)
DNI

### Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307
1443, or email: CN.Doccheck@sgs.com
Rom th/Mt, Ran 4 8 Rom th, Ran 2 8 Rom t



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 14 of 30

## CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)	90		
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
Orange, black coating on paper label (Sticker) w/ White coating on plastic (Logo)	6	1	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>A</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit
- Tracking label on the packaging: Present
- Tracking label on the product: Present

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing / insection report & certificate, please contact us at telephone.@6-755 8307



Clauses relevant to the item:

**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 15 of 30

#### ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

<u>Clause</u>	Description	Result
4	Safety Requirements	
4.1	Material Quality **	PASS
4.2	Flammability Test	PASS (See Result Page)
4.3	Toxicology	
4.3.2	Manufacturing and Packaging of Food	N/A
4.3.3	Indirect Food Additives	N/A
4.3.4	Cosmetics	N/A
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	PASS (See Result Page)
4.3.5.2	Heavy Metal in Substrate Materials	PASS (See Result Page)
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin	N/A
4.3.7	Stuffing Materials	N/A
4.3.8	Phthalates	PASS (See Result Page)
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-producing Toys	PASS
4.6.1	Small Objects	PASS
4.6.2	Mouth-actuated Toys	N/A
4.6.3	Labelling Requirements	N/A
4.7	Accessible Edges	PASS
4.8	Projections	PASS
4.9	Accessible Points	PASS
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	PASS
4.13.1	Folding Mechanisms	N/A
4.13.2	Hinge-line Clearance	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions.aspx">http://www.sqs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com/en/Terms-and-Conditions/Terms-en/Coment.aspx">http://www.sqs.com/en/Terms-and-Conditions/Terms-en/Coment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-75) 8307

1443, of email: CN. Doccheck we sgs.com Arom 11941 (Part A Rom 11) Part 2 A Rom 119 Part 2 A Rom 319 (Frent), Langhao (Barrian) Industrial Part A Rom 40, Jihua Road, Barrian Community, Barrian Street, Longgang Distric, Shenzhea, Guarqufong, Chine 518129 中国・广东・深圳市走岗区坂田街道坂田社区吉辛路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎錦: 518129 t(86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 16 of 30

<u>Clause</u>	<u>Description</u>	Result
4.14	Cords, Straps and Elastic	N/A
4.15	Stability and Over-load Requirements	PASS
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	PASS
4.18	Holes, Clearance & Accessibility of Mechanisms	PASS
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (Non-rechargeable battery)	PASS#
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys and Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chest	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1443, of email: CN\_Doccheckesgs.com 中国・广东・深圳市走岗区坂田街道振田社区吉年路 430 号江瀬(坂田)工业「区庁房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 前編: 518129 t (86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 17 of 30

Clause	Description	Result
5	Labeling Requirements	
5.1	Federal Government Requirements	
5.1.1	Specific Labeling Requirement	See Remark
	(Remark: All toys that fall within the definitions and requirements of the U.S. FHSA shall conform to the labeling requirement of that act. For specific requirements, reference 16 CFR 1500.3, 1500.14, 1500.19, 1500.82, 1500.83, 1500.86, 1500.121, 1500.122, 1500.123, 1500.125, 1500.126, 1500.127, 1500.128, 1500.130, 1505.3, and 1511.7. In addition, state labeling requirements may exist.)	
5.1.2	Tracking Label	PASS#
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	N/A
5.4	Aquatic Toys	N/A
5.5	Crib & Playpen Toys	N/A
5.6	Mobile	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	N/A
5.12	Art Materials	N/A
5.13	Electric Toys	N/A
5.14	Battery-operated Toys	N/A
5.15	Promotional Materials	PASS
5.16	Magnets	N/A
6	Instructional Literature	
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	PASS#
6.6	Battery-powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions.aspx">http://www.sqs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com/en/Terms-and-Conditions/Terms-en/Coment.aspx">http://www.sqs.com/en/Terms-and-Conditions/Terms-en/Coment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-75) 8307

Rom 101-00 P. Dear & Romo 101 P. Pau 1-2 Rom 101



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 18 of 30

Clause	Description	Result
7	Producer's Markings	
7.1	Producer's Markings	PASS
7.2	Battery-powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	PASS
8.7	Impact Test	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	PASS
8.12	Flexure Test	N/A
8.16	Tension Test for Pompoms	N/A

## Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample E1223 WIGGLE CAR WITH SOUND& LIGHT RED E1224 WIGGLE CAR WITH SOUND& LIGHT WHITE

Burning Rate (inch/sec)

### Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Compant-Service-Terms-En/Conditions-E

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Langhao (Barian) Industrial Plant Area, No.40, Jihua Road, Barnian Community, Barnian Street, Longgang District, Stenzhen, Guargdong, China 518129 www.sgsgroup.com.cn 中国•广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 劇稿: 518129 t (86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 19 of 30

## ASTM F963-23, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-23 Clause 8.3 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

## **Total Lead Content**

Test Item(s)						
MDL (ppm)						
Total Limit (ppm)						
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)			
Orange, black coating on paper label (Sticker) w/ White coating on plastic (Logo)	7	1	ND			

### Soluble Heavy Metal Content

Test Item(s)	Test Item(s)			Pb Sb As Ba Cd Cr Hg			Se				
MDL (ppm)			5	5	2.5	10	5	5	5	10	
Migration L	imit (ppn	n)		90 60 25 1000 75 60 60 50				500			
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	12	14	26.8	ND	ND	ND	28	ND	ND	ND	ND

## Specimen Description:

1. Orange, black coating on paper label (Sticker)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Compant-Service-Terms-En/Conditions-E

1443, of email: UN.Doccheckesgs.com たる Marcon 11/1981 24 Arcon 11/1981



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 20 of 30

Note: - ppm = parts per million

-1% = 10000 mg/kg = 10000 ppm = 10000 µg/g

- MDL = Method Detection Limit

- ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>^</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-23 Clause 8.3.3.6 (2) – Selection of Test Portions

White coating on plastic (Logo)





**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 21 of 30

## ASTM F963-23, Clause 4.3.5.2 - Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-23 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

## **Total Lead Content**

Test Item(s)		Lead (Pb)	
MDL (ppm)		10	
Total Limit (ppm)	100		
Specimen Description	Result(s) (ppm)		
Silvery metal screw	3	1	ND
2. Black metal screw	3	2	ND
Silvery metal hexagonal screw	3	3	ND
4. White fabric w/ multi-color (Band)	10	1	ND
5. White plastic (PP) (Body) + Black plastic (Bottom) + Red plastic (PP) (Body)	10	3	ND
6. Black plastic (PU) (Wheel) + White paper label (Sticker)	10	4	ND
7. Dark brown plastic (PP) (Steering wheel) + Brown plastic (Body)	10	6	ND
8. Transparent soft plastic (Wheel)	01T-2	1	32
Translucent orange soft plastic (TPR) (Front lampshade)	01T-2	2	ND
10. Translucent white soft plastic (TPR) (Front lampshade)	01T-2	3	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-

1443, or email: CN.Doccheck@sgs.com Room 101-901, Plant 4.8 Room 101, Plant 2.8 Room 101, Plant 3.8 Room 201-501, Plant 3.8



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 22 of 30

### Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration Limit (ppm) Other Than Modeling Clays			90	60	25	1000	75	60	60	500	
Migration Li	mit (ppr	n) Model	ling Clays	90	60	25	250	50	25	25	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	12	3	/	ND	ND	ND	ND	ND	ND	ND	ND
2	12	4	/	ND	ND	ND	ND	ND	ND	ND	ND
3	12	5	/	ND	ND	ND	ND	ND	ND	ND	ND
4	12	6	/	ND	ND	ND	ND	ND	ND	ND	ND
5	12	7	/	ND	ND	ND	ND	ND	ND	ND	ND
6	12	8	/	ND	ND	ND	ND	ND	ND	ND	ND
7	12	9	/	ND	ND	ND	ND	ND	ND	ND	ND
8	12	10	/	ND	ND	ND	ND	ND	ND	ND	ND
9	12	11	/	ND	ND	ND	ND	ND	ND	ND	ND
10	12	13	/	ND	ND	ND	ND	ND	ND	ND	ND

#### Specimen Description:

- 1. Dark brown plastic (PP) (Steering wheel)
- 2. Brown plastic (Body)
- 3. White plastic (PP) (Body)
- 4. Black plastic (Bottom)
- 5. Red plastic (PP) (Body)
- 6. Black plastic (PU) (Wheel)
- 7. Transparent soft plastic (Wheel)
- 8. Translucent orange soft plastic (TPR) (Front lampshade)
- 9. Translucent white soft plastic (TPR) (Front lampshade)
- 10. White paper label (Sticker)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.

1443, or email: CN.Doccheck@sgs.com Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Janghao (Bantian) Industrial Plant Area, No.401, Jihua Rood, Bantian Community, Bantian Street, Longgang District, Stentchen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房 4号 101-901、2号 101、3号 101、3号 301-501 - 邮第:518129 1 (86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 23 of 30

Note: - ppm = parts per million

- μg/component = microgramme per component

ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit

-1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- <sup>A</sup> Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- \* Exceeds Permissible Limit





**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 24 of 30

### Standard Consumer Safety Specification on Toy Safety, ASTM F963-23, Clause 4.3.8 - Phthalate Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result	(s) (%)		
Specimen No.	1 2		2	MDL (0/)	Permissible
Alias No.		13	13	MDL (%)	Limit (%)
Tracing No.		2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.015	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.015	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.015	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.015	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.015	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.015	0.1
Di-n-pentlyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	0.015	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.015	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1443, or email: CN.Doccheck@sgs.com Room 101-901, Plant 4.8 Room 101, Plant 2.8 Room 101, Plant 3.8 Room 201-501, Plant 3.8



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 25 of 30

Test Item(s)	CAS No.	Result	(s) (%)		Permissible	
Specimen No.		3	4	MDI (0/)		
Alias No.		13	13	MDL (%)	Limit (%)	
Tracing No.		4	5			
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.015	0.1	
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.015	0.1	
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.015	0.1	
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.015	0.1	
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.015	0.1	
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.015	0.1	
Di-n-pentlyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	0.015	0.1	
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.015	0.1	

### **Specimen Description:**

- 1. White plastic (PP) (Body) + Black plastic (Bottom) + Red plastic (PP) (Body)
- 2. Transparent soft plastic (Wheel) + Translucent orange soft plastic (TPR) (Front lampshade) + Translucent white soft plastic (TPR) (Front lampshade)
- 3. White coating on plastic (Logo)
- 4. Dark brown plastic (PP) (Steering wheel) + Brown plastic (Body)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Compant-Service-Terms-En/Conditions-E

1443, or email: Un. Doccneck@sgs.com #monifold(Pant & Royn II) Pant 2 & Royn II) Pant 2 & Royn III Pant 2 を Royn III P



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 26 of 30

Note: - % = percentage by weight

- MDL = Method Detection Limit

ND = Not Detected (lower than MDL)

-1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- A Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.

1443, or email: CN.Doccheck@sgs.com Room 101-001, Pant 4.8 Room 101, Pant 2.8 Room 101, Pant 3.8 Room 201-501, Pant 3. Room 201-50



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 27 of 30

## CPSIA - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)	90		
Client's Limit (ppm)	40		
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
Orange, black coating on paper label (Sticker) w/ White coating on plastic (Logo)	5	1	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 10 ppm

-1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>^</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing / insection report & certificate, please contact us at telephone.@6-755 8307

1443, of email: U.N. LOCCORECK @ SSG. COM # Comn 101401, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 1, Langhao (Bankian) Industrial Plant Area, No.401, Ihua Rood, Bankian Community, Bankian Street, Longgang Olstrict, Stenuthen, Guangdong, China 518129 中国・「チャ深川市 法同区版用的主版 日本日本 2 名の 日本 2 名の



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 28 of 30

#### **CPSIA - Lead in Accessible Substrate Materials**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)		Lead (Pb)	
Permissible Limit (ppm)	100		
Client's Limit (ppm)	40		
Specimen Description	Result(s) (ppm)		
Silvery metal screw	1	1	ND
2. Black metal screw	1	2	ND
Silvery metal hexagonal screw	1	3	ND
4. White fabric w/ multi-color (Band)	9	1	ND
5. White plastic (PP) (Body) + Black plastic (Bottom) + Red plastic (PP) (Body)	9	3	ND
6. Black plastic (PU) (Wheel) + White paper label (Sticker)	9	4	ND
7. Dark brown plastic (PP) (Steering wheel) + Brown plastic (Body)	9	6	ND
8. Transparent soft plastic (Wheel)	01T-1	1	32
9. Translucent orange soft plastic (TPR) (Front lampshade)	01T-1	2	ND
10. Translucent white soft plastic (TPR) (Front lampshade)	01T-1	3	ND

Note:

- ppm = parts per million
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- -1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- <sup>Δ</sup> Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 29 of 30

Note:

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A = Not Applicable

\*\* = Visual Examination

DNI = Did Not Ignite

SE = Self-Extinguishing

IBE = Ignite But Self-Extinguished

SE within 50mm = Self-extinguished within 50 mm of flame application

#### Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U<sub>95</sub>. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (Tu):

Pass - when the measurement result is below  $T_U$ - $U_{95}$ 

Fail - when the measurement result is above Tu+U95

Inconclusive - when the measurement result is falling in guard band [Tu-U95, Tu+U95]

For Lower Tolerance Limit (T<sub>L</sub>):

Pass - when the measurement result is above T<sub>L</sub>+U<sub>95</sub>

Fail - when the measurement result is below  $T_L$ - $U_{95}$ 

Inconclusive - when the measurement result is falling in guard band [T<sub>L</sub>-U<sub>95</sub>, T<sub>L</sub>+U<sub>95</sub>]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



**Test Report** No.: T52410251504TY Date: AUG 28, 2024 Page 30 of 30

## Sample Picture (As received)

Pic.1 Pic.2





SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Compant-Service-Terms-En/Conditions-E

Attention: 16 creek the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 4443, or email: CN.Doccheck@sgs.com
Room 101-001, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Earglaso (Barian) Industrial Plant Area, No.00, Jihua Road, Bardian Community, Bardian Street, Longgang District, Stendhen, Guargdong, China 516129 www.sgsgroup.com.cn
中国广东、深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 253288888 sgs.china@sgs.com