



**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 1 of 14

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

MAGNETIC ART BOX, MONSTER MATH SCALE

Item No. : E1631, E1631A, E0511, E0511A

Country of Destination : GLOBAL Labeled Age Grading : 3Y+ Requested Age Grading : 3Y+

Age Group Assessed by SGS As Per Age : OVER 3 YEARS

Guideline

Age Group Applied in Testing : OVER 3 YEARS
Sample Receiving Date : DEC 16, 2019
Last Submission Sample Date : DEC 31, 2019

Testing Period : DEC 16, 2019 TO JAN 15, 2020



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) are retained for 30 days only.

1443, or email: CN.Doccheck@sgs.com

SSSBids, No. 4, Jangheo Industrial Park, No. 430, Jimaa Road, Bardian, Lenggang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn
中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 2 of 14

| Test | Requested  | Conclusion |
|------|--|------------|
| 1.   | For compliance with the test requirement of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety.   |            |
|      | ASTM F963-17 Standard Consumer Safety Specification for Toy Safety   | PASS       |
| 2.   | Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content | PASS       |
| 3.   | Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.  | PASS*      |
| 4.   | CPSIA section 101 - Total Lead content   |            |
|      | CPSIA section 101(f) (1) – Lead in paint/similar surface coating material  | PASS       |
|      | Client's Requirement – Lead in paint/similar surface coating material  | PASS       |
|      | CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)   | PASS       |
|      | Client's Requirement – Lead in accessible substrate materials (Including Children's Metal Jewelry)   | PASS       |

Remark: Test item(s) with "\*" is(are) not accredited by CNAS.

\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Qu Ping, Kiky Dept. Manager CNAS Approved Signatories Liu Junjie, Tony Section Manager CNAS Approved Signatories





SSSBibly, No. 4, langhao Industrial Park, No. 409, Ihma Rosa, Bardian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀛工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.c.hina@sgs.com



**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 3 of 14

# Results:

## **ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY**

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

#### Clauses relevant to the item:

| <u>Clause</u> | <u>Description</u>  | Result            |  |  |  |
|---------------|---|-------------------|--|--|--|
| 4             | Safety Requirements   |                   |  |  |  |
| 4.1           | Material Quality **   | <u>Pass</u>       |  |  |  |
| 4.2           | Flammability Test   | Pass Pass         |  |  |  |
|               |   | (See Result Page) |  |  |  |
| 4.3           | Toxicology  |                   |  |  |  |
| 4.3.5         | Heavy Elements  |                   |  |  |  |
|               | 4.3.5.1 Heavy Elements in Paint/Similar Surface Coating Materials | <u>Pass</u>       |  |  |  |
|               |   | (See Result Page) |  |  |  |
|               | 4.3.5.2 Heavy Metal in Substrate Materials                        | <u>Pass</u>       |  |  |  |
|               |   | (See Result Page) |  |  |  |
| 4.6.3         | Labelling Requirements  | <u>Pass</u>       |  |  |  |
| 4.7           | Accessible Edges  | <u>Pass</u>       |  |  |  |
| 4.9           | Accessible Points   | Pass Pass         |  |  |  |
| 4.11          | Nails and Fasteners   | Pass Pass         |  |  |  |
| 4.12          | Plastic Film  | <u>Pass</u>       |  |  |  |
| 4.38          | Magnets   | <u>Pass</u>       |  |  |  |
| 5             | Safety Labeling Requirements                                      |                   |  |  |  |
| 5.2           | Age Grading Labeling  | <u>Pass</u>       |  |  |  |
| 5.3           | Safety Labeling Requirements                                      | Pass Pass         |  |  |  |
| 5.11          | Small Objects, Small Balls, Marbles, and Balloons                 | <u>Pass</u>       |  |  |  |
| 5.16          | Promotional Materials   | Pass Pass         |  |  |  |
| 7             | Producer's Markings   |                   |  |  |  |
| 7.1           | Producer's Markings   | Pass Pass         |  |  |  |
| 8.5           | Normal Use Testing  | <u>Pass</u>       |  |  |  |
| 8.7           | Impact Test   | Pass Pass         |  |  |  |
| 8.8           | Torque Test   | <u>Pass</u>       |  |  |  |
| 8.9           | Tension Test  | <u>Pass</u>       |  |  |  |
| 8.10          | Compression Test  | <u>Pass</u>       |  |  |  |
|               |   |                   |  |  |  |

<sup>\*\*</sup> Visual Examination



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

 1443, or email: CN.Doccheck@sgs.com

 SSSBids, No. 4, Janghao Industrial Park, No. 430, Jihua Road, Bantian, Longgang District, Sherzhen, China 518129
 t (86-755) 25328888
 f (86-755) 83106190
 www.sgsgroup.com.cn

 中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼
 邮編: 518129
 t (86-755) 25328888
 f (86-755) 83106190
 e sgs.china@sgs.com



**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 4 of 14

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample MAGNETIC ART BOX, MONSTER MATH SCALE

Burning Rate (inch/sec)

0.03

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

# Flammability Test on Textile Materials

|                |                           |          |          |          |           | Burni      | <u>ing Tim</u> | e (seco  | <u>ond)</u>    |          |           |            |       |
|----------------|---------------------------|----------|----------|----------|-----------|------------|----------------|----------|----------------|----------|-----------|------------|-------|
| <u>Samples</u> | As received After washing |          |          |          |           |            |                |          | <u>Results</u> |          |           |            |       |
| White          | <u>1</u>                  | <u>2</u> | <u>3</u> | <u>4</u> | <u>5</u>  | <u>Ave</u> | <u>1</u>       | <u>2</u> | <u>3</u>       | <u>4</u> | <u>5</u>  | <u>Ave</u> |       |
| fabric         | 13.5                      | 13.1     | 13.3     | 13.4     | 13.3      | 13.3       | 13.3           | 13.2     | 13.4           | 13.2     | 13.2      | 13.3       | Pass  |
|                | <u>6</u>                  | <u>7</u> | <u>8</u> | <u>9</u> | <u>10</u> |            | <u>6</u>       | <u>7</u> | <u>8</u>       | <u>9</u> | <u>10</u> |            | 1 433 |
|                |                           |          |          |          |           |            |                |          |                |          |           |            |       |

DNI = Did Not Ignite

IBE = Ignite But Self-Extinguished



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification on and jurisdiction issues of lifted therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SSS Bidg, No. 4, Jangfeo Industriel Park, No. 430, Jhua Read, Bartlain, Longgang District, Shenzhen, China 518129 t (88-755) 25328888 f (88-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (88-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 5 of 14

Requirements:

Plain Surface Fabrics
(1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.

(2) Average burn time is 3.5 s or greater.

Raised Surface Fabrics

- (1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.
- (2) Average burn time is 4 s or greater.
- (3) Average burn time is less than 4 s and all specimens burn with a surface flash where the intensity of the surface flame is insufficient to ignite, char, or melt the base fabric.
- (4) Only 1 of 5 specimens ignites and burns in less than 4s and the base fabric does not ignite or fuse, the sample is acceptable.
  (5) Only 1 of 5 specimens ignites or burns in more than 4s, regardless of whether the base fabric ignites or fuses, the sample is acceptable.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1443, or email: To N. Doccheck@egs.com
SS8blg, No. 4, larghao hotastrile park, No. 43, limaeds, Bartian, Longgang District, Shenzhen, China. 518129 t (88-755) 25328888 f (88-755) 83106190 www.sgsgroup.com.cn
中国 - 深圳 - 龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (88-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



**Test Report** 

No.: T51910311338TY

Date: JAN 15, 2020

Page 6 of 14

# ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1

Method: With reference to ASTM F963-17 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

# **Total Lead Content**

| Test Item(s)   |   |   |    |  |  |  |
|--|---|---|----|--|--|--|
| MDL (ppm)  |   |   | 10 |  |  |  |
| Total Limit (ppm)  |   |   | 90 |  |  |  |
| Specimen Description  Alias Tracing No. No.  |   |   |    |  |  |  |
| 1. Transparent lacquer coating on plywood (Scale, box) w/ dark green, black, white coating (Pattern)   | 2 | 1 | ND |  |  |  |
| <ol> <li>White coating on plywood (Box, pattern) w/ black coating on<br/>plywood &amp; hardboard (Pattern, lettering), red coating on plywood<br/>(Pattern)</li> </ol> | 2 | 2 | ND |  |  |  |
| <ol> <li>Dark cyan coating on hardboard (Base) w/ brown coating on<br/>hardboard (Pattern, lettering) + Multi-color coating on plywood<br/>(Pattern)</li> </ol>        | 2 | 3 | ND |  |  |  |

## Soluble Heavy Metal Content

| Test Item(s)          |       |         |               | Pb Sb As Ba Cd Cr Hg               |    |     |      |    | Se |    |     |
|-----------------------|-------|---------|---------------|------------------------------------|----|-----|------|----|----|----|-----|
| MDL (ppm)             |       |         |               |                                    | 5  | 2.5 | 10   | 5  | 5  | 5  | 10  |
| Migration Limit (ppm) |       |         |               | 90                                 | 60 | 25  | 1000 | 75 | 60 | 60 | 500 |
| Specimen              | Alias | Tracing | Mass of trace | Adjusted Migration Possition (npm) |    |     |      |    |    |    |     |
| No.                   | No.   | No.     | amount (mg)   | Adjusted Migration Result(s) (ppm) |    |     |      |    |    |    |     |
| 1                     | 1     | 1       | 65.6          | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 2                     | 1     | 2       | 33.1          | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 3                     | 1     | 3       | 30.6          | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 4                     | 1     | 5       | 48.9          | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 5                     | 1     | 15      | /             | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 6                     | 1     | 20      | /             | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe by overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of except in fully and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the except in the company and the sample(s) tested and such sample(s) are retained for 30 days only.

1443, or email: CN.Doccheck@egs.com KSBibl, Nb. (Jangbon Industrie) Mr. (M. 40), Tuna Robertin Linggarg District, Shernber, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 7 of 14

## Specimen Description:

- 1. Transparent lacquer coating on plywood (Scale, box)
- 2. White coating on plywood (Box, pattern)
- 3. Black coating on plywood & hardboard (Pattern, lettering)
- 4. White coating (Pattern)
- 5. Dark cyan coating on hardboard (Base)
- 6. Multi-color coating on plywood (Pattern)

Note: - ppm = parts per million

- $1\% = 10000 \text{ mg/kg} = 10000 \text{ ppm} = 10000 \text{ } \mu\text{g/g}$
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- Migration results of eight elements shown are of the adjusted analytical results
- The result(s) is (are) calculated using the minimum specimen weight for composite test.
- As received, test portion of dark green, black coating (Pattern), red coating on plywood (Pattern), brown coating on hardboard (Pattern, lettering) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-17 Clause 8.3.3.6 (2) Selection of Test Portions
- For Soluble Heavy Metal Content: Result(s) of specimen No.1-No.3 is(are) extracted from report No. T51910280761TY Result(s) of specimen No.4-No.6 is(are) extracted from report No. T51910311337TY





**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 8 of 14

# ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3

Method (metal materials): With reference to CPSC-CH-E1001-08.3

Method: With reference to ASTM F963-17 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

## **Total Lead Content**

| Test Item(s)   |   |   |    |  |  |  |  |  |
|--|---|---|----|--|--|--|--|--|
| MDL (ppm)  |   |   |    |  |  |  |  |  |
| Total Limit (ppm)  |   |   |    |  |  |  |  |  |
| Specimen Description  Alias Tracing No. No.                                  |   |   |    |  |  |  |  |  |
| Cream plywood (Scale, box) + Brown hardboard (Base)                          | 3 | 1 | ND |  |  |  |  |  |
| 2. Yellow plastic (Body) + Blue plastic (Body) + Orange plastic (Body)       | 3 | 2 | ND |  |  |  |  |  |
| 3. Green plastic (Body) + Red plastic (Body) + Cyan plastic (Scale)          | 3 | 3 | ND |  |  |  |  |  |
| 4. White plastic (Scale) + Cream plastic (Holder)                            | 3 | 4 | ND |  |  |  |  |  |
| 5. Red soft plastic (Body) + Transparent plastic film (Card, accessory, box) | 3 | 5 | ND |  |  |  |  |  |
| Black magnetic rubber (Accessory)  | 4 | 1 | ND |  |  |  |  |  |
| 7. Silvery metal screw (Base)  | 5 | 1 | ND |  |  |  |  |  |
| 8. Silvery metal rivet (Scale)   | 5 | 2 | ND |  |  |  |  |  |
| 9. Silvery metal big screw (Box)   | 5 | 3 | ND |  |  |  |  |  |



SSSBibly, No. 4, langhao Industrial Park, No. 409, Ihma Rosa, Bardian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀛工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.c.hina@sgs.com



**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 9 of 14

# Soluble Heavy Metal Content

| Test Item(s)                                    |          |         |               |                                    | Sb  | As     | Ва       | Cd      | Cr        | Hg    | Se  |
|---|----------|---------|---------------|------------------------------------|-----|--------|----------|---------|-----------|-------|-----|
| MDL (ppm)                                       |          |         |               | 5                                  | 5   | 2.5    | 10       | 5       | 5         | 5     | 10  |
| Migration Limit (ppm) Other Than Modeling Clays |          |         |               |                                    | 60  | 25     | 1000     | 75      | 60        | 60    | 500 |
| Migration Li                                    | mit (ppr | n) Mode | ling Clays    | 90                                 | 60  | 25     | 250      | 50      | 25        | 25    | 500 |
| Specimen  | Alias    | Tracing | Mass of trace | Adjusted Migration Result(s) (ppm) |     |        |          |         |           |       |     |
| No.   | No.      | No.     | amount (mg)   |                                    | Auj | ustean | nigratio | ii Kesu | ir(s) (bl | oiii) |     |
| 1   | 1        | 4       | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 2   | 1        | 6       | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 3   | 1        | 7       | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 4   | 1        | 8       | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 5   | 1        | 9       | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 6   | 1        | 10      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 7   | 1        | 11      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 8   | 1        | 12      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 9   | 1        | 13      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 10  | 1        | 14      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 11  | 1        | 16      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 12  | 1        | 17      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 13  | 1        | 18      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 14  | 1        | 19      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 15  | 1        | 21      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 16  | 1        | 22      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |
| 17  | 1        | 23      | /             | ND                                 | ND  | ND     | ND       | ND      | ND        | ND    | ND  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

18588ig, No. 4, Jarghao Industrial Part, No. 430, Jihang Road, Bartlain, Longgang District, Sherncher, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮編: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 10 of 14

#### Specimen Description:

- 1. Cream plywood (Scale, box)
- 2. Yellow plastic (Body)
- 3. Blue plastic (Body)
- 4. Orange plastic (Body)
- 5. Green plastic (Body)
- 6. Red plastic (Body)
- 7. Red soft plastic (Body)
- 8. Cyan plastic (Scale)
- 9. Green felt (Scale)
- 10. White plastic (Scale)
- 11. Brown hardboard (Base)
- 12. Cream plastic (Holder)
- 13. Transparent plastic film (Card, accessory, box)
- 14. Black magnetic rubber (Accessory)
- 15. Red woven cord (Handle)
- 16. White fabric w/ white fabric thread (Bag)
- 17. Cream woven cord (Bag)

Note: - ppm = parts per million

- -1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- Migration results of eight elements shown are of the adjusted analytical results
- The result(s) is (are) calculated using the minimum specimen weight for composite test.
- For Soluble Heavy Metal Content:
   Result(s) of specimen No.1 is(are) extracted from report No. T51910280761TY
   Result(s) of specimen No.2-No.15 is(are) extracted from report No. T51910311337TY
   Result(s) of specimen No.16 & No.17 is(are) extracted from report No. T51910311339TY



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fulless extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:To check the authenticity of testing a inspection report & certificate except and the supplement (86-755) 830.



**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 11 of 14

# CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

| Test Item(s)   | Lead (Pb) |   |             |  |  |  |
|--|-----------|---|-------------|--|--|--|
| Permissible Limit (ppm)  | 90        |   |             |  |  |  |
| Specimen Description Alias No. No.   |           |   |             |  |  |  |
| Transparent lacquer coating on plywood (Scale, box) w/ dark green, black, white coating (Pattern)  | 6         | 1 | (ppm)<br>ND |  |  |  |
| <ol> <li>White coating on plywood (Box, pattern) w/ black coating on<br/>plywood &amp; hardboard (Pattern, lettering), red coating on<br/>plywood (Pattern)</li> </ol> | 6         | 2 | ND          |  |  |  |
| <ol> <li>Dark cyan coating on hardboard (Base) w/ brown coating on<br/>hardboard (Pattern, lettering) + Multi-color coating on plywood<br/>(Pattern)</li> </ol>        | 6         | 3 | ND          |  |  |  |

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 10 ppm

- 1% = 10000 mg/kg = 10000 ppm

- The result(s) is (are) calculated using the minimum specimen weight for composite test.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification on and jurisdiction issues of lifted therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SSS Bidg, No. 4, Jangheo Industriel Park, No. 430, Jihua Read, Bartlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 12 of 14

# As specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label found on the packaging:

1) Name: Hape International AG

2) Location: P1922401255 NBCN 07/2019
3) Date: P1922401255 NBCN 07/2019
4) Cohort information: P1922401255 NBCN 07/2019

- Tracking label found on the product:

1) Name: Hape International AG

2) Location: P1922401255 NBCN 07/2019
3) Date: P1922401255 NBCN 07/2019
4) Cohort information: P1922401255 NBCN 07/2019

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

# **CPSIA - Lead in Paint/Similar Surface Coating Materials**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

| Test Item(s)   | Lead (Pb)          |   |    |
|--|--------------------|---|----|
| Permissible Limit (ppm)  | 90                 |   |    |
| Client's Limit (ppm)   | 40                 |   |    |
| Specimen Description   | Result(s)<br>(ppm) |   |    |
| Transparent lacquer coating on plywood (Scale, box) w/ dark green, black, white coating (Pattern)  | 9                  | 1 | ND |
| <ol> <li>White coating on plywood (Box, pattern) w/ black coating on<br/>plywood &amp; hardboard (Pattern, lettering), red coating on<br/>plywood (Pattern)</li> </ol> | 9                  | 2 | ND |
| <ol> <li>Dark cyan coating on hardboard (Base) w/ brown coating on<br/>hardboard (Pattern, lettering) + Multi-color coating on plywood<br/>(Pattern)</li> </ol>        | 9                  | 3 | ND |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification on and jurisdiction issues of lifted therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SSSBbb, No. 4, Janghao Industrial Park, No. 430, Jihna Road, Bardan, Longgang District, Sheruchen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 13 of 14

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 10 ppm

-1% = 10000 mg/kg = 10000 ppm

- The result(s) is (are) calculated using the minimum specimen weight for composite test.

## **CPSIA - Lead in Accessible Substrate Materials**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

| Test Item(s)  | Lead (Pb)          |   |    |
|---|--------------------|---|----|
| Permissible Limit **(ppm)   | 100                |   |    |
| Client's Limit (ppm)  | 40                 |   |    |
| Specimen Description  | Result(s)<br>(ppm) |   |    |
| 1. Cream plywood (Scale, box) + Brown hardboard (Base)                                      | 7                  | 1 | ND |
| Yellow plastic (Body) + Blue plastic (Body) + Orange plastic (Body)                         | 7                  | 2 | ND |
| 3. Green plastic (Body) + Red plastic (Body) + Cyan plastic (Scale)                         | 7                  | 3 | ND |
| 4. White plastic (Scale) + Cream plastic (Holder)   | 7                  | 4 | ND |
| <ol><li>Red soft plastic (Body) + Transparent plastic film (Card, accessory, box)</li></ol> | 7                  | 5 | ND |
| Black magnetic rubber (Accessory)   | 8                  | 1 | ND |
| 7. Silvery metal screw (Base)   | 10                 | 1 | ND |
| 8. Silvery metal rivet (Scale)  | 10                 | 2 | ND |
| 9. Silvery metal big screw (Box)  | 10                 | 3 | ND |

<sup>\*\*</sup> Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification on and jurisdiction issues of lifted therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SSS Bidg, No. 4, Jangheo Industriel Park, No. 430, Jihua Read, Bartlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com




**Test Report** No.: T51910311338TY Date: JAN 15, 2020 Page 14 of 14

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- -1% = 10000 mg/kg = 10000 ppm
- The result(s) is (are) calculated using the minimum specimen weight for composite test.

N.B.: - Only applicable clauses were shown.



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification on and jurisdiction issues of lifted therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SSS Bidg, No. 4, Jangheo Industriel Park, No. 430, Jihua Read, Bartlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com