

Test Report No.: SHHL2206020702TY Date: JUL 08, 2022 Page 1 of 13

HAPE INTERNATIONAL (NINGBO) LTD HAPPY ARTS&CRAFTS(NINGBO)CO., LTD 9-27NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA

Sample Description METRO POLICE DEPT PLAYSET

Sample Quantity 6 PCS Style / Item No. E3050 Country of Origin **CHINA** Country of Destination **GLOBAL**

3Y+ Labeled Age Grading Requested Age Grading 3Y+

Client Reference Information E3050A

Age Group Assessed as Per Age Guideline 3+ YEARS Age Group Applied in Testing 3+ YEARS Sample Receiving Date JUN 12, 2022 **Further Information Date** JUL 07, 2022

Testing Period JUN 12, 2022 TO JUL 08, 2022

Test Requested Result

EN 71-1: 2014+A1: 2018 - Safety of toys - Part 1: Mechanical and Physical Properties <u>Pass</u>

Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the

Directive 2009/48/EC-Safety of toys

EN 71-2:2020 - Safety of toys - Part 2: Flammability **Pass**

COMMISSION IMPLEMENTING DECISION (EU) 2021/1992 on harmonised standards for toys drafted in support of Directive 2009/48/EC EN71 3: 2019+A1:2021

Migration of certain elements (Category III:for scrapped off toy material)

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ************



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offondore may be proceduted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

f (86-21) 6115 6899

www.sgsgroup.com.cn

e sgs.china@sgs.com

See Result

Pass



Test Report No.: SHHL2206020702TY Date: JUL 08, 2022 Page 2 of 13

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Jessie Zhou Authorized Signatory

Jesse Thou



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and



Test Report No.: SHHL2206020702TY Date: JUL 08, 2022 Page 3 of 13

Results:

EN 71-1: 2014+A1: 2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1: 2014+A1: 2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4	General requirements	
4.1	Material cleanliness	<u>Pass</u>
4.2	Assembly	<u>Pass</u>
4.7	Edges	<u>Pass</u>
4.8	Points and metallic wires	<u>Pass</u>
4.9	Protruding parts	<u>Pass</u>
4.20	Acoustics	<u>Pass</u>
6	Packaging	<u>Pass</u>
7	Warnings, markings and instructions for use	
7.1	General Requirements	<u>Pass</u>
	Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects:	
	a) Emphasising the warning	
	b) Contrast, background and colours	
	c) Reflecting surfaces and obscuring material	
	d) Font type	
	e) Font size	
	f) Logical direction of text	
	For more details, see EN 71-1.	
7.2	Toys not intended for children under 36 months (Remark: The toy contains small part. It is acceptable because appropriate warning is found on packaging.)	Pass See Remark

Only English warnings were checked for the clause 7. According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and

4[®] Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

f (86–21) 6115 6899 www.sgsgroup.com.cn f (86–21) 6115 6899 e sgs.china@sgs.com



Test Report No.: SHHL2206020702TY Date: JUL 08, 2022 Page 4 of 13

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not applicable	1
CE Mark	Present	Toy/Packaging
Importer's Name & Address	Present	Toy/Packaging
Manufacturer's Name & Address	Present	Toy/Packaging
Product ID	Present	Toy/Packaging

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable.
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

EN 71-2:2020 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2020 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u> <u>Description</u>
4.1 <u>General requirements</u>

Result Pass

Type of gas: Butane gas used in the test burner

N.B.: - Only applicable clauses were shown.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlewful and offondors may be prococuted to the fullest extent of the lew. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: CN.Doccheck@sgs.com 4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐江区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661 f (86-21) 6115 6899

f (86–21) 6115 6899 www.sgsgroup.com.cn f (86–21) 6115 6899 e sgs.china@sgs.com



Test Report Date: JUL 08, 2022 Page 5 of 13 No.: SHHL2206020702TY

Test Part Description:

Specimen No.	SGS Sample ID	Description
SN1	SHA22-080248.001	Grey PP
SN2	SHA22-080248.002	Translucent red plastic
SN3	SHA22-080248.003	Translucent blue plastic
SN4	SHA22-080248.004	Translucent light blue plastic
SN5	SHA22-080248.005	Dark grey PP
SN6	SHA22-080248.006	Yellow ABS
SN7	SHA22-080248.007	White ABS
SN8	SHA22-080248.008	Grey white PP
SN9	SHA22-080248.009	Blue PVC
SN10	SHA22-080248.010	Flesh PVC
SN11	SHA22-080248.011	Brown coating
SN12	SHA22-080248.012	Blue ABS
SN13	SHA22-080248.013	Dark grey ABS
SN14	SHA22-080248.014	Black ABS
SN15	SHA22-080248.015	Black PVC
SN16	SHA22-080248.016	Black/White ABS
SN17	SHA22-080248.017	Grey plastic
SN18	SHA22-080248.018	Light blue coating
SN19	SHA22-080248.019	Dark blue coating
SN20	SHA22-080248.020	Lt grey coating
SN21	SHA22-080248.021	Dark grey coating
SN22	SHA22-080248.022	White coating
SN23	SHA22-080248.023	Black coating
SN24	SHA22-080248.024	Yellow coating
SN25	SHA22-080248.025	Brown coating
SN26	SHA22-080248.026	Blue felt
SN27	SHA22-080248.027	Natural color solidwood
SN28	SHA22-080248.028	Natural color plywood
SN29	SHA22-080248.029	Natural color MDF

Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condi

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661

t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899



Test Report No.: SHHL2206020702TY Date: JUL 08, 2022 Page 6 of 13

COMMISSION IMPLEMENTING DECISION (EU) 2021/1992 on harmonised standards for toys drafted in support of Directive 2009/48/EC - EN71-3: 2019+A1:2021 - Migration of certain elements (Category III:for scrapped-off toy material)

Test Method: With reference to EN 71-3:2019+A1:2021, analysis was performed by ICP-OES, IC-UV or LC-ICP-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>	<u>002</u>	<u>003</u>
Soluble Chromium (VI) (Cr VI)	0.053	mg/kg	0.025	ND	ND	ND
Soluble Lead (Pb)	23	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	5	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (AI)	28130	mg/kg	50	ND	ND	ND
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)	180000	mg/kg	3	ND	ND	ND
Soluble Organic Tin*	12	mg/kg	-	ND	ND	ND
Test Item(a)	Limit	l loit	MDI	004	005	006
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL 0.005	<u>004</u>	<u>005</u>	<u>006</u>
Soluble Chromium (VI) (Cr VI)	0.053	mg/kg	0.025	ND	ND	ND
Soluble Lead (Pb)	23	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	5	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

f (86-21) 6115 6899



Test Report	No.: SHHL2206020	702TY	Date: J	UL 08, 20	22	Page 7 of 13	
Test Item(s)		<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>004</u>	<u>005</u>	<u>006</u>
Soluble Manganese (M	n)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)		46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (AI)		28130	mg/kg	50	ND	ND	ND
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)		180000	mg/kg	3	ND	ND	ND
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND
Test Item(s)		<u>Limit</u>	<u>Unit</u>	MDL	<u>007</u>	<u>008</u>	<u>009</u>
Soluble Chromium (VI)	(Cr VI)	0.053	mg/kg	0.025	ND	ND	ND
Soluble Lead (Pb)		23	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)		560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)		47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)		18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)		17	mg/kg	5	ND	ND	ND
Soluble Chromium (III)	(Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	ND
Soluble Boron (B)		15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	ND
Soluble Manganese (M	n)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)		46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (AI)		28130	mg/kg	50	ND	ND	ND
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)		180000	mg/kg	3	ND	ND	ND
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND
Test Item(s)		<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>010</u>	<u>011</u>	<u>012</u>
Soluble Chromium (VI)	(Cr VI)	0.053	mg/kg	0.025	ND	-	ND
Soluble Lead (Pb)		23	mg/kg	5	ND		ND
Soluble Antimony (Sb)		560	mg/kg	10	ND		ND
Soluble Arsenic (As)		47	mg/kg	10	ND		ND
Soluble Barium (Ba)		18750	mg/kg	50	ND		ND
Soluble Cadmium (Cd)		17	mg/kg	5	ND		ND
Soluble Chromium (III)	(Cr III)	460	mg/kg	5	ND	-	ND



4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661

t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899



Test Report	Report No.: SHHL2206020702TY		Date: J	UL 08, 20	22	Page 8 of 13		
Soluble Mercury (Hg)		94	mg/kg	10	ND		ND	
Soluble Selenium (Se)		460	mg/kg	10	ND		ND	
Soluble Boron (B)		15000	mg/kg	50	ND		ND	
Soluble Cobalt (Co)		130	mg/kg	10	ND		ND	
Soluble Manganese (Mn)		15000	mg/kg	50	ND		ND	
Soluble Strontium (Sr)		56000	mg/kg	50	ND		ND	
Soluble Zinc (Zn)		46000	mg/kg	50	ND		ND	
Soluble Copper (Cu)		7700	mg/kg	50	ND		ND	
Soluble Aluminum (AI)		28130	mg/kg	50	ND		ND	
Soluble Nickel (Ni)		930	mg/kg	10	ND		ND	
Soluble Tin (Sn)		180000	mg/kg	3	ND		ND	
Soluble Organic Tin*		12	mg/kg	-	ND		ND	
Test Item(s)		<u>Limit</u>	<u>Unit</u>	MDL	<u>013</u>	<u>014</u>	<u>015</u>	
Soluble Chromium (VI) (C	Cr VI)	0.053	mg/kg	0.025	ND	ND	ND	
Soluble Lead (Pb)		23	mg/kg	5	ND	ND	ND	
Soluble Antimony (Sb)		560	mg/kg	10	ND	ND	ND	
Soluble Arsenic (As)		47	mg/kg	10	ND	ND	ND	
Soluble Barium (Ba)		18750	mg/kg	50	ND	ND	ND	
Soluble Cadmium (Cd)		17	mg/kg	5	ND	ND	ND	
Soluble Chromium (III) (C	cr III)	460	mg/kg	5	ND	ND	ND	
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	ND	
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	ND	
Soluble Boron (B)		15000	mg/kg	50	ND	ND	ND	
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	ND	
Soluble Manganese (Mn)		15000	mg/kg	50	ND	ND	ND	
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND	
Soluble Zinc (Zn)		46000	mg/kg	50	ND	ND	ND	
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND	
Soluble Aluminum (AI)		28130	mg/kg	50	ND	ND	ND	
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND	
Soluble Tin (Sn)		180000	mg/kg	3	ND	ND	ND	
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND	
Test Item(s)		<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>016</u>	<u>017</u>	<u>018</u>	
Soluble Chromium (VI) (C	Cr VI)	0.053	mg/kg	0.025	ND	ND	ND	
Soluble Lead (Pb)		23	mg/kg	5	ND	ND	ND	
Soluble Antimony (Sb)		560	mg/kg	10	ND	ND	ND	
Soluble Arsenic (As)		47	mg/kg	10	ND	ND	ND	



4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

f (86-21) 6115 6899



Test Report	No.: SHHL2206020	702TY	Date: J	UL 08, 20	22	Page	9 of 13
Soluble Barium (Ba)		18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)		17	mg/kg	5	ND	ND	ND
Soluble Chromium (III)	(Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	ND
Soluble Boron (B)		15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	ND
Soluble Manganese (M	ln)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)		46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (AI)		28130	mg/kg	50	ND	ND	144
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)		180000	mg/kg	3	ND	ND	ND
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND
Test Item(s)		<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>019</u>	<u>020</u>	<u>021</u>
Soluble Chromium (VI)	(Cr VI)	0.053	mg/kg	0.025	ND	ND	ND
Soluble Lead (Pb)		23	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)		560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)		47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)		18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)		17	mg/kg	5	ND	ND	ND
Soluble Chromium (III)	(Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	ND
Soluble Boron (B)		15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	ND
Soluble Manganese (M	ln)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)		46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (AI)		28130	mg/kg	50	207	293	298
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)		180000	mg/kg	3	ND	ND	ND
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND



4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661

t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899



Test Report	No.: SHHL22060207	02TY	Date: J	Date: JUL 08, 2022		Page 10 of 13	
Test Item(s)		<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>022</u>	<u>023</u>	<u>024</u>
Soluble Chromium (VI)	(Cr VI)	0.053	mg/kg	0.025	-	-	ND
Soluble Lead (Pb)		23	mg/kg	5			ND
Soluble Antimony (Sb)		560	mg/kg	10			ND
Soluble Arsenic (As)		47	mg/kg	10			ND
Soluble Barium (Ba)		18750	mg/kg	50			ND
Soluble Cadmium (Cd)		17	mg/kg	5			ND
Soluble Chromium (III)	(Cr III)	460	mg/kg	5	-	-	ND
Soluble Mercury (Hg)		94	mg/kg	10			ND
Soluble Selenium (Se)		460	mg/kg	10			ND
Soluble Boron (B)		15000	mg/kg	50			ND
Soluble Cobalt (Co)		130	mg/kg	10			ND
Soluble Manganese (M	n)	15000	mg/kg	50			ND
Soluble Strontium (Sr)		56000	mg/kg	50			ND
Soluble Zinc (Zn)		46000	mg/kg	50			ND
Soluble Copper (Cu)		7700	mg/kg	50			ND
Soluble Aluminum (AI)		28130	mg/kg	50			125
Soluble Nickel (Ni)		930	mg/kg	10			ND
Soluble Tin (Sn)		180000	mg/kg	3			ND
Soluble Organic Tin*		12	mg/kg	-			ND
Test Item(s)		<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>025</u>	<u>026</u>	<u>027</u>
Soluble Chromium (VI)	(Cr VI)	0.053	mg/kg	0.025	ND	ND	ND
Soluble Lead (Pb)		23	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)		560	mg/kg	10	ND	12	ND
Soluble Arsenic (As)		47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)		18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)		17	mg/kg	5	ND	ND	ND
Soluble Chromium (III)	(Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	ND
Soluble Boron (B)		15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	ND
Soluble Manganese (M	n)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)		46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (Al)		28130	mg/kg	50	ND	ND	ND
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND



4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

f (86-21) 6115 6899



Test Report No.: SHHL2206020702	Test Report No.: SHHL2206020702TY		UL 08, 20	Page 11 of 13		
Soluble Tin (Sn)	180000	mg/kg	3	ND	ND	ND
Soluble Organic Tin*	12	mg/kg	-	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>028</u>	<u>029</u>	
Soluble Chromium (VI) (Cr VI)	0.053	mg/kg	0.025	ND	ND	
Soluble Lead (Pb)	23	mg/kg	5	ND	ND	
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	
Soluble Cadmium (Cd)	17	mg/kg	5	ND	ND	
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	
Soluble Boron (B)	15000	mg/kg	50	ND	ND	
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	
Soluble Manganese (Mn)	15000	mg/kg	50	ND	89	
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	
Soluble Aluminum (AI)	28130	mg/kg	50	ND	ND	
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	
Soluble Tin (Sn)	180000	mg/kg	3	ND	ND	
Soluble Organic Tin*	12	mg/kg	-	ND	ND	

Notes:

- (1) According to the Commission Implementing Decision (EU) 2021/1992 of November 15, 2021, published in the OJEU. The EN 71-3:2019+A1:2021 is adopted as the harmonized standard for toys drafted in support of Directive 2009/48/EC.
- (2) According to Chapter of 10.1.2 of EN 71-3:2019+A1:2021, Chromium (III) is calculated by the following formula:
 - Soluble Chromium (III) = Soluble Total Chromium Soluble Chromium (VI)
- (3) Mass of trace amount of sample 018 is 55.0mg, sample 019 is 13.8mg, sample 020 is 17.6mg, sample 021 is 17.6mg, sample 024 is 77.7mg, sample 025 is 15.5mg, sample 026 is 72.9mg.
- (4) As received, the test portion of 011, 022, 023 is less than 10mg, therefore such components were not tested for migration of certain elements, as specified in the European Standard EN 71-3:2019+A1:2021.
- (5) *Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2019+A1:2021.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offendors may be procedued to the fulled stort of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661

t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899



Test Report No.: SHHL2206020702TY Date: JUL 08, 2022 Page 12 of 13

Remark:

The test results 002, 003 are taken from report SHA22-035440.027, 026

The test results 012, 018, 024 are taken from report SHA22-038039.007, 001, 005

The test results 022, 023, 027, 028 are taken from report SHA22-034110.004, 001, 006, 010

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w = 0) stated in ILAC-G8:09/2019.

Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- The declaration of conformity is based on non-binary acceptance decision rules with guard band, and the guard band length parameter is 0. When the measured value falls in the guard band limit, the declaration of conformity is "Conditional PASS" or "Conditional FAIL".



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offondore may be proceduted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661

t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899



Test Report No.: SHHL2206020702TY Date: JUL 08, 2022 Page 13 of 13

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and