



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 1 of 17

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as: E3215 DING & POP-UP TOASTER

Item No.: E3215Country of Origin: CHINACountry of Destination: GLOBALClient Reference Information: E3215ALabeled Age Grading: 2-8YEARS

Requested Age Grading : 2-8Y

Age Group Assessed by SGS As Per Age : OVER 2 YEARS

Guideline

Age Group Applied in Testing : OVER 2 YEARS Sample Receiving Date : AUG 22, 2023

Testing Period : AUG 22, 2023 TO AUG 31, 2023





Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 2 of 17

Test	Requested	Conclusion
1.	For compliance with the test requirement of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety.	
	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS
2.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501: -US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages -US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age -US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts	PASS
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
3.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS
4.	Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banúan) Industrial Plant Area, No.501, Jihus Rood, Banúan Chmunihy, Banúan Street, Longgang District, Shenzhen, Guangdong, Chine 518129 www.spsgroup.com.cn 中国。广东、深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮線:518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 3 of 17

Test	Requested	Conclusion
5.	CPSIA section 101 - Total Lead content	
	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
	Client's Requirement – Lead in paint/similar surface coating material	PASS
	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
	Client's Requirement – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS

Remark: Test item (s) with "*" is (are) not accredited by CNAS

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Qu Ping Kiky
Dept. Manager
CNAS Approved Signatories

Sun Enxu, Aaron Dept. Manager CNAS Approved Signatories Xiao Yongbo, Spring Supervisor CNAS Approved Signatories







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are tained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Room (1-1-0ft) and 1-4 Room (1) Flant 2 Room (1) Flant 2 Room (1) Flant 3 Room (1) Flant 3 Room (1) Flant 3 Room (1) Flant 2 Room (1) Flant 3 Room (1) Flant 2 Room (1) Flant 3 Room (1) Flant



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 4 of 17

Results:

ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	Safety Requirements	
4.1	Material Quality **	PASS
4.2	Flammability Test	PASS (See
		Result Page)
4.3	Toxicology	N.//A
4.3.2	Manufacturing and Packaging of Food	N/A
4.3.3	Indirect Food Additives	N/A
4.3.4	Cosmetics	N/A
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	PASS (See
		Result Page)
4.3.5.2	Heavy Metal in Substrate Materials	PASS (See
4.3.6	Coomatic Liquida Postos Puttion Cala Poudars and Itam of Avian	Result Page) N/A
4.3.0	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin	IN/A
4.3.7	Stuffing Materials	N/A
4.3.8	DEHP (DOP)	N/A
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-Producing Toys	PASS
4.6.1	Small Objects	PASS
4.6.2	Mouth-Actuated Toys	N/A
4.6.3	Labelling Requirements	N/A
4.7	Accessible Edges	PASS
4.8	Projections	N/A
4.9	Accessible Points	PASS
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	N/A
4.13.1	Folding Mechanisms	N/A
4.13.2	Hinge-Line Clearance	N/A
4.14	Cords, Straps and Elastic	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1443, of email: CN. Doccneecks egs.com Arom 1149ft Part & Room 11ft Part 2 & Room 10ft Part 2 & Room 10ft



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 5 of 17

<u>Clause</u>	Description	Result
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearance & Accessibility of Mechanisms	PASS
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (Non-rechargeable battery)	PASS
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys and Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	PASS
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chest	N/A
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	N/A
5.4	Aquatic Toys	N/A
5.5	Crib & Playpen Toys	N/A
5.6	Mobile	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) t

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banúan) Industrial Plant Area, No.501, Jihus Rood, Banúan Chmunihy, Banúan Street, Longgang District, Shenzhen, Guangdong, Chine 518129 www.spsgroup.com.cn 中国。广东、深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮線:518129 t (86-755) 25328888 sgs.china@sgs.com



rest Report	No.: T52310311014TY	Date: AUG 31, 2023	Page 6 of 17

<u>Clause</u>	<u>Description</u>	Result
5.12	Toy Caps	N/A
5.13	Art Materials	N/A
5.14	Electric Toys	N/A
5.15	Battery-Operated Toys	N/A
5.16	Promotional Materials	PASS
5.17	Magnets	N/A
6	Instructional Literature	
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	PASS
6.6	Battery Powered Ride-on Toy	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
7	Producer's Markings	
7.1	Producer's Markings	PASS
7.2	Battery-Powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	PASS
8.7	Impact Test	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	PASS
8.12	Flexure Test	N/A
8.16	Tension Test for Pompoms	N/A

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample Burning Rate (inch/sec)
E3215 DING & POP-UP TOASTER 0.01

Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-901, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.490, Jihua Rood, Bantian Cimmunity, Bantian Street, Longgang District, Shenzhen, Guangdong, Chine 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房4号 101-901、2号 101、3号 101、3号 101、3号 101、3号 101、101、101 前編:518129 t (86-755) 25328888 sga.china@sga.com



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 7 of 17

ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-17 Clause 8.3 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)						
MDL (ppm)						
Total Limit (ppm)						
Specimen Description Alias No. No. No.						
Transparent lacquer coating on wood (Body, accessory) + Multi- color coating on wood (Pattern) + Brown coating on wood (Accessory)	3	1	ND			
2. Transparent lacquer w/ yellow (Accessory), dark brown (Logo) coating on plastic, red, black (Sticker) coating on paper label, silvery (Pattern) coating on plastic	3	2	ND			
Transparent lacquer w/ cyan coating on wood (Accessory) + Dull green coating on wood (Accessory) + Green coating on wood (Pattern)	3	3	ND			

Soluble Heavy Metal Content

Test Item(s))			Pb Sb As Ba Cd Cr Hg Sc				Se			
MDL (ppm)			5 5 2.5 10 5 5 5				10				
Migration Limit (ppm)			90 60 25 1000 75 60 60 5				500				
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	1	2	/	ND	ND	ND	ND	ND	ND	ND	ND
2	1	14	/	ND	ND	ND	ND	ND	ND	ND	ND
3	1	15	/	ND	ND	ND	ND	ND	ND	ND	ND
4	1	16	/	ND	ND	ND	ND	ND	ND	ND	ND
5	1	17	/	ND	ND	ND	ND	ND	ND	ND	ND
6	1	18	/	ND	ND	ND	ND	ND	ND	ND	ND
7	1	19	/	ND	ND	ND	ND	ND	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

Room 101-019 Part & Room 101-101 Part & Room 101-101 Part & Room 101-101 Part A Room



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 8 of 17

Specimen Description:

- 1. Transparent lacquer coating on wood (Body, accessory)
- 2. Transparent lacquer w/ yellow coating on wood (Accessory)
- 3. Transparent lacquer w/ cyan coating on wood (Accessory)
- 4. Multi-color coating on wood (Pattern)
- 5. Brown coating on wood (Accessory)
- 6. Dull green coating on wood (Accessory)
- 7. Green coating on wood (Pattern)

Note: - ppm = parts per million

- -1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- Soluble Heavy Metal Content:
 Result(s) of specimen No.1 is(are) extracted from report No. T52210330636TC-01

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- [^] Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-17 Clause 8.3.3.6 (2) – Selection of Test Portions

Silvery coating on plastic (Pattern)
Dark brown coating on plastic (Logo)
Red coating on paper label (Sticker)
Black coating paper label (Sticker)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Room 19-501, Pam 4 & Room 191, Pam 2 & Room 191, Pam 3 & Room 301-501, Plant 3, Jacophao (Barrian) Industrial Plant Atea, No.501, shua Rood, Barrian Chmunity, Bantian Street, Longsang District, Shendhen, Guangdong, China 518129 www.spsgroup.com.cr 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 9 of 17

ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-17 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Total Lead Content

Test Item(s)	Lead (Pb)		
MDL (ppm)			10
Total Limit (ppm)			100
Specimen Description	Result(s) (ppm)		
Brown hardboard (Accessory) + Cream plywood (Body)	2	1	ND
 Red plastic (ABS) (Button) + Grey plastic (ABS) (Body, switch, battery cover) + Black plastic (Body) 	2	2	ND
3. Blue plastic (PP) (Body) + White paper label (Sticker) + White plastic (Plate)	2	3	ND
4. Red colored series felt (Accessory)	2	4	ND
5. Silvery metal screw (Battery cover)	4	1	ND
6. Silvery metal screw	4	2	ND

Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)				5 5 2.5 10 5 5 5				10			
Migration Limit (ppm) Other Than Modeling Clays			90 60 25 1000 75 60 60				500				
Migration Li	mit (ppr	n) Model	ling Clays	90 60 25 250 50 25 25				500			
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	1	1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	1	3	/	ND	ND	ND	ND	ND	ND	ND	ND
3	1	4	/	ND	ND	ND	ND	ND	ND	ND	ND
4	1	5	/	ND	ND	ND	ND	ND	ND	ND	ND
5	1	6	85.1	ND	ND	ND	ND	ND	ND	ND	ND
6	1	7	/	ND	ND	ND	ND	ND	ND	ND	ND
7	1	8	/	ND	ND	ND	ND	ND	ND	ND	ND
8	1	9	/	ND	ND	ND	ND	ND	ND	ND	ND
9	1	10	/	ND	ND	ND	ND	ND	ND	ND	ND
10	1	11	/	ND	ND	ND	ND	ND	ND	ND	ND
11	1	12	/	ND	ND	ND	ND	ND	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianphao (Bartian) Industrial Plant Area, No.430, Jihua Road, Bartian Camunihy, Bartian Street, Longgang District, Shanzhen, Guangdong, Chine 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 25328888 sga.china@sga.com



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 10 of 17

Specimen Description:

- 1. Brown hardboard (Accessory)
- 2. Cream plywood (Body)
- 3. Red plastic (ABS) (Button)
- 4. Grey plastic (ABS) (Body, switch, battery cover)
- 5. White paper label (Sticker)
- 6. Blue plastic (PP) (Body)
- 7. Black plastic (Body)
- 8. Yellow felt (Accessory)
- 9. Red colored series felt (Accessory)
- 10. White hook and loop fastener
- 11. White plastic (Plate)

Note: - ppm = parts per million

- μg/component = microgramme per component
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- 1% = 10000 mg/kg = 10000 ppm
- Soluble Heavy Metal Content:
 Result(s) of specimen No.1-No.4 is(are) extracted from report No. T52210330636TC-01

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- ^A Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

Room (1-19ft) Hard 4 Room (11) Flant 2 Room (11) Flant 2 Room (12) Room (1



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 11 of 17

US CPSC

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	No. of sample tested	Sharp point (16 CFR 1500.48)	<u>Sharp edge</u> (16 CFR 1500.49)	Small part (16 CFR 1501)
As received	1	PASS	PASS	PASS
Impact test (16 CFR 1500.52b)	1	PASS	PASS	PASS
Bite test (16 CFR 1500.52c)	1	N/A	N/A	N/A
Flexure test (16 CFR 1500.52d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	1	PASS	PASS	PASS
Tension test (16 CFR 1500.52f)	1	PASS	PASS	PASS
Compression test (16 CFR 1500.53g)	1	PASS	PASS	PASS

US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample Burning Rate (inch/sec)
E3215 DING & POP-UP TOASTER 0.01

Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 12 of 17

CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)	90		
Specimen Description	Result(s) (ppm)		
 Transparent lacquer coating on wood (Body, accessory) + Multi-color coating on wood (Pattern) + Brown coating on wood (Accessory) 	5	1	ND
 Transparent lacquer w/ yellow (Accessory), dark brown (Logo) coating on plastic, red, black (Sticker) coating on paper label, silvery (Pattern) coating on plastic 	5	2	ND
 Transparent lacquer w/ cyan coating on wood (Accessory) + Dull green coating on wood (Accessory) + Green coating on wood (Pattern) 	5	3	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 10 ppm

- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- [^] Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

Room (1-1-0ft) and 4 Room (1) Flant 2 Room (10, Flant 2 Room (10



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 13 of 17

As specified in 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label on the packaging: Present
- Tracking label on the product: Present

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

Room (1991) Fall Room (11) Plan 12 Room (10 Plan 13 Room (10 Plan 14 Roo



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 14 of 17

CPSIA - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s) Permissible Limit (ppm)			Lead (Pb) 90
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
Transparent lacquer coating on wood (Body, accessory) + Multi-color coating on wood (Pattern) + Brown coating on wood (Accessory)	7	1	ND
 Transparent lacquer w/ yellow (Accessory), dark brown (Logo) coating on plastic, red, black (Sticker) coating on paper label, silvery (Pattern) coating on plastic 	7	2	ND
 Transparent lacquer w/ cyan coating on wood (Accessory) + Dull green coating on wood (Accessory) + Green coating on wood (Pattern) 	7	3	ND

Note:

- ppm = parts per million
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- -1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- ^A Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

Room (M-MM, Plant 4 & Room (M, Plant 2 & Room (M, Plant 3 & Room (M, Plant 3 & Room (M, Plant 3, Danghao) Barian) Industrial Plant Area, No.400, Ahua Road, Barden Comunity, Bardian Street, Longgang District, Shendhen, Guangdong, China 518129 www.spsgroup.com.cr 中国一广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 劇場: 518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 15 of 17

CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)			100
Client's Limit (ppm)			40
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
Brown hardboard (Accessory) + Cream plywood (Body)	6	1	ND
2. Red plastic (ABS) (Button) + Grey plastic (ABS) (Body, switch, battery cover) + Black plastic (Body)	6	2	ND
3. Blue plastic (PP) (Body) + White paper label (Sticker) + White plastic (Plate)	6	3	ND
4. Red colored series felt (Accessory)	6	4	ND
5. Silvery metal screw (Battery cover)	8	1	ND
6. Silvery metal screw	8	2	ND

Note:

- ppm = parts per million
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- ^Δ Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing / insection report & certificate, please contact us at telephone.@6-755 8307

Room 19-501, Pam 4 & Room 191, Pam 2 & Room 191, Pam 3 & Room 301-501, Plant 3, Jacophao (Barrian) Industrial Plant Atea, No.501, shua Rood, Barrian Chmunity, Bantian Street, Longsang District, Shendhen, Guangdong, China 518129 www.spsgroup.com.cr 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52310311014TY Date: AUG 31, 2023 Page 16 of 17

Note:

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A = Not Applicable ** = Visual Examination DNI = Did Not Ignite

SE = Self-Extinguishing IBE = Ignite But Self-Extinguished

SE within 50mm = Self-extinguished within 50 mm of flame application

Remark:

- Since the data and / or information above division line of front page is provided by the applicant, the
 relevant results or conclusions of this report are only made for these data and / or information, SGS shall
 not be responsible for the authenticity and integrity of such data and information and the validity of the
 results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U₉₅. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (Tu):

Pass - when the measurement result is below T_U-U₉₅

Fail - when the measurement result is above Tu+U95

Inconclusive - when the measurement result is falling in guard band [Tu-U95, Tu+U95]

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above T_L+U₉₅

Fail - when the measurement result is below T_L - U_{95}

Inconclusive - when the measurement result is falling in guard band [T_L-U₉₅, T_L+U₉₅]





Test Report

No.: T52310311014TY

Date: AUG 31, 2023

Page 17 of 17

Sample Picture (As received)

Pic.1



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/ferms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Compant-Service-Terms-and-C

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Cimmunity, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市 定岗区坂田街道坂田社区吉年路 430 号江瀬(坂田)工业厂区厂房 4 号 1011-901、2 号 101、3 号 101、3 号 301-501 邮線: 518129 t (86-755) 25328888 sgs.china@sgs.com