



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 1 of 31

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E3220 BUILD-IT TOOL BOX E3221 LITTLE ENGINEER'S WORKBENCH

Item No. : E3220, E3221

Country of Origin : CHINA
Country of Destination : GLOBAL

Client Reference Information : E3220A,E3221A Labeled Age Grading : 3-8 YEARS

Requested Age Grading : 3-8Y

\*\*\*\*\*\*\*\*\*\*\*

Age Group Assessed by SGS As Per Age : OVER 3 YEARS

Guideline

Age Group Applied in Testing : OVER 3 YEARS
Sample Receiving Date : JAN 19, 2024

Testing Period : JAN 19, 2024 TO JAN 30, 2024





**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 2 of 31

Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test	Requested	Conclusion
1.	For compliance with the test requirement of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety.	
	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS*
2.	With reference to the test requirement of ASTM F963-23 Standard Consumer Safety Specification on Toy Safety.	
	ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	PASS
3.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501:	
	-US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages	
	-US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age	PASS
	-US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts	
	US CPSC 16 CFR 1500.19 – Misbranded toys and other articles intended for use by children (Not misbranded toys or articles intended for use by children)	PASS
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
4.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 3 of 31

Test	Requested	Conclusion
5.	Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS*
6.	CPSIA section 101 - Total Lead content	
	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
	Client's Requirement – Lead in paint/similar surface coating material	PASS
	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
	Client's Requirement – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS

Remark: Test item (s) with"\*" is (are) not accredited by CNAS.

\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*\*

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Sun Enxu, Aaron Dept. Manager

CNAS Approved Signatories

Smy

Sun Yaqing, Sunny

Supervisor

**CNAS Approved Signatories** 







**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 4 of 31

#### Results:

#### **ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY**

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

# Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4	Safety Requirements	
4.1	Material Quality **	PASS
4.2	Flammability Test	PASS (See
		Result Page)
4.3	Toxicology	
4.3.2	Manufacturing and Packaging of Food	N/A
4.3.3	Indirect Food Additives	N/A
4.3.4	Cosmetics	N/A
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	PASS (See
		Result Page)
4.3.5.2	Heavy Metal in Substrate Materials	PASS (See
		Result Page)
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin	N/A
4.3.7	Stuffing Materials	N/A
4.3.8	DEHP (DOP)	N/A N/A
4.3.6 4.4	Electrical/Thermal Energy	N/A N/A
4.4 4.5	Sound-Producing Toys	PASS
4.5 4.6.1	Small Objects	N/A
4.6.2	Mouth-Actuated Toys	N/A N/A
4.6.3	Labelling Requirements	PASS
4.0.3 4.7	Accessible Edges	PASS
4.7	Projections	N/A
4.0 4.9	Accessible Points	PASS
4.9 4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	PASS
4.13.1	Folding Mechanisms	N/A
4.13.2	Hinge-Line Clearance	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1943。の email: CM. DOCCHECK Segs.Com Arcon 1949 (Part & Room 1919, Part & Room 1919, Part & Room 1949, Part & Room 1949



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 5 of 31

Clause	Description	Result
4.14	Cords, Straps and Elastic	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearance & Accessibility of Mechanisms	PASS
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (Non-rechargeable battery)	PASS
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys and Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chest	N/A
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	PASS
5.4	Aquatic Toys	N/A
5.5	Crib & Playpen Toys	N/A
5.6	Mobile	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 6 of 31

<u>Clause</u>	<u>Description</u>	Result
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	PASS
5.12	Toy Caps	N/A
5.13	Art Materials	N/A
5.14	Electric Toys	N/A
5.15	Battery-Operated Toys	N/A
5.16	Promotional Materials	PASS
5.17	Magnets	N/A
6	Instructional Literature	
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	PASS
6.6	Battery Powered Ride-on Toy	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
7	Producer's Markings	
7.1	Producer's Markings	PASS
7.2	Battery-Powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	PASS
8.7	Impact Test	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	PASS
8.12	Flexure Test	N/A
8.16	Tension Test for Pompoms	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNDocchec@sss.com



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 7 of 31

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample
E3220 BUILD-IT TOOL BOX
E3221 LITTLE ENGINEER'S WORKBENCH

Burning Rate (inch/sec)

0.01

#### Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

# ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-17 Clause 8.3 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

# **Total Lead Content**

Test Item(s)			Lead (Pb)		
MDL (ppm)			10		
Total Limit (ppm)			90		
Specimen Description Alias Tracing No. No.					
Multi-color coating on paper sheet (Instruction) + Transparent lacquer coating on wood (Body, stick, tool)	2	1	ND		
Transparent lacquer w/ dark orange coating on wood (Tool) +     Transparent lacquer w/ black coating on wood (Ring) + Bright red coating on wood (Body)	2	2	ND		
3. Light orange coating on wood (Body) + Blue coating on wood (Body) + Dark blue coating on wood (Body)	2	3	ND		
4. Pale gray coating on wood (Gear) w/ Brown coating on wood (Logo) + Dull pale gray coating on wood (Gear)	2	4	ND		
5. Orange w/ light pink coating on wood (Tool) w/ Black coating on wood (Tool) + Red coating on wood (Tool)	2	5	ND		
6. Yellow coating on wood (Body) w/ White coating on wood (Pattern) w/ Grey coating on wood (Pattern)	2	6	ND		
7. Light blue w/ pale blue coating on wood (Body) w/ White coating (Electric screwdriver)	2	7	ND		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.

1443, or email: Un. Doccneck@sgs.com ため、即は中間には、App mil (Plant 3 App mil



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 8 of 31

# Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration L	imit (ppn	n)		90	60	25	1000	75	60	60	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	1	1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	1	7	/	ND	ND	ND	ND	ND	ND	ND	ND
3	1	8	/	ND	ND	ND	ND	ND	ND	ND	ND
4	1	9	/	ND	ND	ND	ND	ND	ND	ND	ND
5	1	10	/	ND	ND	ND	ND	ND	ND	ND	ND
6	1	11	/	ND	ND	ND	ND	ND	ND	ND	ND
7	1	12	/	ND	ND	ND	ND	ND	ND	ND	ND
8	1	13	/	ND	ND	ND	ND	ND	ND	ND	ND
9	1	15	/	ND	ND	ND	ND	ND	ND	ND	ND
10	1	16	/	ND	ND	ND	ND	ND	ND	ND	ND
11	1	20	/	ND	ND	ND	ND	ND	ND	ND	ND
12	1	26	/	ND	ND	ND	ND	ND	ND	ND	ND
13	1	29	/	ND	ND	ND	ND	ND	ND	ND	ND
14	1	31	/	ND	ND	ND	ND	ND	ND	ND	ND

# Specimen Description:

- 1. Multi-color coating on paper sheet (Instruction)
- 2. Transparent lacquer w/ dark orange coating on wood (Tool)
- 3. Transparent lacquer w/ black coating on wood (Ring)
- 4. Bright red coating on wood (Body)
- 5. Light orange coating on wood (Body)
- 6. Blue coating on wood (Body)
- 7. Dark blue coating on wood (Body)
- 8. Pale gray coating on wood (Gear)
- 9. Dull pale gray coating on wood (Gear)
- 10. Orange w/ light pink coating on wood (Tool)
- 11. Light blue w/ pale blue coating on wood (Body)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 9 of 31

#### Specimen Description:

- 12. Transparent lacguer coating on wood (Body, stick, tool)
- 13. Red coating on wood (Tool)
- 14. Yellow coating on wood (Body)

Note: - ppm = parts per million

- -1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- For Soluble Heavy Metal Content:

Result(s) of specimen No.12 is(are) extracted from report No.T52310350755TY.

Result(s) of specimen No.13 is(are) extracted from report No.T52310351212TY.

Result(s) of specimen No.14 is(are) extracted from report No.T52310350763TY.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>^</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-17 Clause 8.3.3.6 (2) – Selection of Test Portions

Brown coating on wood (Logo)
Black coating on wood (Tool)
White coating on wood (Pattern)
Grey coating on wood (Pattern)
White coating (Electric screwdriver)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 10 of 31

# ASTM F963-17, Clause 4.3.5.2 - Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-17 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

# **Total Lead Content**

Test Item(s)			Lead (Pb)
MDL (ppm)			10
Total Limit (ppm)			100
Specimen Description	Result(s) (ppm)		
Gray plastic (ABS) (Accessory) + Light gray plastic (Screw, nut)     + Pale gray plastic (Hammer)	3	1	ND
2. Black soft plastic (TPE) (Wheel) w/ Transparent dry glue (Fastener) + Gray plastic (PP) (Wheel) + Bright gray plastic (ABS) (Accessory)	3	2	ND
White plastic (Fastener) + Blue plastic (ABS) (Electric screwdriver)	3	3	ND
Gray plastic (ABS) (Electric screwdriver) + Light grey plastic (ABS) (Electric screwdriver)	3	4	ND
5. Brown hardboard (Ring, gear, body) + Cream plywood (Tool, body)	3	5	ND
6. Silvery metal rivet (Body)	4	1	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comments-advised that information or that into the imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 11 of 31

# Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)					5	2.5	10	5	5	5	10
Migration Limit (ppm) Other Than Modeling Clays					60	25	1000	75	60	60	500
Migration Li	mit (ppr	n) Mode	ling Clays	90	60	25	250	50	25	25	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	1	2	/	ND	ND	ND	ND	ND	ND	ND	ND
2	1	3	/	ND	ND	ND	ND	ND	ND	ND	ND
3	1	4	/	ND	ND	ND	ND	ND	ND	ND	ND
4	1	5	/	ND	ND	ND	ND	ND	ND	ND	ND
5	1	6	/	ND	ND	ND	ND	ND	ND	ND	ND
6	1	21	/	ND	ND	ND	ND	ND	ND	ND	ND
7	1	22	/	ND	ND	ND	ND	ND	ND	ND	ND
8	1	24	/	ND	ND	ND	ND	ND	ND	ND	ND
9	1	25	/	ND	ND	ND	ND	ND	ND	ND	ND
10	1	27	37.0	ND	ND	ND	ND	ND	ND	ND	ND
11	1	28	/	ND	ND	ND	16	ND	ND	ND	ND
12	1	30	/	ND	ND	ND	ND	ND	ND	ND	ND
13	1	32	/	ND	ND	ND	ND	ND	ND	ND	ND

# Specimen Description:

- 1. Gray plastic (ABS) (Accessory)
- 2. Light gray plastic (Screw, nut)
- 3. Black soft plastic (TPE) (Wheel)
- 4. Gray plastic (PP) (Wheel)
- 5. Pale gray plastic (Hammer)
- 6. White plastic (Fastener)
- 7. Blue plastic (ABS) (Electric screwdriver)
- 8. Gray plastic (ABS) (Electric screwdriver)
- 9. Light grey plastic (ABS) (Electric screwdriver)
- 10. Transparent dry glue (Fastener)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 12 of 31

# Specimen Description:

- 11. Brown hardboard (Ring, gear, body)
- 12. Cream plywood (Tool, body)
- 13. Bright gray plastic (ABS) (Accessory)

Note: - ppm = parts per million

- μg/component = microgramme per component
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- 1% = 10000 mg/kg = 10000 ppm
- For Soluble Heavy Metal Content:

Result(s) of specimen No.10 is(are) extracted from report No.T52310262060TY.

Result(s) of specimen No.11 is(are) extracted from report No.T52310351212TY.

Result(s) of specimen No.12 is(are) extracted from report No.T52310351210TY.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- <sup>A</sup> Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing / insection report & certificate, please contact us at telephone.@6-755 8307



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 13 of 31

#### ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

#### Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4	Safety Requirements	
4.1	Material Quality **	PASS
4.2	Flammability Test	PASS (See
4.3	Toyigology	Result Page)
4.3 4.3.2	Toxicology Manufacturing and Dacksgring of Food	N/A
4.3.2 4.3.3	Manufacturing and Packaging of Food Indirect Food Additives	N/A N/A
4.3.3 4.3.4		N/A N/A
4.3.4 4.3.5	Cosmetics	IN/A
	Heavy Elements	DACC (Coo
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	PASS (See Result Page)
4.3.5.2	Heavy Metal in Substrate Materials	PASS (See
4.0.0.2	Tidavy Wolai iii Gabotiato Waterialo	Result Page)
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian	N/A
	Feather Origin	
4.3.7	Stuffing Materials	N/A
4.3.8	Phthalates	PASS (See
		Result Page)
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-producing Toys	PASS
4.6.1	Small Objects	N/A
4.6.2	Mouth-actuated Toys	N/A
4.6.3	Labelling Requirements	PASS
4.7	Accessible Edges	PASS
4.8	Projections	N/A
4.9	Accessible Points	PASS
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	PASS
4.13.1	Folding Mechanisms	N/A
4.13.2	Hinge-line Clearance	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 14 of 31

<u>Clause</u>	Description	Result
4.14	Cords, Straps and Elastic	N/A
4.15	Stability and Over-load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearance & Accessibility of Mechanisms	PASS
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (Non-rechargeable battery)	PASS
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys and Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chest	N/A
5	Labeling Requirements	
5.1	Federal Government Requirements	
5.1.1	Specific Labeling Requirement	See Remark
	(Remark: All toys that fall within the definitions and requirements of the U.S. FHSA shall conform to the labeling requirement of that act. For specific requirements, reference 16 CFR 1500.3, 1500.14, 1500.19, 1500.82, 1500.83, 1500.86, 1500.121, 1500.122, 1500.123, 1500.125, 1500.126, 1500.127, 1500.120,	

1500.127, 1500.128, 1500.130, 1505.3, and 1511.7. In addition, state

labeling requirements may exist.)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 15 of 31

Clause	Description	Result
5.1.2	Tracking Label	PASS
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	PASS
5.4	Aquatic Toys	N/A
5.5	Crib & Playpen Toys	N/A
5.6	Mobile	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	PASS
5.12	Art Materials	N/A
5.13	Electric Toys	N/A
5.14	Battery-operated Toys	N/A
5.15	Promotional Materials	PASS
5.16	Magnets	N/A
6	Instructional Literature	
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	PASS
6.6	Battery-powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	N/A
7	Producer's Markings	
7.1	Producer's Markings	PASS
7.2	Battery-powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	PASS
8.7	Impact Test	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	PASS
8.12	Flexure Test	N/A
8.16	Tension Test for Pompoms	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1443, of email: CN.Docchecke gs.com Arom 10148) Pank 4 Room 101/Bant 2 Abom 101/Bant 2 Abom



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 16 of 31

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

<u>Sample</u>
E3220 BUILD-IT TOOL BOX
E3221 LITTLE ENGINEER'S WORKBENCH

Burning Rate (inch/sec)

0.01

#### Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

# ASTM F963-23, Clause 4.3.5.1 - Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-23 Clause 8.3 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

# **Total Lead Content**

Test Item(s)							
MDL (ppm)	MDL (ppm)						
Total Limit (ppm)							
Specimen Description Alias No. No.							
Multi-color coating on paper sheet (Instruction) + Transparent lacquer coating on wood (Body, stick, tool)	7	1	ND				
2. Transparent lacquer w/ dark orange coating on wood (Tool) + Transparent lacquer w/ black coating on wood (Ring) + Bright red coating on wood (Body)	7	2	ND				
3. Light orange coating on wood (Body) + Blue coating on wood (Body + Dark blue coating on wood (Body)	7	3	ND				
4. Pale gray coating on wood (Gear) w/ Brown coating on wood (Logo) + Dull pale gray coating on wood (Gear)	7	4	ND				
<ol> <li>Orange w/ light pink coating on wood (Tool) w/ Black coating on wood (Tool) + Red coating on wood (Tool)</li> </ol>	7	5	ND				
6. Yellow coating on wood (Body) w/ White coating on wood (Pattern) w/ Grey coating on wood (Pattern)	7	6	ND				
7. Light blue w/ pale blue coating on wood (Body) w/ White coating (Electric screwdriver)	7	7	ND				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.spx">http://www.sgs.com/en/Terms-and-Conditions.spx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 17 of 31

# Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration L	imit (ppn	n)		90	60	25	1000	75	60	60	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Position (nnm)							
1	6	1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	6	7	/	ND	ND	ND	ND	ND	ND	ND	ND
3	6	8	/	ND	ND	ND	ND	ND	ND	ND	ND
4	6	9	/	ND	ND	ND	ND	ND	ND	ND	ND
5	6	10	/	ND	ND	ND	ND	ND	ND	ND	ND
6	6	11	/	ND	ND	ND	ND	ND	ND	ND	ND
7	6	12	/	ND	ND	ND	ND	ND	ND	ND	ND
8	6	13	/	ND	ND	ND	ND	ND	ND	ND	ND
9	6	15	/	ND	ND	ND	ND	ND	ND	ND	ND
10	6	16	/	ND	ND	ND	ND	ND	ND	ND	ND
11	6	20	/	ND	ND	ND	ND	ND	ND	ND	ND
12	6	26	/	ND	ND	ND	ND	ND	ND	ND	ND
13	6	29	/	ND	ND	ND	ND	ND	ND	ND	ND
14	6	31	/	ND	ND	ND	ND	ND	ND	ND	ND

# Specimen Description:

- 1. Multi-color coating on paper sheet (Instruction)
- 2. Transparent lacquer w/ dark orange coating on wood (Tool)
- 3. Transparent lacquer w/ black coating on wood (Ring)
- 4. Bright red coating on wood (Body)
- 5. Light orange coating on wood (Body)
- 6. Blue coating on wood (Body)
- 7. Dark blue coating on wood (Body)
- 8. Pale gray coating on wood (Gear)
- 9. Dull pale gray coating on wood (Gear)
- 10. Orange w/ light pink coating on wood (Tool)
- 11. Light blue w/ pale blue coating on wood (Body)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 18 of 31

#### Specimen Description:

- 12. Transparent lacquer coating on wood (Body, stick, tool)
- 13. Red coating on wood (Tool)
- 14. Yellow coating on wood (Body)

Note: - r

- ppm = parts per million
- -1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- For Soluble Heavy Metal Content:

Result(s) of specimen No.12 is(are) extracted from report No.T52310350755TY.

Result(s) of specimen No.13 is(are) extracted from report No.T52310351212TY.

Result(s) of specimen No.14 is(are) extracted from report No.T52310350763TY.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>^</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-23 Clause 8.3.3.6 (2) – Selection of Test Portions

Brown coating on wood (Logo)
Black coating on wood (Tool)
White coating on wood (Pattern)
Grey coating on wood (Pattern)
White coating (Electric screwdriver)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1443, or email: Un. Doccneck@sgs.com #pan fil-file flat Akon file flat 2 Akon file flat 2



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 19 of 31

# ASTM F963-23, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-23 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

# **Total Lead Content**

Test Item(s)		Lead (Pb)	
MDL (ppm)		10	
Total Limit (ppm)			100
Specimen Description	Result(s) (ppm)		
Gray plastic (ABS) (Accessory) + Light gray plastic (Screw, nut)     + Pale gray plastic (Hammer)	8	1	ND
Black soft plastic (TPE) (Wheel) w/ Transparent dry glue     (Fastener) + Gray plastic (PP) (Wheel) + Bright gray plastic     (ABS) (Accessory)	8	2	ND
White plastic (Fastener) + Blue plastic (ABS) (Electric screwdriver)	8	3	ND
Gray plastic (ABS) (Electric screwdriver) + Light grey plastic (ABS) (Electric screwdriver)	8	4	ND
5. Brown hardboard (Ring, gear, body) + Cream plywood (Tool, body)	8	5	ND
6. Silvery metal rivet (Body)	9	1	ND





**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 20 of 31

# Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)				5 5 2.5 10 5 5 5			5	10			
Migration Limit (ppm) Other Than Modeling Clays			90	60	25	1000	75	60	60	500	
Migration Li	mit (ppr	n) Mode	ling Clays	90	60	25	250	50	25	25	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Midration Result(s) (nnm)							
1	6	2	/	ND	ND	ND	ND	ND	ND	ND	ND
2	6	3	/	ND	ND	ND	ND	ND	ND	ND	ND
3	6	4	/	ND	ND	ND	ND	ND	ND	ND	ND
4	6	5	/	ND	ND	ND	ND	ND	ND	ND	ND
5	6	6	/	ND	ND	ND	ND	ND	ND	ND	ND
6	6	21	/	ND	ND	ND	ND	ND	ND	ND	ND
7	6	22	/	ND	ND	ND	ND	ND	ND	ND	ND
8	6	24	/	ND	ND	ND	ND	ND	ND	ND	ND
9	6	25	/	ND	ND	ND	ND	ND	ND	ND	ND
10	6	27	37.0	ND	ND	ND	ND	ND	ND	ND	ND
11	6	28	/	ND	ND	ND	16	ND	ND	ND	ND
12	6	30	/	ND	ND	ND	ND	ND	ND	ND	ND
13	6	32	/	ND	ND	ND	ND	ND	ND	ND	ND

# Specimen Description:

- 1. Gray plastic (ABS) (Accessory)
- 2. Light gray plastic (Screw, nut)
- 3. Black soft plastic (TPE) (Wheel)
- 4. Gray plastic (PP) (Wheel)
- 5. Pale gray plastic (Hammer)
- 6. White plastic (Fastener)
- 7. Blue plastic (ABS) (Electric screwdriver)
- 8. Gray plastic (ABS) (Electric screwdriver)
- 9. Light grey plastic (ABS) (Electric screwdriver)
- 10. Transparent dry glue (Fastener)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 21 of 31

#### Specimen Description:

- 11. Brown hardboard (Ring, gear, body)
- 12. Cream plywood (Tool, body)
- 13. Bright gray plastic (ABS) (Accessory)

Note: - ppm = parts per million

- μg/component = microgramme per component
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- 1% = 10000 mg/kg = 10000 ppm
- For Soluble Heavy Metal Content:

Result(s) of specimen No.10 is(are) extracted from report No.T52310262060TY.

Result(s) of specimen No.11 is(are) extracted from report No.T52310351212TY.

Result(s) of specimen No.12 is(are) extracted from report No.T52310351210TY.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- <sup>A</sup> Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.

Room (1-19ft) Hard 4 Room (11) Flant 2 Room (11) Flant 2 Room (12) Room (1



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 22 of 31

# Standard Consumer Safety Specification on Toy Safety, ASTM F963-23, Clause 4.3.8 – Phthalate Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result (s) (%)				
Specimen No.		1	2	3	MDI (0/)	Permissible
Alias No.		13	13	13	MDL (%)	Limit (%)
Tracing No.		1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.015	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.015	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.015	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.015	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.015	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.015	0.1
Di-n-pentlyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.015	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.015	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 23 of 31

Test Item(s)	CAS No.	Result	(s) (%)			
Specimen No.		4	5	MDL (0/)	Permissible	
Alias No.		13	13	MDL (%)	Limit (%)	
Tracing No.		4	5			
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.015	0.1	
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.015	0.1	
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.015	0.1	
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.015	0.1	
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.015	0.1	
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.015	0.1	
Di-n-pentlyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	0.015	0.1	
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.015	0.1	

# **Specimen Description:**

- 1. Gray plastic (ABS) (Accessory) + Light gray plastic (Screw, nut) + Pale gray plastic (Hammer)
- 2. Black soft plastic (TPE) (Wheel) w/ Transparent dry glue (Fastener)
- 3. Gray plastic (PP) (Wheel) + Bright gray plastic (ABS) (Accessory)
- 4. White plastic (Fastener) + Blue plastic (ABS) (Electric screwdriver)
- 5. Gray plastic (ABS) (Electric screwdriver) + Light grey plastic (ABS) (Electric screwdriver)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.spx">http://www.sgs.com/en/Terms-and-Conditions.spx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 24 of 31

Note: - % = percentage by weight

- MDL = Method Detection Limit

- ND = Not Detected (lower than MDL)

-1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- A Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and correct for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Compants advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document and and compants of the standard obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-75) 8307



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 25 of 31

# **US CPSC**

# PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	No. of sample tested	Sharp point (16 CFR 1500.48)	<u>Sharp edge</u> (16 CFR 1500.49)	Small part (16 CFR 1501)
As received	4	Pass	Pass	N/A
Impact test (16 CFR 1500.53b)	2	Pass	Pass	N/A
Bite test (16 CFR 1500.52c)	0	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	2	Pass	Pass	N/A
Tension test (16 CFR 1500.53f)	2	Pass	Pass	N/A
Compression test (16 CFR 1500.53g)	2	Pass	Pass	N/A

US CPSC 16 CFR 1500.19 – MISBRANDED TOYS AND OTHER ARTICLES INTENDED FOR USE BY CHILDREN

AS SPECIFIED IN US CPSC 16 CFR 1500.19 – MISBRANDED TOYS AND OTHER ARTICLES INTENDED FOR USE BY CHILDREN

Appropriate warning according to 16 CFR 1500.19 was found on the principle display panel of the product's packaging.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 26 of 31

# US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample
E3220 BUILD-IT TOOL BOX
E3221 LITTLE ENGINEER'S WORKBENCH

Burning Rate (inch/sec)

0.01

# Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

### CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Te	st Item(s)	Lead (Pb)		
Pe	rmissible Limit (ppm)		90	
Sp	ecimen Description	Tracing No.	Result(s) (ppm)	
1.	Multi-color coating on paper sheet (Instruction) + Transparent lacquer coating on wood (Body, stick, tool)	5	1	ND
2.	Transparent lacquer w/ dark orange coating on wood (Tool) + Transparent lacquer w/ black coating on wood (Ring) + Bright red coating on wood (Body)	5	2	ND
3.	Light orange coating on wood (Body) + Blue coating on wood (Body) + Dark blue coating on wood (Body)	5	3	ND
4.	Pale gray coating on wood (Gear) w/ Brown coating on wood (Logo) + Dull pale gray coating on wood (Gear)	5	4	ND
5.	Orange w/ light pink coating on wood (Tool) w/ Black coating on wood (Tool) + Red coating on wood (Tool)	5	5	ND
6.	Yellow coating on wood (Body) w/ White coating on wood (Pattern) w/ Grey coating on wood (Pattern)	5	6	ND
7.	Light blue w/ pale blue coating on wood (Body) w/ White coating (Electric screwdriver)	5	7	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 27 of 31

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 10 ppm

-1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>Δ</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit

As specified in 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label on the packaging: Present
- Tracking label on the product: Present

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.spx">http://www.sgs.com/en/Terms-and-Conditions.spx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Room (1-1-0ft) and 4 Room (1) Flant 2 Room (10, Flant 2 Room (10



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 28 of 31

# CPSIA - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)						
Permissible Limit (ppm)							
Client's Limit (ppm)	40						
Specimen Description	Tracing No.	Result(s) (ppm)					
Multi-color coating on paper sheet (Instruction) + Transparent lacquer coating on wood (Body, stick, tool)	10	1	ND				
2. Transparent lacquer w/ dark orange coating on wood (Tool) + Transparent lacquer w/ black coating on wood (Ring) + Bright red coating on wood (Body)	10	2	ND				
3. Light orange coating on wood (Body) + Blue coating on wood (Body) + Dark blue coating on wood (Body)	10	3	ND				
4. Pale gray coating on wood (Gear) w/ Brown coating on wood (Logo) + Dull pale gray coating on wood (Gear)	10	4	ND				
5. Orange w/ light pink coating on wood (Tool) w/ Black coating on wood (Tool) + Red coating on wood (Tool)	10	5	ND				
6. Yellow coating on wood (Body) w/ White coating on wood (Pattern) w/ Grey coating on wood (Pattern)	10	6	ND				
7. Light blue w/ pale blue coating on wood (Body) w/ White coating (Electric screwdriver)	10	7	ND				

Note:

- ppm = parts per million
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>A</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.

Room (1-19ft) Hard 4 Room (11) Flant 2 Room (11) Flant 2 Room (12) Room (1



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 29 of 31

#### **CPSIA - Lead in Accessible Substrate Materials**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)		Lead (Pb)	
Permissible Limit (ppm)		100	
Client's Limit (ppm)			40
Specimen Description	Result(s) (ppm)		
Gray plastic (ABS) (Accessory) + Light gray plastic (Screw, nut)     + Pale gray plastic (Hammer)	11	1	ND
2. Black soft plastic (TPE) (Wheel) w/ Transparent dry glue (Fastener) + Gray plastic (PP) (Wheel) + Bright gray plastic (ABS) (Accessory)	11	2	ND
White plastic (Fastener) + Blue plastic (ABS) (Electric screwdriver)	11	3	ND
Gray plastic (ABS) (Electric screwdriver) + Light grey plastic (ABS) (Electric screwdriver)	11	4	ND
5. Brown hardboard (Ring, gear, body) + Cream plywood (Tool, body)	11	5	ND
6. Silvery metal rivet (Body)	12	1	ND

Note:

- ppm = parts per million
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- -1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- <sup>A</sup> Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.

Room (1-1-0ft) and 4 Room (1) Flant 2 Room (10, Flant 2 Room (10



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 30 of 31

Note:

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A = Not Applicable

\*\* = Visual Examination

DNI = Did Not Ignite

SE = Self-Extinguishing

IBE = Ignite But Self-Extinguished

SE within 50mm = Self-extinguished within 50 mm of flame application

#### Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.

2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U<sub>95</sub>. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (Tu):

Pass - when the measurement result is below  $T_U$ - $U_{95}$ 

Fail - when the measurement result is above Tu+U95

Inconclusive - when the measurement result is falling in guard band [Tu-U95, Tu+U95]

For Lower Tolerance Limit (T<sub>L</sub>):

Pass - when the measurement result is above T<sub>L</sub>+U<sub>95</sub>

Fail - when the measurement result is below  $T_L$ - $U_{95}$ 

Inconclusive - when the measurement result is falling in guard band [T<sub>L</sub>-U<sub>95</sub>, T<sub>L</sub>+U<sub>95</sub>]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and its document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alterian, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Room (M-MM, Panta 4 Room (M, Pant 2 Room (M, Pant 3 Room M) (M, Pant 3 Room M) (M, Plant 3, Danghao) Banirah) Industrial Plant Area, Na.40, Ahua Road, Banirah Camuning, Banirah Street, Longgang District, Shendhen, Guangdong, China 518129 www.spsgroup.com.cr 中国一广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 劇場: 518129 t (86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52410250897TY Date: JAN 30, 2024 Page 31 of 31

# Sample Picture (As received)

Pic.1 Pic.2





SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

