



中国认可
国际互认
检测
TESTING
CNAS L2929

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 1 of 25

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD
9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E3229 PUPPY CARE CLINIC VET SET

Item No. : E3229
Country of Origin : CHINA
Country of Destination : GLOBAL
Client Reference Information : E3229A
Labeled Age Grading : 3-8 YEARS
Requested Age Grading : 3-8Y

Age Group Assessed by SGS As Per Age Guideline : ALL AGES FOR SOFT-FILLED DOG; OVER 3 YEARS FOR OTHERS
Age Group Applied in Testing : ALL AGES FOR SOFT-FILLED DOG; OVER 3 YEARS FOR OTHERS
Sample Receiving Date : SEP 19, 2024
Last Submission Sample Date : OCT 24, 2024
Testing Period : SEP 19, 2024 TO OCT 28, 2024



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江豪 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 2 of 25

Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test Requested	Conclusion
1. For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	--
Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501: -US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages -US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age -US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts	PASS
US CPSC 16 CFR 1500.19 – Misbranded toys and other articles intended for use by children (Not misbranded toys or articles intended for use by children)	PASS
US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
2. Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A. - Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS
3. Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS
4. With reference to the test requirement of ASTM F963-23 Standard Consumer Safety Specification on Toy Safety.	--
ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	PASS



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路 430 号江豪 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t:(86-755) 25328888 www.sgs.com.cn
sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 3 of 25

Test Requested		Conclusion
5.	15 U.S.C. § 1278a and CPSIA section 101 - Total Lead content	--
	15 U.S.C. § 1278a and CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
	Client's Requirement – Lead in paint/similar surface coating material	PASS
	15 U.S.C. § 1278a and CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
	Client's Requirement – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS-CSTC Standards Technical
Services Co., Ltd. Shenzhen Branch Testing Center

Tang Yanwei, Lynn
Senior Engineer
CNAS Approved Signatories

Sun Enxu, Aaron
Dept. Manager
CNAS Approved Signatories

Xiang Suqiong, Irene
Dept. Manager
CNAS Approved Signatories



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号 101-901、2号101、3号101、3号301-501 邮编: 518129 t (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 4 of 25

Results:

US CPSC

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501
AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

For soft-filled dog:

	<u>No. of sample tested</u>	<u>Sharp point (16 CFR 1500.48)</u>	<u>Sharp edge (16 CFR 1500.49)</u>	<u>Small part (16 CFR 1501)</u>
As received	2	Pass	Pass	Pass
Impact test (16 CFR 1500.51b)	1	Pass	Pass	Pass
Bite test (16 CFR 1500.52c)	1	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	1	Pass	Pass	Pass
Tension test (16 CFR 1500.52f)	1	Pass	Pass	Pass
Compression test (16 CFR 1500.53g)	0	N/A	N/A	N/A



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 5 of 25

For others:

	<u>No. of sample tested</u>	<u>Sharp point (16 CFR 1500.48)</u>	<u>Sharp edge (16 CFR 1500.49)</u>	<u>Small part (16 CFR 1501)</u>
As received	2	Pass	Pass	N/A
Impact test (16 CFR 1500.53b)	1	Pass	Pass	N/A
Bite test (16 CFR 1500.52c)	0	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	1	Pass	Pass	N/A
Tension test (16 CFR 1500.53f)	1	Pass	Pass	N/A
Compression test (16 CFR 1500.53g)	1	Pass	Pass	N/A

US CPSC 16 CFR 1500.19 – MISBRANDED TOYS AND OTHER ARTICLES INTENDED FOR USE BY CHILDREN
AS SPECIFIED IN US CPSC 16 CFR 1500.19 – MISBRANDED TOYS AND OTHER ARTICLES INTENDED FOR USE BY CHILDREN
Appropriate warning according to 16 CFR 1500.19 was found on the principle display panel of the product's packaging.

US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

<u>Sample</u>	<u>Burning Rate (inch/sec)</u>
See sample description	0.02

Requirement:

A toy / component is considered a “flammable solid” if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t:(86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 6 of 25

CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)	90		
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
1. Transparent lacquer coating on wood (Accessory) + Dark orange coating on wood (Accessory) + Light yellow coating on wood (Accessory)	6	1	ND
2. Orange coating on wood (Accessory) w/ Bright silvery, matt black, black, dull silvery, dark cream coating on wood (Accessory)	6	2	ND
3. White coating on wood (Accessory) w/ Light cyan, red, grey, pale blue coating on wood (Accessory)	6	3	ND
4. Light blue w/ cyan coating on wood (Accessory) + Dark cyan coating on wood (Ointment bottle) + Light apricot w/ brown coating on wood (Accessory)	6	4	ND
5. Green w/ dark green coating on wood (Accessory) + Cyan coating on wood (Accessory) + Silvery coating on wood (Accessory) w/ White w/ black coating on fabric (Sewn-in label)	6	5	ND

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- ^Δ Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component. The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit



SGS-CTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t: (86-755) 25328888 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 7 of 25

As specified in 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label on the packaging: Present
- Tracking label on the product: Present

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

Clause	Description	Result
4	Safety Requirements	
4.1	Material Quality **	PASS
4.2	Flammability Test	PASS (See Result Page)
4.3	Toxicology	
4.3.2	Manufacturing and Packaging of Food	N/A
4.3.3	Indirect Food Additives	N/A
4.3.4	Cosmetics	N/A
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	PASS (See Result Page)
4.3.5.2	Heavy Metal in Substrate Materials	PASS (See Result Page)
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin	N/A
4.3.7	Stuffing Materials	PASS
4.3.8	Phthalates	PASS (See Result Page)
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-producing Toys	PASS
4.6.1	Small Objects	PASS
4.6.2	Mouth-actuated Toys	N/A
4.6.3	Labelling Requirements	PASS
4.7	Accessible Edges	PASS
4.8	Projections	N/A



SGS-CSTC Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jiahua Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t: (86-755) 25328888 www.sgs.com
www.sgs.com sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 8 of 25

Clause	Description	Result
4.9	Accessible Points	PASS
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	N/A
4.13.1	Folding Mechanisms	N/A
4.13.2	Hinge-line Clearance	N/A
4.14	Cords, Straps and Elastic	PASS
4.15	Stability and Over-load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearance & Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (Non-rechargeable battery)	PASS
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	PASS
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys and Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chest	N/A
5	Labeling Requirements	
5.1	Federal Government Requirements	
5.1.1	Specific Labeling Requirement	See Remark



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路 430 号江豪 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 9 of 25

Clause	Description	Result
	(Remark: All toys that fall within the definitions and requirements of the U.S. FHSA shall conform to the labeling requirement of that act. For specific requirements, reference 16 CFR 1500.3, 1500.14, 1500.19, 1500.82, 1500.83, 1500.86, 1500.121, 1500.122, 1500.123, 1500.125, 1500.126, 1500.127, 1500.128, 1500.130, 1505.3, and 1511.7. In addition, state labeling requirements may exist.)	
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	PASS
5.4	Aquatic Toys	N/A
5.5	Crib & Playpen Toys	N/A
5.6	Mobile	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	PASS
5.12	Art Materials	N/A
5.13	Electric Toys	N/A
5.14	Battery-Operated Toys	N/A
5.15	Promotional Materials	PASS
5.16	Magnets	N/A
6	Instructional Literature	
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	PASS
6.6	Battery Powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	N/A
7	Producer's Markings	
7.1	Producer's Markings	PASS
7.2	Battery-powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	PASS
8.7	Impact Test	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Inspection & Testing Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jiliao Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路 430 号江源 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 10 of 25

Clause	Description	Result
8.10	Compression Test	PASS
8.12	Flexure Test	N/A
8.16	Tension Test for Pompoms	N/A

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample	Burning Rate (inch/sec)
See sample description	0.02

Requirement:

A toy / component is considered a “flammable solid” if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

Flammability Test on Textile Materials

Result: The below sample was tested and passed the requirements.

Tested Component:

1. Yellow nonwoven

	Plain Surface Fabrics	Raised Surface Fabrics
Requirements:	<p>(1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.</p> <p>(2) Average burn time is 3.5 s or greater.</p>	<p>(1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.</p> <p>(2) Average burn time is 4 s or greater.</p> <p>(3) Average burn time is less than 4 s and all specimens burn with a surface flash where the intensity of the surface flame is insufficient to ignite, char, or melt the base fabric.</p> <p>(4) Only 1 of 5 specimens ignites and burns in less than 4s and the base fabric does not ignite or fuse, the sample is acceptable.</p> <p>(5) Only 1 of 5 specimens ignites or burns in more than 4s, regardless of whether the base fabric ignites or fuses, the sample is acceptable.</p>



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江源 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t:(86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 11 of 25

ASTM F963-23, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-23 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)			Lead (Pb)
MDL (ppm)			10
Total Limit (ppm)			90
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
1. Transparent lacquer coating on wood (Accessory) + Dark orange coating on wood (Accessory) + Light yellow coating on wood (Accessory)	2	1	ND
2. Orange coating on wood (Accessory) w/ Bright silvery, matt black, black, dull silvery, dark cream coating on wood (Accessory)	2	2	ND
3. White coating on wood (Accessory) w/ Light cyan, red, grey, pale blue coating on wood (Accessory)	2	3	ND
4. Light blue w/ cyan coating on wood (Accessory) + Dark cyan coating on wood (Ointment bottle) + Light apricot w/ brown coating on wood (Accessory)	2	4	ND
5. Green w/ dark green coating on wood (Accessory) + Cyan coating on wood (Accessory) + Silvery coating on wood (Accessory) w/ White w/ black coating on fabric (Sewn-in label)	2	5	ND



SGS-TESTING SERVICES
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江豪 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 12 of 25

Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration Limit (ppm)				90	60	25	1000	75	60	60	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	1	3	/	ND	ND	ND	ND	ND	ND	ND	ND
2	1	4	/	ND	ND	ND	ND	ND	ND	ND	ND
3	1	5	/	ND	ND	ND	ND	ND	ND	ND	ND
4	1	18	/	ND	ND	ND	ND	ND	ND	ND	ND
5	1	19	/	ND	ND	ND	ND	ND	ND	ND	ND
6	1	20	/	ND	ND	ND	ND	ND	ND	ND	ND
7	1	23	85.0	ND	ND	ND	ND	ND	ND	ND	ND
8	1	24	/	ND	ND	ND	ND	ND	ND	ND	ND
9	1	25	/	ND	ND	ND	ND	ND	ND	ND	ND
10	1	26	/	ND	ND	ND	ND	ND	ND	ND	ND
11	1	27	/	ND	ND	ND	ND	ND	ND	ND	ND
12	1	33	24.8	ND	ND	ND	ND	ND	ND	ND	ND

Specimen Description:

1. Transparent lacquer coating on wood (Accessory)
2. Orange coating on wood (Accessory)
3. White coating on wood (Accessory)
4. Dark orange coating on wood (Accessory)
5. Light yellow coating on wood (Accessory)
6. Light blue w/ cyan coating on wood (Accessory)
7. Dark cyan coating on wood (Ointment bottle)
8. Light apricot w/ brown coating on wood (Accessory)
9. Green w/ dark green coating on wood (Accessory)
10. Cyan coating on wood (Accessory)
11. Silvery coating on wood (Accessory)
12. White w/ black coating on fabric (Sewn-in label)



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路 430 号江豪 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t:(86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 13 of 25

- Note:
- ppm = parts per million
 - 1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - For Soluble Heavy Metal Content:
Result(s) of specimen No.1 is(are) extracted from report No. T52310351442TY
Result(s) of specimen No.2 is(are) extracted from report No. T52310330993TY
Result(s) of specimen No.3 is(are) extracted from report No. T52410310131TY

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- ^Δ Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component. The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-23 Clause 8.3.3.6 (2) – Selection of Test Portions

Bright silvery, matt black, black, dull silvery, dark cream, light cyan, red, grey, pale blue coating on wood (Accessory)



SGS-CSTC (Shenzhen) Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江豪 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 14 of 25

ASTM F963-23, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-23 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Total Lead Content

Test Item(s)			Lead (Pb)
MDL (ppm)			10
Total Limit (ppm)			100
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
1. Silvery metal ring	3	1	ND
2. Silvery metal screw (Accessory)	3	2	ND
3. Silvery metal long rivet (Accessory)	3	3	ND
4. Silvery metal short rivet (Accessory)	3	4	ND
5. White plastic sheet (Hook fastener) + Cream plastic (Ointment bottle) + Pale cyan plastic (PP) (Dog basin)	4	1	ND
6. Off-white plastic (Accessory) + Grey surfaced white plastic (Wire jacket)	4	2	ND
7. Silvery-grey soft plastic (PVC) (Accessory)	4	3	ND
8. Bright snow white plastic (Accessory) + Bright green plastic (Accessory) + Cyan silicone rubber (Accessory)	4	4	ND
9. Cream plastic (ABS) (Battery box) + Black plastic (Nose) + Transparent plastic (Eye)	4	5	ND
10. Snow white soft plastic (PVC) (Accessory)	01T-1	1	ND
11. White adhesive foam sheet (Inner) + Translucent hot melt glue (Inner) + Transparent plastic sheet w/ copper foil (Inner)	4	7	ND
12. White plastic (Wire jacket) + Yellow plastic (Wire jacket) + Grey plastic (Wire jacket)	4	8	ND
13. Cream plywood + Brown hardboard	4	9	ND
14. White felt w/ dark blue printing (House)	4	10	ND
15. Translucent cream plastic (Eye holder, nose holder) + White rubber core (Elastic cord)	5	1	ND
16. Translucent white plastic sheet (Accessory)	01T-1	2	ND
17. Translucent plastic board (Inner) (Resubmission)	03T-2	1	ND



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 15 of 25

Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration Limit (ppm) -- Other Than Modeling Clays				90	60	25	1000	75	60	60	500
Migration Limit (ppm) -- Modeling Clays				90	60	25	250	50	25	25	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	1	1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	1	2	/	ND	ND	ND	ND	ND	ND	ND	ND
3	1	6	/	ND	ND	ND	11	ND	ND	ND	ND
4	1	7	/	ND	ND	ND	ND	ND	ND	ND	ND
5	1	8	/	ND	ND	ND	ND	ND	ND	ND	ND
6	1	9	/	ND	ND	ND	ND	ND	ND	ND	ND
7	1	10	/	ND	ND	ND	ND	ND	ND	ND	ND
8	1	11	/	ND	ND	ND	ND	ND	ND	ND	ND
9	1	12	/	ND	ND	ND	ND	ND	ND	ND	ND
10	1	13	/	ND	ND	ND	ND	ND	ND	ND	ND
11	1	14	/	ND	ND	ND	ND	ND	ND	ND	ND
12	1	15	/	ND	ND	ND	ND	ND	ND	ND	ND
13	1	16	/	ND	13	ND	ND	ND	ND	ND	ND
14	1	17	/	ND	ND	ND	ND	ND	ND	ND	ND
15	1	21	97.4	ND	ND	ND	ND	ND	ND	ND	ND
16	1	22	/	ND	ND	ND	ND	ND	ND	ND	ND
17	1	28	/	ND	ND	ND	ND	ND	ND	ND	ND
18	1	29	/	ND	ND	ND	ND	ND	ND	ND	ND
19	1	30	/	ND	ND	ND	ND	ND	ND	ND	ND
20	1	31	/	ND	ND	ND	ND	ND	ND	ND	ND
21	1	32	45.1	ND	ND	ND	ND	ND	ND	ND	ND
22	1	34	/	ND	ND	ND	ND	ND	ND	ND	ND
23	1	35	/	ND	ND	ND	ND	ND	ND	ND	ND
24	1	36	/	ND	8	ND	ND	ND	ND	ND	ND
25	1	37	/	ND	ND	ND	ND	ND	ND	ND	ND
26	1	38	/	ND	ND	ND	ND	ND	ND	ND	ND
27	1	39	/	ND	ND	ND	ND	ND	ND	ND	ND
28	1	40	/	ND	ND	ND	ND	ND	ND	ND	ND
29	1	41	/	ND	ND	ND	ND	ND	ND	ND	ND
30	03T-1	1	/	ND	ND	ND	ND	ND	ND	ND	ND
31	1	44	/	ND	ND	ND	ND	ND	ND	ND	ND
32	1	45	/	ND	ND	ND	ND	ND	ND	ND	ND
33	1	46	/	ND	ND	ND	ND	ND	ND	ND	ND
34	1	47	69.5	ND	ND	ND	ND	ND	ND	ND	ND
35	1	48	/	ND	ND	ND	ND	ND	ND	ND	ND



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号 101-901、2号101、3号101、3号301-501 邮编: 518129 t:(86-755) 25328888 www.sgs.com.cn
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 16 of 25

Test Item(s)				Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration Limit (ppm) -- Other Than Modeling Clays				90	60	25	1000	75	60	60	500
Migration Limit (ppm) -- Modeling Clays				90	60	25	250	50	25	25	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
36	1	49	/	ND	ND	ND	ND	ND	ND	ND	ND
37	1	50	/	ND	ND	ND	ND	ND	ND	ND	ND
38	1	51	/	ND	ND	ND	ND	ND	ND	ND	ND
39	1	52	/	ND	ND	ND	ND	ND	ND	ND	ND

Specimen Description:

- White w/ red woven (Sewn-in label)
- Cream plywood
- Brown hardboard
- Snow white soft plastic (PVC) (Accessory)
- Silvery-grey soft plastic (PVC) (Accessory)
- Translucent white plastic sheet (Accessory)
- White plastic sheet (Hook fastener)
- Off-white plastic (Accessory)
- Bright snow white plastic (Accessory)
- Bright green plastic (Accessory)
- Cyan silicone rubber (Accessory)
- Dark blue felt w/ dark blue fabric thread (House)
- White felt w/ dark blue printing (House)
- Dark blue tricot (House, loop fastener)
- White woven band (Elastic cord)
- Cream plastic (Ointment bottle)
- Pale cyan plastic (PP) (Dog basin)
- Yellow-green felt w/ yellow-green fabric thread (Neck scarf)



SGS-TESTING SERVICES
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jinhua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路 430 号江豪 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t:(86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 17 of 25

Specimen Description:

19. Green woven band (Neck scarf)
20. Green tricot (Neck scarf)
21. White fabric (Sewn-in label)
22. Dark brown plush w/ brown fabric thread (Dog)
23. Brown-yellow plush (Dog)
24. White tricot w/ white fabric thread (Dog)
25. Dull dark blue felt (Dog collar)
26. Cream plastic (ABS) (Battery box)
27. Grey surfaced white plastic (Wire jacket)
28. Black plastic (Nose)
29. Transparent plastic (Eye)
30. Translucent plastic board (Inner) (Resubmission)
31. Translucent cream plastic (Eye holder, nose holder)
32. White rubber core (Elastic cord)
33. White polyfiber w/ brown-yellow fabric thread (Inner)
34. White adhesive foam sheet (Inner)
35. Translucent hot melt glue (Inner)
36. White plastic (Wire jacket)
37. Yellow plastic (Wire jacket)
38. Grey plastic (Wire jacket)
39. Transparent plastic sheet w/ copper foil (Inner)



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jiangchao (Banian) Industrial Plant Area, No.430, Jinhua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江潮 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 18 of 25

- Note:
- ppm = parts per million
 - µg/component = microgramme per component
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - For Soluble Heavy Metal Content:
Result(s) of specimen No.1 is(are) extracted from report No. T52410260790TY
Result(s) of specimen No.2 is(are) extracted from report No. T52310350759TY
Result(s) of specimen No.3 is(are) extracted from report No. T52310350755TY
Result(s) of specimen No.4-No.11 is(are) extracted from report No. T52410331028TY

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- ^Δ Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component. The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Permissible Limit



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jiahua Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路 430 号江源 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 19 of 25

Standard Consumer Safety Specification on Toy Safety, ASTM F963-23, Clause 4.3.8 – Phthalate Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
Specimen No.	--	1	2	3		
Alias No.	--	11	11	11		
Tracing No.	--	1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.015	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.015	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.015	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.015	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.015	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.015	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.015	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.015	0.1



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号101、3号301-501 邮编: 518129 t (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 20 of 25

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
Specimen No.	--	4	5	6		
Alias No.	--	11	11	11		
Tracing No.	--	4	5	6		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.015	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.015	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.015	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.015	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.015	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.015	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.015	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.015	0.1

Specimen Description:

1. White plastic sheet (Hook fastener) + Cream plastic (Ointment bottle) + Pale cyan plastic (PP) (Dog basin)
2. Off-white plastic (Accessory) + Grey surfaced white plastic (Wire jacket)
3. Silvery-grey soft plastic (PVC) (Accessory)
4. Bright snow white plastic (Accessory) + Bright green plastic (Accessory) + Cyan silicone rubber (Accessory)
5. Cream plastic (ABS) (Battery box) + Black plastic (Nose) + Transparent plastic (Eye)
6. Translucent cream plastic (Eye holder, nose holder) + White rubber core (Elastic cord)



SGS-TESTING SERVICES
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江豪 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t:(86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 21 of 25

- Note:
- % = percentage by weight
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Permissible Limit

15 U.S.C. § 1278a and CPSIA section 101(f) (1) - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)			Lead (Pb)
Permissible Limit (ppm)			90
Client's Limit (ppm)			40
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
1. Transparent lacquer coating on wood (Accessory) + Dark orange coating on wood (Accessory) + Light yellow coating on wood (Accessory)	7	1	ND
2. Orange coating on wood (Accessory) w/ Bright silvery, matt black, black, dull silvery, dark cream coating on wood (Accessory)	7	2	ND
3. White coating on wood (Accessory) w/ Light cyan, red, grey, pale blue coating on wood (Accessory)	7	3	ND
4. Light blue w/ cyan coating on wood (Accessory) + Dark cyan coating on wood (Ointment bottle) + Light apricot w/ brown coating on wood (Accessory)	7	4	ND
5. Green w/ dark green coating on wood (Accessory) + Cyan coating on wood (Accessory) + Silvery coating on wood (Accessory) w/ White w/ black coating on fabric (Sewn-in label)	7	5	ND



SGS-TESTING SERVICES
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jiahua Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路 430 号江源 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t: (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 22 of 25

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- ^Δ Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component. The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jinhua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路 430 号江豪 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t: (86-755) 25328888 www.ssgsgroup.com.cn
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 23 of 25

15 U.S.C. § 1278a and CPSIA section 101(a) (2) - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)			Lead (Pb)
Permissible Limit (ppm)			100
Client's Limit (ppm)			40
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
1. White plastic sheet (Hook fastener) + Cream plastic (Ointment bottle) + Pale cyan plastic (PP) (Dog basin)	8	1	ND
2. Off-white plastic (Accessory) + Grey surfaced white plastic (Wire jacket)	8	2	ND
3. Silvery-grey soft plastic (PVC) (Accessory)	8	3	ND
4. Bright snow white plastic (Accessory) + Bright green plastic (Accessory) + Cyan silicone rubber (Accessory)	8	4	ND
5. Cream plastic (ABS) (Battery box) + Black plastic (Nose) + Transparent plastic (Eye)	8	5	ND
6. Snow white soft plastic (PVC) (Accessory)	01T-2	1	ND
7. White adhesive foam sheet (Inner) + Translucent hot melt glue (Inner) + Transparent plastic sheet w/ copper foil (Inner)	8	7	ND
8. White plastic (Wire jacket) + Yellow plastic (Wire jacket) + Grey plastic (Wire jacket)	8	8	ND
9. Cream plywood + Brown hardboard	8	9	ND
10. White felt w/ dark blue printing (House)	8	10	ND
11. Silvery metal ring	9	1	ND
12. Silvery metal screw (Accessory)	9	2	ND
13. Silvery metal long rivet (Accessory)	9	3	ND
14. Silvery metal short rivet (Accessory)	9	4	ND
15. Translucent cream plastic (Eye holder, nose holder) + White rubber core (Elastic cord)	10	1	ND
16. Translucent white plastic sheet (Accessory)	01T-2	2	ND
17. Translucent plastic board (Inner) (Resubmission)	03T-3	1	ND



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路430号江豪(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t: (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: T52410331190TY

Date: OCT 28, 2024

Page 24 of 25

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- ^Δ Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibly fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component. The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Permissible Limit

N.B. : - Only applicable clauses or requested testing items were shown.

Note:

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A = Not Applicable

** = Visual Examination

DNI = Did Not Ignite

SE = Self-Extinguishing

IBE = Ignite But Self-Extinguished

SE within 50mm = Self-extinguished within 50 mm of flame application

Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
2. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳龙岗区坂田街道坂田社区吉华路 430 号江豪 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 www.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Sample Picture (As received)

Pic.1



SGS authenticate the photo on original report only

*** End of Report ***

