



No.: T52210270950TY

Date: MAY 23, 2022

Page 1 of 16

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E3775 T-SWITCH TRACK ,E3776 4 SHORT CURVED TRACKS ,E3777 4 LONG CURVED TRACKS,E3778 4 SHORT STRAIGHT TRACKS,E3779 4 LONG STRAIGHT TRACKS,E3780 2 SWITCH TRACKS ,E3781 2 ADJUSTABLE SWITCH TRACKS,E3733 ADVANCED TRACK-BUILDING KIT

Item No.	:	E3775, E3776, E3777, E3778, E3779,
		E3780, E3781, E3733
Country of Destination	:	GLOBAL
Client Reference Information	:	E3775A,E3776A,E3777A,E3778A,E3779A,
		E3780A,E3781A,E3733B
Labeled Age Grading	:	3Y+
Requested Age Grading	:	3Y+
	*****	*****

oup Assessed by SGS As Per Age : OVER 3 א	YEARS
e	
oup Applied in Testing : OVER 3 א	YEARS
Receiving Date : MAY 16, 2	2022
Period : MAY 16, 2	2022 TO MAY 23, 2022
Receiving Date COVER 3 N	YEARS 2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Condition</u>

Acom 10-047, Family Room 1017, Pamily 28 Room 101-0617, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. X0, Jihua Read, Bantian Struet, Longgang District, Shenzhen, Giangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.com.ina@sgs.com



Test Report No.: T52210270950TY

Date: MAY 23, 2022

Page 2 of 16

Test	Conclusion	
1.	For compliance with the test requirement of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety.	
	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS
2.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501:	
	 US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages 	
	 US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age 	PASS
	 US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts 	
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
3.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS
4.	Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company sole responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unatthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3 do so only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocche/@sgs.com

Room 101-301, Part 4 & Room 101, Part 2 & Room 101, Part 3 & Room 301-301, Plart 3, Jianghao (Barrian) Industrial Plart Ana, No. 201, Jihua Road, Barrian Cimunity, Barrian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国。广东·豫圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



Test Report No.: T52210270950TY

Date: MAY 23, 2022

Page 3 of 16

Test	Test Requested					
5.	CPSIA section 101 - Total Lead content					
	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material					
	Client's Requirement – Lead in paint/similar surface coating material					
	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS				
	Client's Requirement – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS				

Remark: Test item(s) with "*" is(are) not accredited by CNAS.

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Huang Yao, Lucy Section Head CNAS Approved Signatories

Qu Ping, Kiky Dept. Manager CNAS Approved Signatories





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sole responsibility is to Scient and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document connect to error appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNNDocheck@sgs.com"

1445。の effinal CH-DeCCRew eggs COTI その119-09、Pen A Son 119, Pen L Son 119, Pen L 3, Son 314-01, Plant 3, Janphao (Bantian) Industrial Plant Asa, No.403, Jihua Road, Bantian Chmunity, Bantian Street, Longgarg District, Shenzhen, Guangdong, China 51129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 4300 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 t (86-755) 25328888 ggs.com



No.: T52210270950TY

Page 4 of 16

Results:

ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	Description	Result
4	Safety Requirements	
4.1	Material Quality **	<u>Pass</u>
4.2	Flammability Test	<u>Pass</u>
		<u>(See Result Page)</u>
4.3	Toxicology	N 1/A
4.3.2	Manufacturing and Packaging of Food	<u>N/A</u>
4.3.3	Indirect Food Additives	<u>N/A</u>
4.3.4	Cosmetics	<u>N/A</u>
4.3.5	Heavy Elements	
	4.3.5.1 Heavy Elements in Paint/Similar Surface Coating Materials	Pass
		<u>(See Result Page)</u>
	4.3.5.2 Heavy Metal in Substrate Materials	Pass
		<u>(See Result Page)</u>
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian	<u>N/A</u>
	Feather Origin	
4.3.7	Stuffing Materials	<u>N/A</u>
4.3.8	DEHP (DOP)	<u>N/A</u>
4.4	Electrical/Thermal Energy	<u>N/A</u>
4.5	Sound-Producing Toys	<u>N/A</u>
4.6.1	Small Objects	<u>N/A</u>
4.6.2	Mouth-Actuated Toys	<u>N/A</u>
4.6.3	Labelling Requirements	<u>N/A</u>
	Remark: The toy does not contain as-received small part.	<u>(See Remark)</u>
4.7	Accessible Edges	Pass
4.8	Projections	<u>N/A</u>
4.9	Accessible Points	<u>Pass</u>
4.10	Wires or Rods	<u>N/A</u>
4.11	Nails and Fasteners	<u>Pass</u>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document as advised that information contained herein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of lis intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconsible parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unarthorized alteration, forgery or falsification to be content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dos only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CN.Doccheck@sgs.com

1443, Of Biffairt: CVF_DOCCHECK @Sgls.COm Acom 101-90, Park 1 Acom 101, Park 1 Acom 101, Park 1 Al Acom 101-011, Park 1, Jacphao (Bartian) Industrial Park Ana, No. X0, Jhua Road, Banian Smeul, Longang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



No.: T52210270950TY

Date: MAY 23, 2022

Page 5 of 16

<u>Clause</u>	Description	<u>Result</u>
4.12	Plastic Film	<u>N/A</u>
4.13.1	Folding Mechanisms	<u>N/A</u>
4.13.2	Hinge-Line Clearance	<u>N/A</u>
4.14	Cords, Straps and Elastic	<u>N/A</u>
4.15	Stability and Over-Load Requirements	<u>N/A</u>
4.16	Confined Spaces	<u>N/A</u>
4.17	Wheels, Tires, and Axles	<u>N/A</u>
4.18	Holes, Clearance & Accessibility of Mechanisms	<u>N/A</u>
4.19	Simulated Protective Devices	<u>N/A</u>
4.20	Pacifiers	<u>N/A</u>
4.21	Projectile Toys	<u>N/A</u>
4.22	Teethers and Teething Toys	<u>N/A</u>
4.23	Rattles	<u>N/A</u>
4.24	Squeeze Toys	<u>N/A</u>
4.25	Battery-Operated Toys (Rechargeable battery/Non-rechargeable battery)	<u>N/A</u>
4.26	Toys Intended to be Attached to a Crib or Playpen	<u>N/A</u>
4.27	Stuffed and Beanbag-Type Toys	<u>N/A</u>
4.28	Stroller and Carriage Toys	<u>N/A</u>
4.29	Art Materials	<u>N/A</u>
4.30	Toy Gun Marking	<u>N/A</u>
4.31	Balloons	<u>N/A</u>
4.32	Certain Toys and Nearly Spherical Ends	<u>N/A</u>
4.33	Marbles	<u>N/A</u>
4.34	Balls	<u>N/A</u>
4.35	Pompoms	<u>N/A</u>
4.36	Hemispheric-Shaped Objects	<u>N/A</u>
4.37	Yo Yo Elastic Tether Toys	<u>N/A</u>
4.38	Magnets	<u>N/A</u>
4.39	Jaw Entrapment in Handles and Steering Wheels	<u>N/A</u>
4.40	Expanding Materials	<u>N/A</u>
4.41	Toy Chest	N/A
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	Pass
5.3	Safety Labeling Requirements	N/A
5.4	AquaticToys	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condition</u>

Room 101-991, Pam 4 & Room 101, Pam 2 & Room 101, Pam 3 & Room 301-901, Plam 3, Jacophao (Barrian) Industrial Plant Area, No. X01, Jhua Road, Barrian Chmunity, Barrian Street, Longgang District, Stenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



<u>Clause</u> 5.5 5.6 5.7 5.8 5.9 5.10 5.11 5.12 5.13 5.14 5.15 5.16 5.17 6 6.2 6.3 6.4 6.5

Test Report

est Report	No.: T52210270950TY	Date: MAY 23, 2022	Page 6 of 16
Description			<u>Result</u>
Crib & Playpen To	bys		<u>N/A</u>
Mobile	-		<u>N/A</u>
Stroller and Carria	ige Toys		<u>N/A</u>
Toys Intended to b	be Assembled by an Adult		<u>N/A</u>
Simulated Protect	ive Devices		<u>N/A</u>
Toys with Function	nal Sharp Edges and Sharp P	oints	<u>N/A</u>
Small Objects, Sm	nall Balls, Marbles, and Balloo	ns	<u>N/A</u>
Toy Caps			<u>N/A</u>
Art Materials			<u>N/A</u>
Electric Toys			<u>N/A</u>
Battery-Operated	Toys		<u>N/A</u>
Promotional Mate	rials		Pass
Magnets			<u>N/A</u>
Instructional Litera	iture		<u>N/A</u>
Crib & Playpen To	ys		<u>N/A</u>
Mobiles			<u>N/A</u>
Toys Intended to b	be Assembled by an Adult		<u>N/A</u>
Battery-Operated	Toys		<u>N/A</u>
Battery Powered F	Ride-on Toys		<u>N/A</u>
Toys in Contact w	ith Food		<u>N/A</u>

6.6 6.7 Toys in Contact with Food 6.8 **Toy Chests**

Producer's Markings
Producer's Markings
Battery-Powered Ride-on Toys
Toy Chests
Normal Use Testing

Impact Test **Torque Test Tension Test Compression Test**

8.12 Flexure Test 8.16 **Tension Test for Pompoms**

N/A = Not Applicable

8.7

8.8

8.9

8.10

** Visual Examination



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Condition</u> at telep none:(86-755) 8307

Room 101-901, Pant 4 & Room 101, Pant 2 & Room 101, Pant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Ara, No. X01, Jihua Road, Bantian Struet, Longgang District, Shenzhen, Giangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深训市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮稿: 518129 t (86-755) 25328888 sgs.com

N/A

Pass N/A <u>N/A</u>

Pass

Pass

Pass

Pass

N/A

N/A

N/A



Test Report No.: T52210270950TY

Date: MAY 23, 2022

Page 7 of 16

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample

Burning Rate (inch/sec)

E3775 T-SWITCH TRACK ,E3776 4 SHORT CURVED TRACKS ,E3777 4 DNI LONG CURVED TRACKS, E3778 4 SHORT STRAIGHT TRACKS, E3779 4 LONG STRAIGHT TRACKS, E3780 2 SWITCH TRACKS, E3781 2 ADJUSTABLE SWITCH TRACKS, E3733 ADVANCED TRACK-BUILDING KIT Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Condition</u>

Acom Mitherit, Banar 4 & Room Mit, Pan 2 & Room Mit, Pan 3, Janyhao (Banian) Industrial Plant Anza, No. 50, Jhua Road, Bantian Chmunih, Bantian Street, Longgang District, Shenzhen, Guangtong, China 518129 www.sagsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 25328888 sgs.com



Test Report No.: T52210270950TY Date: MAY 23, 2022 Page 8 of 16

ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-17 Clause 8.3 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)					
MDL (ppm)					
Total Limit (ppm)					
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)		
 White w/ red (Pattern), brown, black (Lettering) coating on wood w/ Black coating on plastic (Body) 	3	1	ND		

Note: - ppm = parts per million

- 1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-17 Clause 8.3.3.6 (2) – Selection of Test Portions

Black coating on plastic (Body)

White, red (Pattern), brown, black (Lettering) coating on wood



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.gr.wt, dr electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.gr.wt, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exorer ate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unattorized alteration, forgery or falsification of the company. Any unattorized alteration for or falsification of the trente of the sole of the document for appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-75) 8307 1443, or email: CN.Doccheck@esp.com

Acon 101-901, Pant J & Room 101, Pant J & Room 101 Advin / Pant J, Jacophao (Barrian) Industrial Plant Ana, No. 00, Jihua Road, Barrian Chmunity, Barrian Street, Longang District, Shonzhen, Guangdong, China S18129 www.segoroup.com.cn 中国・广东深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 単编:518129 t (86-755) 25328888 sg.schina@sg.scom



Test Report No.: T52210270950TY Date: MAY 23, 2022 Page 9 of 16

ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-17 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Total Lead Content

Test Item(s)	Lead (Pb)		
MDL (ppm)		10	
Total Limit (ppm)	100		
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
1. Light brown plastic (Body) + Yellow plastic (Connector) (ABS)	2	1	ND

Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (ppm)				5 5 2.5 10 5 5			5	10			
Migration Li Clays	mit (ppr	n) Other	Than Modeling	9 90 60 25 1000 75 60 60			500				
Migration Li	mit (ppr	n) Model	ling Clays	90 60 25 250 50 25 25				500			
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	1	1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	1	4	/	ND	ND	ND	ND	ND	ND	ND	ND

Specimen Description:

- 1. Light brown plastic (Body)
- 2. Yellow plastic (Connector) (ABS)
- Note: ppm = parts per million
 - µg/component = microgramme per component
 - $1\% = 10000 \text{ mg/kg} = 10000 \text{ ppm} = 10000 \text{ }\mu\text{g/g}$
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - Soluble Heavy Metal Content: Result(s) of specimen No.2 is(are) extracted from report No.T52210262151TY



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.conditions.rems-abc.conditions.rems-ab</u>

Accon 11/49, Fant 4 & Koon 111, Plant 2 & Koon 11, Plant 3 & Koon 31/611, Plant 3, Jangkao, Bankian Jindustrial Plant Ana, No.00, Jihua Road, Bankian Simet, Longang District, Shenzhen, Guangdong, China 318129 www.segsgroup.com.cn 中国・广东•波圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎编: 518129 t (86-755) 25328888 gs.com



Test Report No.: T52210270950TY Date: MAY 23, 2022 Page 10 of 16

US CPSC

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	<u>No. of</u>	Sharp point	Sharp edge	
	<u>sample</u>	(16 CFR	(16 CFR	Small part
	tested	1500.48)	1500.49)	(16 CFR 1501)
As received	16	Pass	Pass	N/A
Impact test (16 CFR 1500.53b)	8	Pass	Pass	N/A
Bite test (16 CFR 1500.52c)	0	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	8	Pass	Pass	N/A
Tension test (16 CFR 1500.53f)	8	Pass	Pass	N/A
Compression test (16 CFR	0	N/A	N/A	N/A
1500.53g)				

N/A = Not Applicable

US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Burning Rate (inch/sec) DNI

Sample E3775 T-SWITCH TRACK ,E3776 4 SHORT CURVED TRACKS ,E3777 4 LONG CURVED TRACKS,E3778 4 SHORT STRAIGHT TRACKS,E3779 4 LONG STRAIGHT TRACKS,E3780 2 SWITCH TRACKS ,E3781 2 ADJUSTABLE SWITCH TRACKS,E3733 ADVANCED TRACK-BUILDING KIT

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a selfsustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's old responsibility is to its Client and this document does not excore the company solic responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for ago ago only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 [1443, or email: CNLDoccheck@sgs.com]

1946。の1911年18 Concitify Part 2 & Boom 1947, Part 3 & Boom 31/947, Plant 3, Jianghao (Bantian) Industrial Plant Ana, No. X0, Jihua Road, Bantian Tomunity, Bantian Street, Longang District, Shenzhen, Guangdong, China 18129 www.seggroup.com.cn 中国・广东深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 単編:518129 t (86-755) 25328888 sgs.cohina@sgs.com



Test Report No.: T52210270950TY Date: MAY 23, 2022 Page 11 of 16

CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)			Lead (Pb)
Permissible Limit (ppm)			90
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
 White w/ red (Pattern), brown, black (Lettering) coating on wood w/ Black coating on plastic (Body) 	4	1	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is does used to the final their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dogs only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sps.com

Acon 111-40, Han # & & Kons 101, Paint 2 & Kons 111, Paint 3 & Kons 311-601, Plant 3, Lianghao (Barrian) Industrial Plant Ana, No. 00, Juha Road, Barrian Chmunity, Barrian Street, Longang District, Shenzhen, Guangtong, China 518129 www.sgsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



No.: T52210270950TY

Date: MAY 23, 2022

Page 12 of 16

As specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label found on the - Tracking label found on the product: packaging: 1) Name: 1) Name: Hape International AG Hape International AG 2) Location: MADE IN CHINA 2) Location: P2122403383 NBCN 02/2022; P2122403383 NBCN 02/2022; P2122403351 NBCN 01/2022; P2122403351 NBCN 01/2022; P2122403353 NBCN 01/2022: P2222400505 NBCN 02/2022; P2122403355 NBCN 01/2022; P2122403356 NBCN 01/2022; P2122403354 NBCN 01/2022; P2122403357 NBCN 01/2022 3) Date: P2122403383 NBCN 02/2022; P2122403351 NBCN 01/2022; P2122403353 NBCN 01/2022; P2222400505 NBCN 02/2022; P2122403355 NBCN 01/2022; P2122403356 NBCN 01/2022; P2122403354 NBCN 01/2022; P2122403357 NBCN 01/2022 4) Cohort information: P2122403383 NBCN 02/2022: P2122403351 NBCN 01/2022; P2122403353 NBCN 01/2022: P2222400505 NBCN 02/2022: P2122403355 NBCN 01/2022; P2122403356 NBCN 01/2022; P2122403354 NBCN 01/2022; P2122403357 NBCN 01/2022

P2122403353 NBCN 01/2022: P2222400505 NBCN 02/2022; P2122403355 NBCN 01/2022; P2122403356 NBCN 01/2022; P2122403354 NBCN 01/2022; P2122403357 NBCN 01/2022 3) Date: P2122403383 NBCN 02/2022; P2122403351 NBCN 01/2022; P2122403353 NBCN 01/2022; P2222400505 NBCN 02/2022; P2122403355 NBCN 01/2022; P2122403356 NBCN 01/2022;

P2122403354 NBCN 01/2022; P2122403357 NBCN 01/2022

4) Cohort information: P2122403383 NBCN 02/2022; P2122403351 NBCN 01/2022; P2122403353 NBCN 01/2022: P2222400505 NBCN 02/2022: P2122403355 NBCN 01/2022; P2122403356 NBCN 01/2022; P2122403354 NBCN 01/2022; P2122403357 NBCN 01/2022

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Condition</u>

Acom Mi-Wing, Mar 4 & Room Min /Ban 2 & Room Min /Ban 3, Jangkao (Banikan) Industrial Plant Area, No.400, Jihua Road, Banikan Street, Longgang District, Skenzken, Guangdong, China 518129 www.sgsgroup.com.cr 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



Test Report No.: T52210270950TY Date: MAY 23, 2022 Page 13 of 16

CPSIA - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)			Lead (Pb)
Permissible Limit (ppm)	90		
Client's Limit (ppm)			40
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
 White w/ red (Pattern), brown, black (Lettering) coating on wood w/ Black coating on plastic (Body) 	6	1	ND

Note: - ppm = parts per million

- 1% = 10000 mg/kg = 10000 ppm
- MDL = Method Detection Limit = 10 ppm
- ND = Not Detected (lower than MDL)

CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)			Lead (Pb)
Permissible Limit **(ppm)	100		
Client's Limit (ppm)	40		
Specimen Description	Alias	Tracing	Result(s)
Specifien Description	No.	No.	(ppm)
1. Light brown plastic (Body) + Yellow plastic (Connector) (ABS)	5	1	ND

** Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

- Note: ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document. Sind document is adpearance of this document is adpleared in the approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document fuely by be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-75) 8307 1443, or email: CN.Doccheck@gs.com

Acom 10-047, Family Room 1017, Pamily 28 Room 101-0617, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. X0, Jihua Read, Bantian Struet, Longgang District, Shenzhen, Giangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.com



Test Report No.: T52210270950TY Date: MAY 23, 2022 Page 14 of 16

Remark:

- Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U₉₅. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%. For Upper Tolerance Limit (T_U):

For Opper Tolerance Limit (T_0) .

Pass - when the measurement result is below $T_U\text{-}U_{95}$

Fail - when the measurement result is above $T_{U}\text{+}U_{95}$

Inconclusive - when the measurement result is falling in guard band $[T_U-U_{95}, T_U+U_{95}]$ For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above T_L+U_{95}

Fail - when the measurement result is below T_L -U₉₅

Inconclusive - when the measurement result is falling in guard band $[T_L-U_{95}, T_L+U_{95}]$




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's old responsibility is to its Client and this document does not excore the company solic responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dog so only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 [1443, or email: CNLDoccheck@sgs.com]



No.: T52210270950TY

Date: MAY 23, 2022

Page 15 of 16






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic format documents, subject to Terms and Conditions of lability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company sole responsibility is to its Client and this document does not excore the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 dos only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8c-755) 8307 1443, or email: CNLDocchec@espx.com

Room 101-991, Pam 4 & Room 101, Pam 2 & Room 101, Pam 3 & Room 301-901, Plam 3, Jacophao (Barrian) Industrial Plant Area, No. X01, Jhua Road, Barrian Chmunity, Barrian Street, Longgang District, Stenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



 Test Report
 No.: T52210270950TY
 Date: MAY 23, 2022
 Page 16 of 16



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's old responsibility is to its Client and this document does not excore the company solic responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dog so only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 [1443, or email: CNLDoccheck@sgs.com]

Room 10/+901, Pant 4 & Room 101, Pant 2 & Room 101, Pant 3 & Room 301-601, Plant 3, Jianghao (Banian) Industrial Plant Asea, No. 403, Uhua Road, Banian Cumunity, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东•波圳市龙周区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com