

Test Report No.: SHHL1911064935TY Date: JAN. 03, 2020 Page 1 of 14

HAPE INTERNATIONAL (NINGBO) LTD HAPPY ARTS&CRAFTS (NINGBO) CO., LTD 9-27NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA

Sample Description CREATIVE CONSTRUCTION KIT

> **EIFFEL TOWER CREATIVITY KIT** TRUSS CRANE

MULTI-TOWER KIT

GEODESIC STRUCTURES

Sample Quantity 24 PCS

Style / Item No. E5567,E5567A/E5563,E5563A/E5565,E5565A/E5562,E5

562A/E5566,E5566A/E5564,E5564A

Country of Destination **GLOBAL** Labeled Age Grading 4y +

Requested Age Grading 4y +

Age Group Assessed as Per Age Guideline 4+ YEARS Age Group Applied in Testing 4+ YEARS Sample Receiving Date DEC. 02, 2019

Further Information Date DEC. 27, 2019

Testing Period DEC. 02, 2019 TO DEC. 27, 2019

Test Requested Result

EN 71-1: 2014+A1: 2018 - Safety of toys - Part 1: Mechanical and Physical Properties **Pass**

Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the

Directive 2009/48/EC-Safety of toys

EN 71-2: 2011+A1: 2014 - Safety of toys - Part 2: Flammability **Pass**

EN71-3: 2019 as harmonized standard under Directive 2009/48/EC and its amendment (EU) 2019/1728 - Migration of certain elements (Category III:for

scrapped-off toy material)

EN71-3: 2019 as harmonized standard under Directive 2009/48/EC and its amendment (EU) 2019/1922 - Migration of certain elements (Category III:for

scrapped-off toy material)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661

t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899 www.sgsgroup.com.cn e sgs.china@sgs.com

See Result

Pass

Pass



Test Report No.: S

No.: SHHL1911064935TY

Date: JAN. 03, 2020

Page 2 of 14

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Wallace Lui

Senior Technical Manager, Asia



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



Test Report No.: SHHL1911064935TY Date: JAN. 03, 2020 Page 3 of 14

Results:

EN 71-1: 2014+A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1: 2014+A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4	General requirements	
4.1	Material cleanliness	<u>Pass</u>
4.7	Edges	<u>Pass</u>
4.8	Points and metallic wires	<u>Pass</u>
6	Packaging	<u>Pass</u>
7	Warnings, markings and instructions for use	
7.1	General Requirements	<u>Pass</u>
	Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects: a) Emphasising the warning	
	b) Contrast, background and colours	
	c) Reflecting surfaces and obscuring material	
	d) Font type	
	e) Font size	
	f) Logical direction of text	
	For more details, see EN 71-1.	
7.2	Toys not intended for children under 36 months (Remark: The toy contains small part long cord. It is acceptable because appropriate warning is found on packaging.)	Pass See Remark

Only English warnings were checked for the clause 7. According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



Test Report No.: SHHL1911064935TY Date: JAN. 03, 2020 Page 4 of 14

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not applicable	/
CE Mark	Present	Packaging
Importer's Name & Address	Present	Packaging
Manufacturer's Name & Address	Present	Packaging
Product ID	Present	Packaging

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable.
- CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

EN 71-2: 2011+A1: 2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

ClauseDescriptionResult4.1General requirementsPass

N.B.: - Only applicable clauses were shown.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (regrey or falsification of the content or appearance of this document is unlewful and offondore may be procouted to the fullest extent of the lew. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inaspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

4* Bulding, No.839, Yishan Road, Xuhui District Shanghai, China 200233 t (86)4 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86)4



Test Report No.: SHHL1911064935TY Date: JAN. 03, 2020 Page 5 of 14

Test Part Description:

Specimen No.	SGS Sample ID	Description
SN1	SHA19-266842.001	Red coating(On bamboo)
SN2	SHA19-266842.002	Natural colored bamboo without coating
SN3	SHA19-266842.003	Orange silicone rubber support
SN4	SHA19-266842.004	Blue coating(On bamboo)
SN5	SHA19-266842.005	Red silicone rubber support
SN6	SHA19-266842.006	Lt.blue silicone rubber support
SN7	SHA19-266842.007	Yellow coating(On bamboo)
SN8	SHA19-266842.008	Orange ABS Hook
SN9	SHA19-266842.009	Orange string
SN10	SHA19-266842.010	Yellow silicone rubber support

Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

EN71-3: 2019 as harmonized standard under Directive 2009/48/EC and its amendment (EU) 2019/1728 - Migration of certain elements (Category III:for scrapped-off toy material)

Test Method: With reference to EN 71-3:2019, analysis was performed by ICP-OES, IC-UV or LC-ICP-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>	<u>002</u>	<u>003</u>
Soluble Chromium (VI) (Cr VI)	0.053	mg/kg	0.025	ND	ND	ND
Soluble Lead (Pb)	23	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	5	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

f (86-21) 6115 6899



Test Report	No.: SHHL1911064935	TY	Date: J	Date: JAN. 03, 2020		Page 6 of 14	
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (Al)		70000	mg/kg	50	ND	ND	ND
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)		180000	mg/kg	3	ND	ND	ND
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND
Test Item(s)		<u>Limit</u>	<u>Unit</u>	MDL	<u>004</u>	<u>005</u>	<u>006</u>
Soluble Chromium (VI) (Cr VI)	0.053	mg/kg	0.025	ND	ND	ND
Soluble Lead (Pb)		23	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)		560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)		47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)		18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	5	ND	ND	ND
Soluble Chromium (III)) (Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	ND
Soluble Boron (B)		15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	ND
Soluble Manganese (N	⁄In)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)		46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (AI)		70000	mg/kg	50	65	ND	ND
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)		180000	mg/kg	3	ND	ND	ND
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND
Test Item(s)		<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>007</u>	<u>008</u>	<u>009</u>
Soluble Chromium (VI) (Cr VI)	0.053	mg/kg	0.025	ND	ND	ND
Soluble Lead (Pb)		23	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)		560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)		47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)		18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	5	ND	ND	ND
Soluble Chromium (III)) (Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	ND
Soluble Boron (B)		15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (rigery or falsification of the content or appearance of this document is unlawful and offenders may be proceduted to the fullest extent of the law. Unlose otherwise stated the results shown in this test report refer only to the sample(s) lare testing for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails: CARD Descheck/Pages com.

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661

t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899



Test Report	No.: SHHL1911064935	TY	Date: JAN. 03, 2020			Page 7 of 14		
Soluble Manganese (M	⁄In)	15000	mg/kg	50	ND	ND	ND	
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND	
Soluble Zinc (Zn)		46000	mg/kg	50	62	ND	ND	
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND	
Soluble Aluminum (AI)		70000	mg/kg	50	66	ND	ND	
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND	
Soluble Tin (Sn)		180000	mg/kg	3	ND	ND	ND	
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND	
To at 16 as (a)		1.226	11.26	MDI	040			
Test Item(s)) (O) (II)	<u>Limit</u>	<u>Unit</u>	MDL	<u>010</u>			
Soluble Chromium (VI)) (Cr VI)	0.053	mg/kg	0.025	ND			
Soluble Lead (Pb)		23	mg/kg	5	ND			
Soluble Antimony (Sb)		560	mg/kg	10	ND			
Soluble Arsenic (As)		47	mg/kg	10	ND			
Soluble Barium (Ba)		18750	mg/kg	50	ND			
Soluble Cadmium (Cd)	17	mg/kg	5	ND			
Soluble Chromium (III)	(Cr III)	460	mg/kg	5	ND			
Soluble Mercury (Hg)		94	mg/kg	10	ND			
Soluble Selenium (Se)		460	mg/kg	10	ND			
Soluble Boron (B)		15000	mg/kg	50	ND			
Soluble Cobalt (Co)		130	mg/kg	10	ND			
Soluble Manganese (N	⁄ln)	15000	mg/kg	50	ND			
Soluble Strontium (Sr)		56000	mg/kg	50	ND			
Soluble Zinc (Zn)		46000	mg/kg	50	ND			
Soluble Copper (Cu)		7700	mg/kg	50	ND			
Soluble Aluminum (AI)		70000	mg/kg	50	ND			
Soluble Nickel (Ni)		930	mg/kg	10	ND			
Soluble Tin (Sn)		180000	mg/kg	3	ND			
Soluble Organic Tin*		12	mg/kg	-	ND			

Notes:

(1) Mass of trace amount of sample 001 is 18.9mg, sample 004 is 62.1mg, sample 007 is

88.7mg.

(2) *Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

4[®] Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899



Test Report No.: SHHL1911064935TY Date: JAN. 03, 2020 Page 8 of 14

EN71-3: 2019 as harmonized standard under Directive 2009/48/EC and its amendment (EU) 2019/1922 - Migration of certain elements (Category III:for scrapped-off toy material)

Test Method: With reference to EN 71-3:2019, analysis was performed by ICP-OES, IC-UV or LC-ICP-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>	<u>002</u>	<u>003</u>
Soluble Chromium (VI) (Cr VI)	0.053	mg/kg	0.025	ND	ND	ND
Soluble Lead (Pb)	23	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	5	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (Al)	28130	mg/kg	50	ND	ND	ND
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)	180000	mg/kg	3	ND	ND	ND
Soluble Organic Tin*	12	mg/kg	-	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>004</u>	<u>005</u>	<u>006</u>
Soluble Chromium (VI) (Cr VI)	0.053	mg/kg	0.025	ND	ND	ND
Soluble Lead (Pb)	23	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	5	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condi

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

f (86-21) 6115 6899



Test Report	No.: SHHL191106493	5TY	Date: JAN. 03, 2020			Page 9 of 14		
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND	
Soluble Zinc (Zn)		46000	mg/kg	50	ND	ND	ND	
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND	
Soluble Aluminum (Al)		28130	mg/kg	50	65	ND	ND	
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND	
Soluble Tin (Sn)		180000	mg/kg	3	ND	ND	ND	
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND	
Test Item(s)		<u>Limit</u>	<u>Unit</u>	MDL	<u>007</u>	<u>008</u>	<u>009</u>	
Soluble Chromium (VI)	(Cr VI)	0.053	mg/kg	0.025	ND	ND	ND	
Soluble Lead (Pb)		23	mg/kg	5	ND	ND	ND	
Soluble Antimony (Sb)		560	mg/kg	10	ND	ND	ND	
Soluble Arsenic (As)		47	mg/kg	10	ND	ND	ND	
Soluble Barium (Ba)		18750	mg/kg	50	ND	ND	ND	
Soluble Cadmium (Cd))	17	mg/kg	5	ND	ND	ND	
Soluble Chromium (III)	(Cr III)	460	mg/kg	5	ND	ND	ND	
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	ND	
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	ND	
Soluble Boron (B)		15000	mg/kg	50	ND	ND	ND	
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	ND	
Soluble Manganese (M	•	15000	mg/kg	50	ND	ND	ND	
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND	
Soluble Zinc (Zn)		46000	mg/kg	50	62	ND	ND	
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND	
Soluble Aluminum (AI)		28130	mg/kg	50	66	ND	ND	
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND	
Soluble Tin (Sn)		180000	mg/kg	3	ND	ND	ND	
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND	
Test Item(s)		<u>Limit</u>	<u>Unit</u>	MDL	<u>010</u>			
Soluble Chromium (VI)	(Cr VI)	0.053	mg/kg	0.025	ND			
Soluble Lead (Pb)		23	mg/kg	5	ND			
Soluble Antimony (Sb)		560	mg/kg	10	ND			
Soluble Arsenic (As)		47	mg/kg	10	ND			
Soluble Barium (Ba)		18750	mg/kg	50	ND			
Soluble Cadmium (Cd))	17	mg/kg	5	ND			
Soluble Chromium (III)	(Cr III)	460	mg/kg	5	ND			
Soluble Mercury (Hg)		94	mg/kg	10	ND			
Soluble Selenium (Se)		460	mg/kg	10	ND			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (rigery or falsification of the content or appearance of this document is unlawful and offenders may be proceduted to the fullest extent of the law. Unlose otherwise stated the results shown in this test report refer only to the sample(s) lare testing for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails: CARD Descheck/Pages com.

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

f (86-21) 6115 6899



Test Report	No.: SHHL1911064935TY	Date: JAN. 03, 2020			Page 10 of 14
Soluble Boron (B)	15000	mg/kg	50	ND	
Soluble Cobalt (Co)	130	mg/kg	10	ND	
Soluble Manganese (Mr	n) 15000	mg/kg	50	ND	
Soluble Strontium (Sr)	56000	mg/kg	50	ND	
Soluble Zinc (Zn)	46000	mg/kg	50	ND	
Soluble Copper (Cu)	7700	mg/kg	50	ND	
Soluble Aluminum (AI)	28130	mg/kg	50	ND	
Soluble Nickel (Ni)	930	mg/kg	10	ND	
Soluble Tin (Sn)	180000	mg/kg	3	ND	
Soluble Organic Tin*	12	mg/kg	-	ND	

Notes:

(1) Mass of trace amount of sample 001 is 18.9mg, sample 004 is 62.1mg, sample 007 is 88.7mg.

(2) *Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2019.

Remark:

- Since the data and / or information above division line of front page is provided by the applicant, the
 relevant results or conclusions of this report are only made for these data and / or information, SGS is
 not responsible for the authenticity, integrity and results of the data and information and / or the validity
 of the conclusion. Testing results only apply to the sample as received.
- 2. The declaration of conformity is only based on the actual value of laboratory activity, measurement uncertainty of the results not take into account.

Sample Photo:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-aps. Attention in the subject of testing / Inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, Attention: To check the authenticity of testing / Inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, Attention: To check the authenticity of testing / Inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, Attention: Technology and the product of the subjection report & certificate, please contact us at telephone: (86-75) 8307 1443, Attention: Technology and the product of the subjection report & certificate, please contact us at telephone: (86-75) 8307 1443, Attention: Technology and the product of the subjection report & ce


4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮編: 200233 t (86) 400 960 9661 t (86) 400 960 9661 www.sgsgroup.com.cn e sgs.china@sgs.com

f (86-21) 6115 6899



Test Report No.: SHHL1911064935TY Date: JAN. 03, 2020 Page 11 of 14









or email: CN.Doccheck@sgs.com 4^a Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮編: 200233

t (86) 400 960 9661

t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899



Test Report No.: SHHL1911064935TY Date: JAN. 03, 2020 Page 12 of 14









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

or email: CN_Doccneck@sgs.com 4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮編: 200233 t (86) 400 960 9661 t (86) 400 960 9661

f (86–21) 6115 6899 f (86–21) 6115 6899



Test Report No.: SHHL1911064935TY Date: JAN. 03, 2020 Page 13 of 14









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

or email: CN.Doccheck@sgs.com 4^a Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮編: 200233

t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

f (86-21) 6115 6899



Test Report No.: SHHL1911064935TY Date: JAN. 03, 2020 Page 14 of 14







SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

f (86-21) 6115 6899