

**Test Report** No.: SHHL2003506997TY Date: APR. 03, 2020 Page 1 of 16

HAPE INTERNATIONAL (NINGBO) LTD HAPPY ARTS&CRAFTS (NINGBO) CO., LTD 9-27NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA

Sample Description BELLS 'N' STAIRS/SPIRAL/SPINNERS

Sample Quantity 9 SETS

Style / Item No. E6019, E6020, E6021

Client Reference Information: E6019A,E6020A,E6021A

Country of Origin **CHINA** Country of Destination **GLOBAL** Labeled Age Grading 4-99Y Requested Age Grading 4-99Y

Age Group Assessed as Per Age Guideline : 4+ YEARS Age Group Applied in Testing 4+ YEARS Sample Receiving Date MAR. 18, 2020

Further Information Date APR. 03, 2020

**Testing Period** MAR. 18, 2020 TO APR. 03, 2020

Test Requested Result

ASTM F963-17 Standard Consumer Safety Specification for Toy Safety Pass Pass

Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section **Pass** 

103 tracking labels for children's products.

Part 1303, Title 16, Code of Federal Regulations, Chapter II - Consumer Products **Pass** 

Safety Commission of U.S.A. requirement-Lead

Lead(Pb) **Pass** 

Lead(Pb) **Pass** 

CPSIA section 101(f) - Lead in paint/similar surface coating material **Pass** 

CPSIA section 101(a)(2) - Lead in accessible substrate materials **Pass** 

CPSIA section 101(a)(2) - Lead in accessible substrate materials <u>Pass</u>

\*\*\*\*\*\*\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*\*\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions (Terms-en-Document ast <a href="http://www.sgs.com/en/Terms-en/Conditions/frems-en/Cocument.aspx.">http://www.sgs.com/en/Terms-en/Cocument.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document to unlawful and offender may be proceduted to the fullect extent of the law. Unlose otherwise catacid the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

As a mail: CN Decchero Services and the procedure of the sample o

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233

t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661



**Test Report** No.: SHHL2003506997TY Date: APR. 03, 2020 Page 2 of 16

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Wallace Lui

Senior Technical Manager, Asia



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for the Internse-Document as this Company and the Internse-Document as the Internse-Int



Test Report No.: SHHL2003506997TY Date: APR. 03, 2020 Page 3 of 16

Result:

#### ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

#### Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4	Safety Requirements	
4.1	Material Quality **	<u>Pass</u>
4.2	Flammability Test	Pass (See Detail of test result)
4.3	Toxicology	<del></del>
4.3.5	Heavy Elements	
	4.3.5.1 Heavy Elements in Paint/Similar Surface Coating Materials	Pass (See Detail of test result)
	4.3.5.2 Heavy Metal in Substrate Materials	Pass (See Detail of
		test result)
4.5	Sound-Producing Toys	<u>Pass</u>
4.6	Small Objects	
4.6.3	Labelling Requirements	<u>Pass</u>
4.7	Accessible Edges	<u>Pass</u>
4.8	Projections	<u>Pass</u>
4.9	Accessible Points	<u>Pass</u>
4.11	Nails and Fasteners	<u>Pass</u>
4.12	Plastic Film	<u>Pass</u>
4.18	Holes, Clearance & Accessibility of Mechanisms	<u>Pass</u>
4.33	Marbles	<u>Pass</u>
5	Safety Labeling Requirements	_
5.2	Age Grading Labeling	<u>Pass</u>
5.3	Safety Labeling Requirements	<u>Pass</u>
5.11	Small Objects, Small Balls, Marbles, and Balloons	<u>Pass</u>
5.16	Promotional Materials	<u>Pass</u>
7	Producer's Markings	_
7.1	Producer's Markings	<u>Pass</u>
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>
8.10	Compression Test	<u>Pass</u>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions (Terms-en-Documents aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document to advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appoarance of this document is unlawful and effonder may be precounted to the fullicot storted in the law. Unloce otherwise catacid the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention of the document of the document of the law of the produce of the company of the company and the company are retained for 30 days only.

or email: CN.Doccheck@sgs.com | 4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86–21) 6115 6899



Test Report No.: SHHL2003506997TY Date: APR. 03, 2020 Page 4 of 16

\*\* Visual Examination

Detail of test result:

ASTM F963-17, Clause 4.2 – Flammability Test Flammability Test on Solid

Sample Burning Rate (inch/sec)

 ${\tt BELLS~'~N'~STAIRS/SPIRAL/SPINNERS}$ 

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

## Flammability Test on Textile Materials

**Burning Time (second)** 

SamplesAs receivedAfter washingResultsWhite12345Ave.12345Ave.fabricDNI</td

DNI = Did Not Ignite

Plain Surface Fabrics

Requirements: (1) All specimens either did not ignite, ignited but self extinguished, or any combination

thereof.

(2) Average burn time is 3.5 s or greater.

N.B.: - Only applicable clauses were shown.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sps.com/en/Terms-and-Conditions.apx.and">http://www.sps.com/en/Terms-and-Conditions.apx.and</a>, for electronic format documents, subject is a considerable of the company and the service of the company and the company and the service of the service



Test Report No.: SHHL2003506997TY Date: APR. 03, 2020 Page 5 of 16

# <u>Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels</u> for children's products.

#### Notes:

Note 1: As specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label found on the packaging: E6021: HAPE NBCN 11/2019

E6020: HAPE NBCN 11/2019 E6019: HAPE NBCN 11/2019

- Tracking label found on the wooden part of the product: E6021: HAPE NBCN 11/2019

E6020: HAPE NBCN 11/2019 E6019: HAPE NBCN 11/2019

Note 2: 1) The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

2) City and State, or administrative state shall be also provided for the source (location) information.

#### Test Part Description:

Specimen No.	SGS Sample ID	Description
SN1	SHA20-041552.001	Colorful coating with paper
SN2	SHA20-041552.002	Silvery metal staple
SN3	SHA20-041552.003	Orange ABS
SN4	SHA20-041552.004	Black silicone
SN5	SHA20-041552.005	Red ABS
SN6	SHA20-041552.006	Beige ABS
SN7	SHA20-041552.007	Transparent coating on wood
SN8	SHA20-041552.008	Plywood
SN9	SHA20-041552.009	Transparent glass bead
SN10	SHA20-041552.010	Red coating on wood
SN11	SHA20-041552.011	Yellow coating on wood
SN12	SHA20-041552.012	Lt. blue coating
SN13	SHA20-041552.013	Red/white fabric label
SN14	SHA20-041552.014	White fabric bag
SN15	SHA20-041552.015	White cord
SN16	SHA20-041552.016	Purple PA
SN17	SHA20-041552.017	Grey coating on wood



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.x.and">http://www.ags.com/en/Terms-and-Conditions.ags.x.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions.from-en-Terms-and-Conditions.gray and, for electronic from-en-Terms-and-Conditions.from-en-Terms-and-Conditions.gray and, for electronic from-en-Terms-and-Conditions.from-en-Terms-and-Conditions.gray and, for electronic from-en-Terms-and-Conditions.gray and, for electronic from-en-Terms-and-C

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐江区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899



**Test Report** No.: SHHL2003506997TY Date: APR. 03, 2020 Page 6 of 16

SN18	SHA20-041552.018	Orange coating on wood
SN19	SHA20-041552.019	Brown coating
SN20	SHA20-041552.020	Solid wood
SN21	SHA20-041552.021	Cream ABS(ring)
SN22	SHA20-041552.022	Cream PP(sheet)
SN23	SHA20-041552.023	Grass green coating (on wood)
SN24	SHA20-041552.024	Turquoise coating on wood
SN25	SHA20-041552.025	Silvery metal ring
SN26	SHA20-041552.026	White ABS
SN27	SHA20-041552.027	Transparent ABS
SN28	SHA20-041552.028	Turquoise ABS
SN29	SHA20-041552.029	White coating on plastic(flag)

## Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected ( < MDL)
- (4) "-" = Not Regulated

## American Society for Testing and Materials -ASTM F 963-17- total Lead in paint and similar surface-coating materials

Test Method: With reference to CPSC-CH-E1003-09.1, analysis was performed by AAS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>	<u>007</u>	<u>010</u>
Total Lead (Pb)	90	mg/kg	20	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>011</u>	<u>012</u>	<u>017</u>
Total Lead (Pb)	90	mg/kg	20	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>018</u>	<u>019</u>	<u>023</u>
Total Lead (Pb)	90	mg/kg	20	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>024</u>	<u>029</u>	
Total Lead (Pb)	90	mg/kg	20	ND	ND	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined rein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregor or falsification of the content or appearance of this document is unlawful and offendors may be proceduted to the fullost extent of the law. Unlose otherwise stated the results shown in this test report refer only to the sample(s) itseted and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

f (86-21) 6115 6899



**Test Report** No.: SHHL2003506997TY Date: APR. 03, 2020 Page 7 of 16

# Part 1303, Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A. requirement-Lead

Test Method: With reference to CPSC Test Method: CPSC-CH-E1003-09.1, analysis was performed by AAS.

Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 0.009	<u>Unit</u> %	MDL 0.002	<u>001</u> ND <b>PASS</b>	<u>007</u> ND <b>PASS</b>	<u>010</u> ND <b>PASS</b>
Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 0.009	<u>Unit</u> %	MDL 0.002	<u>011</u> ND <b>PASS</b>	<u>012</u> ND <b>PASS</b>	<u>017</u> ND <b>PASS</b>
Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 0.009	<u>Unit</u> %	MDL 0.002	<u>018</u> ND <b>PASS</b>	<u>019</u> ND <b>PASS</b>	<u>023</u> ND <b>PASS</b>
Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 0.009	<u>Unit</u> %	<u>MDL</u> 0.002	<u>024</u> ND <b>PASS</b>	<u>029</u> ND <b>PASS</b>	

#### American Society for Testing and Materials -ASTM F 963-17 -total Lead in Substrate Materials

Test Method: With reference to CPSC-CH-E1001-08.3, Analysis was performed by AAS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>	<u>025</u>
Total Lead (Pb)	100	mg/kg	20	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions (Terms-en-Document ast <a href="http://www.sgs.com/en/Terms-en/Conditions/frems-en/Cocument.aspx.">http://www.sgs.com/en/Terms-en/Cocument.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document to unlawful and offender may be proceduted to the fullect extent of the law. Unlose otherwise catacid the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

As a mail: CN Decchero Services and the procedure of the sample o

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661

t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899



**Test Report** No.: SHHL2003506997TY Date: APR. 03, 2020 Page 8 of 16

## Lead(Pb)

Test Method: With reference to US EPA Method 3050B:1996, analysis was performed by ICP-OES.

Conclusion				PASS	PASS
Lead (Pb)	40	mg/kg	2	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>	<u>025</u>

#### Notes:

(1) The maximum permissible limit is quoted from the client requirement.

## American Society for Testing and Materials - ASTM F 963-17 - total Lead in Substrate Materials

Test Method: With reference to CPSC-CH-E1002-08.3. Analysis was performed by AAS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>003</u>	<u>004</u>	<u>005</u>
Total Lead (Pb)	100	mg/kg	20	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>006</u>	<u>008</u>	<u>009</u>
Total Lead (Pb)	100	mg/kg	20	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>016</u>	<u>020</u>	<u>021</u>
Total Lead (Pb)	100	mg/kg	20	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>022</u>	<u>026</u>	<u>027</u>
Total Lead (Pb)	100	mg/kg	20	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>028</u>		
Total Lead (Pb)	100	mg/kg	20	ND		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregor or falsification of the content or appearance of this document is unlawful and offenders may be proceduted to the fullost extent of the law. Unlose otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661

t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899



**Test Report** Page 9 of 16 No.: SHHL2003506997TY Date: APR. 03, 2020

## Lead(Pb)

Test Method: With reference to US EPA 3052:1996, analysis was performed by ICP-OES.

Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 40	<u>Unit</u> mg/kg	<u>MDL</u> 2	<u>003</u> ND <b>PASS</b>	<u>004</u> ND <b>PASS</b>	<u>005</u> ND <b>PASS</b>
Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 40	<u>Unit</u> mg/kg	MDL 2	<u>006</u> ND <b>PASS</b>	<u>008</u> ND <b>PASS</b>	<u>009</u> ND <b>PASS</b>
Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 40	<u>Unit</u> mg/kg	<u>MDL</u> 2	<u>016</u> ND <b>PASS</b>	<u>020</u> ND <b>PASS</b>	<u>021</u> ND <b>PASS</b>
Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 40	<u>Unit</u> mg/kg	<u>MDL</u> 2	<u>022</u> ND <b>PASS</b>	<u>026</u> ND <b>PASS</b>	<u>027</u> ND <b>PASS</b>
Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 40	<u>Unit</u> mg/kg	MDL 2	<u>028</u> ND <b>PASS</b>		

## Notes:

(1) The maximum permissible limit is quoted from the client requirement.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions (Terms-en-Documents aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document to advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appoarance of this document is unlawful and effonder may be precounted to the fullicot storted in the law. Unloce otherwise catacid the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention of the document of the document of the law of the produce of the company of the company and the company are retained for 30 days only.

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

f (86-21) 6115 6899



**Test Report** No.: SHHL2003506997TY Date: APR. 03, 2020 Page 10 of 16

# American Society for Testing and Materials -ASTM F 963-17 - soluble Heavy Metal for paint and similar surface-coating materials/ Substrate Materials

Test Method: With reference to ASTM F 963-17 (Clause 8.3), analysis was performed by ICP-OES.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>	<u>003</u>	<u>004</u>
Soluble Lead (Pb)	90	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	60	mg/kg	5	ND	ND	ND
Soluble Arsenic (As)	25	mg/kg	2.5	ND	ND	ND
Soluble Barium (Ba)	1000	mg/kg	10	ND	ND	ND
Soluble Cadmium (Cd)	75	mg/kg	5	ND	ND	ND
Soluble Chromium (Cr)	60	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	60	mg/kg	5	ND	ND	ND
Soluble Selenium (Se)	500	mg/kg	10	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>005</u>	<u>006</u>	<u>007</u>
Soluble Lead (Pb)	90	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	60	mg/kg	5	ND	ND	ND
Soluble Arsenic (As)	25	mg/kg	2.5	ND	ND	ND
Soluble Barium (Ba)	1000	mg/kg	10	ND	ND	ND
Soluble Cadmium (Cd)	75	mg/kg	5	ND	ND	ND
Soluble Chromium (Cr)	60	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	60	mg/kg	5	ND	ND	ND
Soluble Selenium (Se)	500	mg/kg	10	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>008</u>	<u>009</u>	<u>010</u>
Soluble Lead (Pb)	90	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	60	mg/kg	5	ND	ND	ND
Soluble Arsenic (As)	25	mg/kg	2.5	ND	ND	ND
Soluble Barium (Ba)	1000	mg/kg	10	ND	ND	ND
Soluble Cadmium (Cd)	75	mg/kg	5	ND	ND	ND
Soluble Chromium (Cr)	60	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	60	mg/kg	5	ND	ND	ND
Soluble Selenium (Se)	500	mg/kg	10	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions (Terms-en-Documents aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document to advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appoarance of this document is unlawful and effonder may be precounted to the fullicot storted in the law. Unloce otherwise catacid the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention of the document of the document of the law of the produce of the company of the company and the company are retained for 30 days only.

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

f (86-21) 6115 6899



**Test Report** Page 11 of 16 No.: SHHL2003506997TY Date: APR. 03, 2020

Test Itom(s)	Limit	Lloit	MDI	011	012	012
Test Item(s)	<u>Limit</u> 90	<u>Unit</u>	MDL 5	<u>011</u> ND	<u>012</u>	<u>013</u> ND
Soluble Lead (Pb)		mg/kg	5		ND	
Soluble Antimony (Sb)	60	mg/kg	5	ND	ND	ND
Soluble Arsenic (As)	25	mg/kg	2.5	ND	ND	ND
Soluble Barium (Ba)	1000	mg/kg	10	ND	ND	ND
Soluble Cadmium (Cd)	75	mg/kg	5	ND	ND	ND
Soluble Chromium (Cr)	60	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	60	mg/kg	5	ND	ND	ND
Soluble Selenium (Se)	500	mg/kg	10	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>014</u>	<u>015</u>	<u>016</u>
Soluble Lead (Pb)	90	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	60	mg/kg	5	ND	ND	ND
Soluble Arsenic (As)	25	mg/kg	2.5	ND	ND	ND
Soluble Barium (Ba)	1000	mg/kg	10	ND	ND	ND
Soluble Cadmium (Cd)	75	mg/kg	5	ND	ND	ND
Soluble Chromium (Cr)	60	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	60	mg/kg	5	ND	ND	ND
Soluble Selenium (Se)	500	mg/kg	10	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>017</u>	<u>018</u>	<u>019</u>
Soluble Lead (Pb)	90	mg/kg	5	ND	-	-
Soluble Antimony (Sb)	60	mg/kg	5	ND	-	-
Soluble Arsenic (As)	25	mg/kg	2.5	ND	-	-
Soluble Barium (Ba)	1000	mg/kg	10	ND	-	-
Soluble Cadmium (Cd)	75	mg/kg	5	ND	-	-
Soluble Chromium (Cr)	60	mg/kg	5	ND	-	-
Soluble Mercury (Hg)	60	mg/kg	5	ND	-	-
Soluble Selenium (Se)	500	mg/kg	10	ND	-	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document tadvised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offender may be procedured to the fullicet started in the law. Unload otherwise cataed the results that the full the supplice of the sample(s) least and such sample(s) are retained for 30 days only.

or email: \*\*Checked\*\*\*Costae\*\*\*.

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661 f (86-21) 6115 6899



Test Report	No.: SHHL2003506997TY	Date:	APR. 03	2020		Page 12 of 16
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>020</u>	<u>021</u>	<u>022</u>
Soluble Lead (Pb)	90	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	60	mg/kg	5	ND	ND	ND
Soluble Arsenic (As)	25	mg/kg	2.5	ND	ND	ND
Soluble Barium (Ba)	1000	mg/kg	10	ND	ND	ND
Soluble Cadmium (Cd)	75	mg/kg	5	ND	ND	ND
Soluble Chromium (Cr)	60	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	60	mg/kg	5	ND	ND	ND
Soluble Selenium (Se)	500	mg/kg	10	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>023</u>	<u>024</u>	<u>026</u>
Soluble Lead (Pb)	90	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	60	mg/kg	5	ND	ND	ND
Soluble Arsenic (As)	25	mg/kg	2.5	ND	ND	ND
Soluble Barium (Ba)	1000	mg/kg	10	ND	ND	ND
Soluble Cadmium (Cd)	75	mg/kg	5	ND	ND	ND
Soluble Chromium (Cr)	60	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	60	mg/kg	5	ND	ND	ND
Soluble Selenium (Se)	500	mg/kg	10	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>027</u>	<u>028</u>	<u>029</u>
Soluble Lead (Pb)	90	mg/kg	5	ND	ND	ND
Soluble Antimony (Sb)	60	mg/kg	5	ND	ND	ND
Soluble Arsenic (As)	25	mg/kg	2.5	ND	ND	ND
Soluble Barium (Ba)	1000	mg/kg	10	ND	ND	ND
Soluble Cadmium (Cd)	75	mg/kg	5	ND	ND	ND
Soluble Chromium (Cr)	60	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	60	mg/kg	5	ND	ND	ND
Soluble Selenium (Se)	500	mg/kg	10	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (rigery or falsification of the content or appearance of this document is unlawful and offenders may be proceduted to the fullest extent of the law. Unlose otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661 f (86-21) 6115 6899



Test Report No.: SHHL2003506997TY Date: APR. 03, 2020 Page 13 of 16

#### Notes:

- (1) Results shown are of the adjusted analytical results
- (2) Mass of trace amount of sample 010 is 38.7 mg, sample 011 is 47.5 mg, sample 012 is 22.5 mg, sample 017 is 55.4 mg, sample 022 is 32.4 mg, sample 023 is 16.4 mg, sample 024 is 50.4 mg, sample 029 is 21.1 mg.
- (3) As received, the test portion of samples 018-019 from one whole sample are less than 10mg, therefore such components were not tested for certain migration elements, as specified in ASTM F963-17 Clause 8.3.3.6 (2) Selection of Test Portions

## CPSIA section 101(f) - Lead in paint/similar surface coating material

Test Method: CPSC Test Method: CPSC-CH-E1003-09.1 'Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings'

Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 0.009	<u>Unit</u> %	MDL 0.002	<u>001</u> ND <b>PASS</b>	<u>007</u> ND <b>PASS</b>	<u>010</u> ND <b>PASS</b>
Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 0.009	<u>Unit</u> %	MDL 0.002	<u>011</u> ND <b>PASS</b>	<u>012</u> ND <b>PASS</b>	<u>017</u> ND <b>PASS</b>
Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 0.009	<u>Unit</u> %	MDL 0.002	<u>018</u> ND <b>PASS</b>	<u>019</u> ND <b>PASS</b>	<u>023</u> ND <b>PASS</b>
Test Item(s) Lead (Pb) Conclusion	<u>Limit</u> 0.009	<u>Unit</u> %	MDL 0.002	<u>024</u> ND <b>PASS</b>	<u>029</u> ND <b>PASS</b>	

## CPSIA section 101(a)(2) - Lead in accessible substrate materials

Test Method: CPSC Test Method: CPSC-CH-E1002-08.3 'Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product'

Conclusion				PASS	<b>PASS</b>	PASS
Lead (Pb)	0.01	%	0.002	ND	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>003</u>	<u>004</u>	<u>005</u>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for electronic Documents as the Terms and Conditions for Electronic Documents as the Terms and Conditions for Electronic Documents as the Terms and Conditions for the Company's conditions for the Company's activated that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and effenders may be preceduted to the fullest extent of the law. Unlose otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please centeur us at telephone; (86-755) 8307 1443,

4<sup>th</sup> Bullding, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐江区宜山路889号4号楼 邮编: 200233 

Test Report	rt No.: SHHL2003506997TY		e: APR. 03	Page 14 of 16			
•							
Test Item(s)	<u>Lim</u>	<u>it Unit</u>	MDL	<u>006</u>	<u>008</u>	<u>009</u>	
Lead (Pb)	0.01	%	0.002	ND	ND	ND	
Conclusion				PASS	PASS	PASS	
Test Item(s)	<u>Lim</u>	<u>it Unit</u>	MDL	<u>016</u>	<u>020</u>	<u>021</u>	
Lead (Pb)	0.01	%	0.002	ND	ND	ND	
Conclusion				PASS	PASS	PASS	
Test Item(s)	<u>Lim</u>	<u>it Unit</u>	MDL	<u>022</u>	<u>026</u>	<u>027</u>	
Lead (Pb)	0.01	%	0.002	ND	ND	ND	
Conclusion				PASS	PASS	PASS	
Test Item(s)	<u>Lim</u>	<u>it</u> <u>Unit</u>	MDL	<u>028</u>			
Lead (Pb)	0.01	%	0.002	ND			
Conclusion				PASS			

## Notes:

Limit applies to a children's product manufactured after 14 August 2011 (Public Law 112-28 (HR 2715, 112th Congress) amending CPSIA)

## CPSIA section 101(a)(2) - Lead in accessible substrate materials

Test Method: CPSC Test Method: CPSC-CH-E1001-08.3 `Standard Operating Procedure for Determining Total Lead (Pb) in Children`s Metal Products (Including Children`s Metal Jewelry)`.

Conclusion				PASS	PASS
Lead (Pb)	0.01	%	0.002	ND	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>	<u>025</u>

#### Notes:

Limit applies to a children's product manufactured after 14 August 2011 (Public Law 112-28 (HR 2715, 112th Congress) amending CPSIA)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.aga.com/en/Terms-and-Conditions, agay, and, for electronic format documents, stable to Temps and Conditions for Electronic Documents at http://www.aga.com/en/Terms-and-conditions/prints-bocuments.agay. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unlowful and offenders may be precounted to the fullions tont of the law. Unloce otherwise obtated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing rinsepection report 2 certificate, please contact as at telephone: (86-755) 8307 1443,

or email: CN.Doccheck@sgs.com 4<sup>th</sup> Bullding, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐江区宜山路889号4号楼 邮編: 200233 

Test Report No.: SHHL2003506997TY Date: APR. 03, 2020 Page 15 of 16

#### Remark:

(1)The test results 001-006,013-017,021,024,026-029 are taken from report SHA20-041535.001-006,013-017,021,024,025-028.

(2) The test results 007-008,010-012,018-019,022 are taken from report SHA20-027733.008,023,006,014,007,015,010,018.

- (3) The test results 009 are taken from report SHA19-291242.007.
- (4) The test results 020 are taken from report SHA20-012737.015.
- (5) The test results 023 are taken from report SHA20-000525.006.

#### Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The declaration of conformity is based on non-binary acceptance decision rules with guard band, and the guard band length parameter is 0 (w). When the measured value falls in the guard band limit, the declaration of conformity is "Conditional PASS" or "Conditional FAIL".

## Sample Photo:





4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233

中国・上海・徐汇区宜山路889号4号楼 邮编: 200233



**Test Report** No.: SHHL2003506997TY Date: APR. 03, 2020 Page 16 of 16



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agy, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.agy">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.agy</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or flashification of the content or appearance of this document is unlawful and offenders may be proceduted to the fullest extent of the law. Unlose otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only only to the sample(s) tested and such sample(s) are retained for 30 days only and the sample(s) are retained for 30 days only and such sample(s) are retained for 30 days only and such sample(s) are retained for 30 days only and such sample(s) are retained.

or email: CN. Doccheck@sgs.com 4<sup>th</sup> Bullding, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国 - 上海 - 徐汇区宜山路889号4号楼 邮编: 200233

t (86) 400 960 9661 t (86) 400 960 9661 f (86-21) 6115 6899 f (86-21) 6115 6899