



Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 1 of 43

Applicant :	CARPENTERS MANUFACTORY LIMITED
Address:	HUANG JIN JI INDUSTRIAL ZONE, SHANG JIE VILLAGE, QI SHI TOWN, DONG GUAN CITY, GUANG DONG PROVINCE, P.R.CHINA
The following sample(s) and	d sample information was/were submitted and identified by client as:
Sample Name:	Wall Element - Life Cycle of a Human
Model/Style/Item #:	ME15730
Labeled Age Grading:	3y+
Requested Age Grading:	3y+
Tested Age Grading:	3y+
Receiving Date:	11-Mar-2024
Test Period:	From 11-Mar-2024 to 10-Apr-2024
Add Information:	
* * * * * * * * * * * * * * * * *	* * * Please refer to the following page for detailed results * * * * * * * * * * * * * * * * * *

TES Signed for and on behalf of STS Mark Mai **TESTING SERVICES** (Technical Director)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 2 of 43

Test Summary:

#	Test Item(s)	Reference Standard/Method	Result
1	Safety of Toys: Mechanical and Physical Properties	EN 71-1:2014+A1:2018	PASS
2	Safety of Toys: Flammability	EN 71-2:2020	PASS
3	Safety of Toys: Migration of Certain Elements	EN 71-3:2019+A1:2021	PASS
4	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
5	Phthalate content (DIBP、DEHP、DBP、BBP、 DINP、DIDP、DNOP) -Item 51&52 of Annex XVII of REACH Regulation (EC) 1907/2006.	EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS	PASS
6	Cadmium content -Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006	IEC 62321-5:2013, determined by AAS	PASS
7	Mechanical and Physical Propertie (Except Clause 4.25)	ASTM F963-17	PASS
8	Flammability of Solids	16 CFR 1500.44 / ASTM F963-17, A5	PASS
9	Soluble Migrated Elements ASTM F963-17	ASTM F963-17, determined by ICP-OES	PASS
10	Lead Content (Pb) ASTM F963-17	CPSC-CH-E1001-08.3 (Metal Substrate),CPSC-CH-E1002-08.3 (Non- metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS	PASS
11	Lead Content (Pb) CPSIA H.R. 4040 Sec. 101	CPSC-CH-E1001-08.3 (Metal Substrate),CPSC-CH-E1002-08.3 (Non- metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS	PASS
12	Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP) - CPSIA H.R. 4040 Sec. 108	CPSC-CH-C1001-09.4, Solvent extract and determined by GC/MS	PASS
13	Mechanical and Physical Properties (Except Clause 3)	SOR/2011-17	PASS
14	Flammability	SOR/2011-17	PASS
15	Lead Content (Pb) and Mercury Content (Hg) SOR/2011-17	Canada Product Safety Laboratory Book 5 - Laboratory Policies and Procedures Part B,Test Methods Section, Method C02.2:2017&Method C-07:2019	PASS
16	Soluble Migrated Elements SOR/2011-17	Canada Product safety reference manual Book 5- Laboratory policies and procedures Part B: Test Methods Section, Method C-03: 2018	PASS
17	Phthalates (DBP, BBP, DEHP, DNOP, DINP, DIDP) SOR/2016-188	Canada health - Product Safety Reference Manual, Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section. Method C-34:2018, Solvent extract and determined by GC/MS	PASS

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 3 of 43

PASS

中国认可 国际互认 检测 TESTING CNAS L11364

18	Mechanical and Physical Propertie - Australian/New Zealand Standard on Safety of Toys	AS/NZS ISO 8124.1:2019	PASS
19	Flammability Properties - Australian/New Zealand Standard on Safety of Toys	AS/NZS 8124.2:2016	PASS
20	Soluble elements Content- Australian/New Zealand Standard on Safety of Toys	AS/NZS ISO 8124.3:2021,determined by ICP	PASS
21	Phthalates content- As Client's Requirement	CPSC-CH-C1001-09.4, determined by GC- MS	PASS
22	Lead Content (Pb) - 16 CFR 1303	CPSC-CH-E1003-09.1(Surface Coating) ,determined by AAS	PASS

Result:

1. Safety of Toys: Mechanical and Physical Properties – EN 71-1:2014+A1:2018

Clause	Parameter	Results		
4	General requirements			
4.1	Material cleanliness	Pass		
4.2	Assembly	Pass		
4.3	Flexible plastic sheeting	NA		
4.4	Toy bags	NA		
4.5	Glass	NA		
4.6	Expanding materials	NA		
4.7	Edges	Pass		
4.8	Points and metallic wires	Pass		
4.9	Protruding parts	NA		
4.10	Parts moving against each other	NA		
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA		
4.12	Balloons	NA		
4.13	Cords of toy kites and other flying toys	NA		
4.14	Enclosures	NA		

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 4 of 43

4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	Pass
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirement	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 5 of 43

5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Report No.: STSGZ2403113095E Page 6 of 43 Date: 11-Apr-2024

7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark(s): (a) NA = Not Applicable (b) Clause 4.11, Clause 4.20 and Clause 4.21 are not included in CNAS accreditation scope

Safety of Toys: Flammability - EN 71-2:2020 2.


Clause	Parameter	Results	
4.1	General requirements	Pass	
4.2	Toys to be worn on the head	NA	
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA	
4.4	Toys intended to be entered by a child	NA	
4.5	Soft-filled toys	NA	

Remark(s): (a)NA = Not Applicable

(b)Except for 4.1 Flammable, highly flammable and extremely flammable gases, liquids and gelatinous bodies materials.

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.





中国认可 国际互认 检测 TESTING **CNAS L11364**









Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 7 of 43

3. Safety of Toys: Migration of Certain Elements EN 71-3:2019+A1:2021 General elements determined by ICP-MS Chromium(VI) determined by IC-ICP-MS

Organic tin determined by GC-MS Material RL Limit Category III*1 Compound (mg/kg) (mg/kg) 1 2 3 4 1 Aluminum (AI) N.D. N.D. N.D. N.D. 70000 10 2 N.D. N.D. N.D. N.D. 560 10 Antimony (Sb) 3 Arsenic(As) N.D. N.D. N.D. N.D. 47 5 4 Barium(Ba) N.D. N.D. N.D. N.D. 18750 10 5 Boron (B) N.D. N.D. N.D. N.D. 15000 10 N.D. 5 6 Cadmium (Cd) N.D. N.D. N.D. 17 10 7 Chromium (III) (Cr) N.D. N.D. N.D. N.D. 460 8 Chromium (VI) (Cr) N.D. N.D. N.D. N.D. 0.053 0.053 130 9 Cobalt (Co) N.D. N.D. N.D. N.D. 10 10 Copper (Cu) N.D. N.D. N.D. N.D. 7700 10 11 Lead(Pb) N.D. N.D. N.D. N.D. 23 5 12 Manganese (Mn) 55 48 N.D. N.D. 15000 10 13 Mercury (Hg) N.D. N.D. N.D. N.D. 94 10 14 N.D. N.D. N.D. N.D. 930 10 Nickel (Ni) N.D. 10 15 Selenium(Se) N.D. N.D. N.D. 460 N.D. N.D. 10 16 Strontium (Sr) N.D. N.D. 56000 180000 N.D. N.D. N.D. 4.9 17 Tin (Sn) N.D. N.D.*2 N.D.*2 N.D.*2 N.D.*2 12^{*2} 0.2^{*2} 18 Organic tin (Sn) 19 Zinc (Zn) N.D. 10 1319 269 46000 10 Conclusion PASS PASS PASS PASS _ -

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 8 of 43

				19			
			Mat	erial			
	Compound		Category III ^{*1}			Limit (mg/kg)	RL (mg/kg)
		5	6	7	8		
1	Aluminum (Al)	30	20	N.D.	N.D.	70000	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	10
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	5
4	Barium(Ba)	14	N.D.	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	10
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	5
12	Manganese (Mn)	43	N.D.	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	10
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	10
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	10
16	Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12 ^{*2}	0.2*2
19	Zinc (Zn)	1929	429	128	N.D.	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 9 of 43

	Material				Limit (mg/kg)	RL (mg/kg)	
Compound		Category III*1					
		9	10	11	12		
1	Aluminum (Al)	N.D.	N.D.	N.D.	N.D.	70000	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	10
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	5
4	Barium(Ba)	N.D.	N.D.	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	10
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	5
12	Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	10
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	10
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	10
16	Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12 ^{*2}	0.2*2
19	Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 10 of 43

	Compound Category Ill ^{*1}				RL
	Compound	13	14	(mg/kg)	(mg/kg)
1	Aluminum (Al)	N.D.	N.D.	70000	10
2	Antimony (Sb)	N.D.	N.D.	560	10
3	Arsenic(As)	N.D.	N.D.	47	5
4	Barium(Ba)	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	N.D.	130	10
10	Copper (Cu)	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	23	5
12	Manganese (Mn)	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	94	10
14	Nickel (Ni)	N.D.	N.D.	930	10
15	Selenium(Se)	N.D.	N.D.	460	10
16	Strontium (Sr)	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	12 ^{*2}	0.2 ^{*2}
19	Zinc (Zn)	N.D.	N.D.	46000	10
	Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm (b) RL: Report limit (c) N.D.: Not detected (result is less than RL) *1: Categories of various materials: Category I: Dry, brittle, powder like or pliable material

Category II: Liquid or sticky material

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 11 of 43

Category III: Scraped-off material *2: Expressed as soluble Tributyltin.

4. Safety of Toys:Labeling requirement EN 71- 1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not applicable	- 0
CE mark	Present	Packaging
Importer's Name & Address	Present	Packaging
Manufacturer's Name & Address	Present	Packaging
Product ID	Present	Packaging

Remark(s): 1.According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."

2.CE marking should be visible from outside the packaging and its height must be at least 5mm.

3.Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.

4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

5. The label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

6. This item is not included in CNAS Accreditation scope.

Phthalate content (DIBP、DEHP、DBP、BBP、DINP、DIDP、DNOP) - Item 51& 52 of Annex XVII of REACH Regulation (EC) 1907/2006 EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS

				Mat	Limit	RL (%)		
	Compound		2 3 4	4	5		(%)	
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	-	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	-	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	- (0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Date: 11-Apr-2024

Page 12 of 43

			(
DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	-	0.005
DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.		0.005
DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.		0.005
Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	-
Sum of	5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	-
Conclu	sion	PASS	PASS	PASS	PASS	-	-
	DINP DIDP Sum of Sum of	DNOP CAS# 117-84-0 DINP Di-iso-nonyl phthalate CAS# 28553-12-0 DIDP Diisodecyl phthalate	DNOPCAS# 117-84-0N.D.DINPDi-iso-nonyl phthalate CAS# 28553-12-0N.D.DIDPDiisodecyl phthalate CAS# 26761-40-0N.D.Sum of 1, 2, 3 & 4N.D.Sum of 5, 6 & 7N.D.	DNOP CAS# 117-84-0 N.D. N.D. DINP Di-iso-nonyl phthalate CAS# 28553-12-0 N.D. N.D. DIDP Diisodecyl phthalate CAS# 26761-40-0 N.D. N.D. Sum of 1, 2, 3 & 4 N.D. N.D. Sum of 5, 6 & 7 N.D. N.D.	DNOP CAS# 117-84-0 N.D. N.D. N.D. DINP Di-iso-nonyl phthalate CAS# 28553-12-0 N.D. N.D. N.D. DIDP Diisodecyl phthalate CAS# 26761-40-0 N.D. N.D. N.D. Sum of 1, 2, 3 & 4 N.D. N.D. N.D. Sum of 5, 6 & 7 N.D. N.D. N.D.	DNOP CAS# 117-84-0 N.D. N.D. N.D. N.D. DINP Di-iso-nonyl phthalate CAS# 28553-12-0 N.D. N.D. N.D. N.D. DIDP Disodecyl phthalate CAS# 26761-40-0 N.D. N.D. N.D. N.D. Sum of 1, 2, 3 & 4 N.D. N.D. N.D. N.D. Sum of 5, 6 & 7 N.D. N.D. N.D. N.D.	DNOP CAS# 117-84-0 N.D. N.D. N.D. N.D. - DINP Di-iso-nonyl phthalate CAS# 28553-12-0 N.D. N.D. N.D. N.D. - DIDP Disodecyl phthalate CAS# 26761-40-0 N.D. N.D. N.D. N.D. - Sum of 1, 2, 3 & 4 N.D. N.D. N.D. N.D. 0.1 Sum of 5, 6 & 7 N.D. N.D. N.D. N.D. 0.1

	C			Mat	erial		Limit	RL
		ompound	6	7	8	9	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	- (0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	<u> </u>	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	-	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	-	0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	_	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	-	0.005
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	-
9	Sum of	5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	- (
-	Conclu	sion	PASS	PASS	PASS	PASS	-	-

	Compound			Mat	Limit	RL		
		ompound	10	11	12	13	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	-	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	-	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	- /	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	- (0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	-	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 13 of 43

	Conclu	sion	PASS	PASS	PASS	PASS	-	-
9	Sum of	5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	-
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	-
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.		0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	-	0.005

	0.			Mat	erial		Limit	RL
	U	ompound	14	17	18	19	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	-	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	- (0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	<u> </u>	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	-	0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	-	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	_	0.005
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	-
9	Sum of	5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	-
	Conclu	sion	PASS	PASS	PASS	PASS	-	-

	Compound			Mat		Limit	RL	
			20	21	21 22		(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.		0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	-	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	-	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	- (0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	-	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 14 of 43

7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	-	0.005
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	-
9	Sum of	5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	-
	Conclu	ision	PASS	PASS	PASS	PASS	-	-

	C	ompound	Material	Limit	RL
		Jinpounu	24	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	-	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	-	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	- (0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	<u> </u>	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	-	0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	-	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	-	0.005
8	Sum of	1, 2, 3 & 4	N.D.	0.1) <u>-</u>
9	Sum of	5, 6 & 7	N.D.	0.1	-
	Conclu	sion	PASS	-	-

Remark(s): (a) RL: Report limit

(b) N.D.: Not detected (result is less than RL)



6. Cadmium content - Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006 IEC 62321-5:2013, determined by AAS

	O a man a mad		Material				
	Compound	3	4	5	6	(mg/kg)	RL (mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	1000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





REPORT TEST

Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 15 of 43

	Compound	Material	Limit	RL
	Compound	7	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	1000	10
	Conclusion	PASS	-	-

	Compound			Mate	Limit	RL		
			2	8	9	10	(mg/kg)	(mg/kg)
	1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
Å		Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mat	erial		Limit	RL
	Compound	11	12	13	14	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

Compound			Mate	Limit	RL		
	Compound	17	18	19	20	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mat	Limit	RL		
	Compound	21	22	23	24	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

Remark(s): (a) RL: Report limit (b) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

PASS

7. Mechanical and Physical Properties – ASTM F963-17

Clause	Parameter	Results
4	Safety Requirements	
4.1	Material Quality	Pass
1.2	Flammability	NA
.4	Electrical / Thermal Energy	NA
.5	Sound-Producing Toys	Pass
ŀ.6	Small Objects	NA
.7	Accessible Edges	Pass
.8	Projections	NA
.9	Accessible Points	Pass
.10	Wires or Rods	NA
11	Nails and Fasteners	Pass
.12	Plastic Film	NA
.13	Folding Mechanisms and Hinges	NA
.14	Cords, Straps, and Elastics	NA
.15	Stability and Over-Load Requirements	NA
.16	Confined Spaces	NA
.17	Wheels, Tires, and Axles	NA
.18	Holes, Clearance, and Accessibility of Mechanisms	NA
.19	Simulated Protective Devices	NA
.20	Pacifiers	NA
.21	Projectile Toys	NA
.22	Teethers and Teething Toys	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Date: 11-Apr-2024

Page 17 of 43

4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-operated Toys	NR
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapments in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labeling Requirements	
5.1	Federal Government Requirements	NA
5.2	Age Grading Labeling	Pass
5.3	Safety Labeling Requirements	Pass
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 18 of 43

5.6	Mobiles	NA
5.7	Stroller and Carriage Toys	NA
5.8	Toys Intended to be Assembled by an Adult	Pass
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Toy Caps	NA
5.13	Art Materials	NA
5.14	Electric Toys	NA
5.16	Promotional Materials	Pass
5.17	Magnets	NA
6	Instructional Literature	
6.1	Definition and Description	Pass
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled by an Adult	Pass
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
7	Producer's Markings	Pass
8	Test Methods	
8.5	Normal Use Testing	Pass
8.6	Abuse Testing	Pass
8.7	Impact Tests	Pass
8.8	Torque Tests for Removal of Components	Pass
8.9	Tension Tests for Removal of Components	Pass

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

REPORT TEST

中国认可 国际互认 检测 TESTING CNAS L11364

Report No.: STSGZ2403113095E

Date: 11-Apr-2024

PASS

8.10	Compression Tests	Pass

Remark(s): (a) NA = Not Applicable

(b) NR = Not requested by the client

(c) Clause 4.4, Clause 4.5, Clause 4.25, Clause 4.29, Clause 4.37 and Clause 4.40 are not included in CNAS Accreditation scope.

Flammability of Solids - 16 CFR 1500.44 / ASTM F963-17, A5 8.

Clause	Parameter	Results
16 CFR 1500.44 / ASTM F963-17, A5	Flammability	Pass

9. **Soluble Migrated Elements** ASTM F963-17, determined by ICP-OES

	0 - mar - mad		Mate	erial		Limit	RL
	Compound	1	2	3	4	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mat	Limit	RL		
	Compound	5	6	7	8	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 20 of 43

	Conclusion	FA55	FA33	FA33	FA35	-	-
	Conclusion	PASS	PASS	PASS	PASS	_	_
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
3	Barium (Ba)	10	N.D.	N.D.	N.D.	1000	5

	O a man a sun d		Material			Limit	RL
	Compound	9	10	11	12	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	M	Limit	RL	
	Compound	13	14	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	60	5

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Date: 11-Apr-2024

Page 21 of 43

6	Lead (Pb)	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	60	5
8	Selenium (Se) N.D.		N.D.	500	5
	Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

10. Lead Content (Pb) – ASTM F963-17

CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

	Compound	Material				Limit	RL
		3	4	5	6	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Material	Limit	RL
		7	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	90	10
	Conclusion	PASS	-	-

Compound		Material				Limit	RL
		2	8	9	10	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Commound	Material				Limit	RL
	Compound	11	12	13	14	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Date: 11-Apr-2024

Page 22 of 43

 1						
	Compound	Mat	Limit	RL		
	Compound	15	16	(mg/kg)	(mg/kg)	
1	Lead (Pb)	N.D.	N.D.	100	10	
	Conclusion	PASS	PASS	-	-	

Remark(s): (a) mg/kg: milligram per kilogram

(b) RL: Report limit(c) N.D.: Not detected (result is less than RL)

11. Lead Content (Pb) - CPSIA H.R. 4040 Sec. 101 CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

	Compound		Material				RL
		3	4	5	6	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Material 7	Limit (mg/kg)		
1	Lead (Pb)	N.D.	90	10	
	Conclusion	PASS	-	-	

W	Compound		Material				Limit	RL
			2	8	9	10	(mg/kg)	(mg/kg)
	1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
		Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Material				Limit	RL
	Compound	11	12	13	14	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Date: 11-Apr-2024

Page 23 of 43

_							
		Compound	Mat	Limit	RL		
		Compound	15	16	(mg/kg)	(mg/kg)	
	1	Lead (Pb)	N.D.	N.D.	100	10	
		Conclusion	PASS	PASS	-	-	

Remark(s): (a) mg/kg: milligram per kilogram

(b) RL: Report limit
(c) N.D.: Not detected (result is less than RL)

12. Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP) - CPSIA H.R. 4040 Sec. 108 CPSC-CH-C1001-09.4, Solvent extract and determined by GC/MS

	Com			Mate	erial		L :::::: (0/)	
	Com	Compound	2	3	4	5	– Limit (%)	RL (%)
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DCHP	Dicycphexyl Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclus	on	PASS	PASS	PASS	PASS	-	-

	Compound		Material				Limit (%)	BL (9/)
Compound		6	7	8	9	LIIIII (76)	RL (%)	
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 24 of 43

	1	1					1	
4	DHEXP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DCHP	Dicycphexyl Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclusi	on	PASS	PASS	PASS	PASS	-	-

	Compound			Mat	erial		– Limit (%)	RL (%)
			10	11	12	13		
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DCHP	Dicycphexyl Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclusi	ion	PASS	PASS	PASS	PASS	-	-
				177				X

	Com		Material		
	Com	ound	14	- Limit (%)	RL (%)
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	0.1	0.005
2	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl phthalate CAS# 131-18-0	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	0.1	0.005
5	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	0.1	0.005
6	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

Report No.: STSGZ2403113095E Date: 11-Apr-2024 Page 25 of 43 Dicycphexyl DCHP 7 Phthalate N.D. 0.1 0.005 CAS# 84-61-7 Diisononylphthalate 8 DINP N.D. 0.1 0.005 CAS# 28553-12-0

Remark(s): (a) RL: Report limit

3

4

7

8

9

10

11

12

13

14

15

16

17

18

19

28

29

Conclusion

(b) N.D.: Not detected (result is less than RL)

Mechanical and Physical Properties - SOR/2011-17 13.

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

mail	stsgz@stsapp.com	

Clause Parameter Results NR Official languages Flexible film bags Pass NA Small parts Metal edges Pass Wire frames NA Plastic edges Pass Wood Pass Glass NA Fasteners Pass Safety stops or locking devices NA Spring-wound driving mechanisms NA NA Projectile components Enclosures NA Stability NA **Decibel limit** Pass Dolls, plush toys and soft toys - Fastenings NA Dolls, plush toys and soft toys - Stuffing NA









PASS

-

REPORT TEST

Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 26 of 43

PASS

中国认可 国际互认 检测 TESTING **CNAS L11364**

30	Dolls, plush toys and soft toys – Small parts	NA
31	Dolls, plush toys and soft toys – Eyes and noses	NA
35	Plant seeds – Noise	NA
36	Plant seeds – stuffing material	NA
37	Pull and push toys	NA
38	Toys steam engines	NA
39	Finger paints	NA
40	Rattles	NA
41	Elastics	NA
42	Yo-yo type balls	NA
43	Magnetic toys	NA

Remark(s):

(a) NA = Not Applicable
(b) NR = Not Required
(c) Clause 4.38 is not included in CNAS accreditation scope

14. Flammability - SOR/2011-17

Clause	Parameter	Results
21	Celluloid or cellulose nitrate	Pass
32	Dolls, plush toys and soft toys – Flammability of outer covering	NA
33	Dolls, plush toys and soft toys – Flammability of yarn	NA
34	Dolls, plush toys and soft toys – Flammability of hair or mane	NA





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 27 of 43

15. Lead Content (Pb) and Mercury Content (Hg)

Canada Product Safety Laboratory Book 5 - Laboratory Policies and Procedures Part B, Test Methods Section, Method C02.2:2017&Method C-07:2019

			Mat	erial		Limit	RL	
Compound		3	4	5	6	(mg/kg)	(mg/kg)	
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10	
2	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	Not Detected	5	
	Conclusion	PASS	PASS	PASS	PASS	-	-	

1	Compound —		Material	Limit	RL
		p	7	(mg/kg)	(mg/kg)
	1	Lead (Pb)	N.D.	90	10
	2	Mercury (Hg)	N.D.	Not Detected	5
		Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm

(b) RL: Report limit(c) N.D.: Not detected (result is less than RL)

(d) This item is not included in CNAS Accreditation scope.

(u) This item is not included in CNAS Accreditation scope.

16. Soluble Migrated Elements- SOR/ 2011 - 17

Canada Product safety reference manual Book 5- Laboratory policies and procedures Part B: Test Methods Section, Method C-03: 2018, determined by ICP-OES

	Compound		Material				
	Compound	3	4	5	6	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	1000	5
2	Arsenic (As)	5	N.D.	N.D.	N.D.	1000	2
3	Barium (Ba)	N.D.	N.D.	12	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	1000	5
5	Selenium (Se)	28	N.D.	N.D.	N.D.	1000	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Date: 11-Apr-2024

Page 28 of 43

	O a man a sum d	Material	Limit	RL
	Compound	7	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	1000	5
2	Arsenic (As)	N.D.	1000	2
3	Barium (Ba)	N.D.	1000	5
4	Cadmium (Cd)	N.D.	1000	5
5	Selenium (Se)	N.D.	1000	5
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

(d) This item is not included in CNAS Accreditation scope.

17. Phthalates – (DBP, BBP, DEHP, DNOP, DINP, DIDP)

Canada health - Product Safety Reference Manual, Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section. Method C-34:2018, Solvent extract and determined by GC/MS, solvent extract and determined by GC/MS

	Compound			Mat	erial					
			3	4	5	6	– Limit (%)	RL (%)		
1	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
2	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
3	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
4	DNOP	Di-n-octylphthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
5	DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
6	DIDP	Diisodecylphthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
	Conclu	sion	PASS	PASS	PASS	PASS	-	-		
		\geq								

	Compound			Mat		- 1 imit (%)	DI (9/)	
			7	8	9	10	Limit (%)	RL (%)
1	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 29 of 43

				6				
3	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DNOP	Di-n-octylphthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Diisodecylphthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclusion		PASS	PASS	PASS	PASS	-	-

	Compound			Mat		Limit (%)	DI (0/)	
	CON	ipound	11	12	13	14	Limit (%)	RL (%)
1	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DNOP	Di-n-octylphthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Diisodecylphthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclusion		PASS	PASS	PASS	PASS	-	-

	Compound			Material				
Compound			17	18	19	20	Limit (%)	RL (%)
1	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DNOP	Di-n-octylphthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Diisodecylphthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
Conclusion		PASS	PASS	PASS	PASS	-	-	

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 30 of 43

中国认可 国际互认 检测 TESTING CNAS L11364

0				Mat	erial		1 implif (0())	
Compound		21	22	23	24	- Limit (%)	RL (%)	
1	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DNOP	Di-n-octylphthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Diisodecylphthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclusion		PASS	PASS	PASS	PASS	-	-

Remark(s): (a) RL: Report limit

(b) N.D.: Not detected (result is less than RL)

(c) This item is not included in CNAS Accreditation scope.

18. Mechanical and Physical Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS ISO 8124.1:2019

Section	Testing Items	Assessment
4	Requirements	
4.1	Normal use	Pass
4.2	Reasonably foreseeable abuse	Pass
4.3	Material	Pass
4.4	Small parts	NA
4.5	Shape, size, and strength of certain toys	NA
4.6	Edges	Pass
4.7	Points	Pass
4.8	Projections	NA
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in packaging and in toys	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 31 of 43

Section	Testing Items	Assessment
4.11	Cords and elastics	NA
4.12	Folding mechanisms	NA
4.13	Holes, clearances and accessibility of mechanisms	NA
4.14	Springs	NA
4.15	Stability and overload requirements	NA
4.16	Enclosures	NA
4.17	Simulated protective equipment, such as helmets, hats and goggles.	NA
4.18	Projectile toys	NA
4.19	Rotors and propellers	NA
4.20	Aquatic toys	NA
4.21	Braking	NA
4.22	Toy bicycles	NA
4.23	Speed limitation of electrically driven ride-on toys	NA
4.24	Toys containing a heat source	NA
4.25	Liquid-filled toys	Pass
4.26	Mouth-actuated toys	NA
4.27	Toy roller skates, toy inline skates and toy skateboards	NA
4.28	Percussion caps	NA
4.29	Acoustic requirements	Pass
4.30	Toy scooters	NA
4.31	Magnets and magnetic components	NA
В	Safety-labeling guidelines and manufacturer's markings	
B.1	General	Pass
B.2	Safety-labeling guidelines	Pass
B.3	Instructional literature	Pass

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.



Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 32 of 43

Section	Testing Items	Assessment
	Manufacturer's markings	Pass
B.4	The name, trademark or mark of the manufacturer or the distributor	Pass
	The address of the manufacturer or the distributor	Pass

Remark(s): (a) NA = Not Applicable

(b) Clause 4.17, Clause 4.24 and Clause 4.28 are not included in CNAS accreditation scope

19. Flammability Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.2:2016

Section	Testing Items		Assessment
4.1	General requirement		Pass
4.2	Toys to be worn on the head		NA
4.3	Toy disguise costumes and toys intended to be worn by a	child in a play	NA
4.4	Toys intended to be entered by a child		NA
4.5	Soft-filled toys (animals and dolls, etc.) with a piled or text	ile surface	NA

Remark(s): (a) NA = Not Applicable

(b) Except for 4.1 Flammable, highly flammable and extremely flammable gases, liquids and gelatinous bodies materials.

20. Soluble elements Content- Australian/New Zealand Standard on Safety of Toys AS/NZS ISO 8124.3:2021,determined by ICP

	_		Mat	erial		Limit	RL
	Compound	1	1 2		4	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.



Conclusion



-

-

TEST REPORT

Report No.: STSGZ2403113095E Page 33 of 43 Date: 11-Apr-2024 7 Mercury (Hg) N.D. N.D. N.D. N.D. 60 5 8 Selenium (Se) N.D. N.D. N.D. N.D. 500 5

PASS

PASS

PASS

PASS

	O a mar a mar d		Mat	terial		Limit	RL (mg/kg)
	Compound	5	6	7	8	(mg/kg)	
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	10	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Limit	RL			
	Compound	9	10	11	12	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Date: 11-Apr-2024

Page 34 of 43

	O a man a sum d	Mate	Material				
	Compound	13	14	(mg/kg)	(mg/kg)		
1	Antimony (Sb)	N.D.	N.D.	60	5		
2	Arsenic (As)	N.D.	N.D.	25	2		
3	Barium (Ba)	N.D.	N.D.	1000	5		
4	Cadmium (Cd)	N.D.	N.D.	75	5		
5	Chromium (Cr)	N.D.	N.D.	60	5		
6	Lead (Pb)	N.D.	N.D.	90	5		
7	Mercury (Hg)	N.D.	N.D.	60	5		
8	Selenium (Se)	N.D.	N.D.	500	5		
	Conclusion	PASS	PASS	-	-		

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

21. Phthalates content- As Client's Requirement Refer To CPSC-CH-C1001-09.4, determined by GC-MS

			1					
		N		Mat	Client's			
	Compound		2	3	4	5	Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com



Date: 11-Apr-2024

Page 35 of 43

中国认可 国际互认 检测 TESTING CNAS L11364

				- (
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di- C6-8-branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	N-pentyl-isopentylphthalate O-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclusi	on	PASS	PASS	PASS	PASS	-	-

	0			Mat	terial		Client's	
		ompound	6	7	8	9	Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di- C6-8-branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China

Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699



Date: 11-Apr-2024

Page 36 of 43

中国认可 国际互认 检测 TESTING **CNAS L11364**

	Conclus	ion	PASS	PASS	PASS	PASS	-	-
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	P-pentyl-isopentylphthalate Q-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005

	-			Mat	erial		Client's	
	C	ompound	10	11	12	13	Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di- C6-8-branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	R-pentyl-isopentylphthalate S-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

Phone: +86 (0)20-6664 1688





中国认可 国际互认 检测 TESTING CNAS L11364

TEST REPORT

Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 37 of 43

	Conclus	ion	PASS	PASS	PASS	PASS	-	-
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	1				\geq	1	1	

				Mat	erial		Client's	
	C	ompound	14	17	18	19	Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di- C6-8-branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	T-pentyl-isopentylphthalate U-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	CAS# 84-75-3	PASS	PASS	PASS	PASS	-	-	

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 38 of 43

	0			Mat	erial		Client's Limit (%)	RL (%)		
		ompound	20	21	22	23				
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
10	DIHP	1,2-Benzenedicarboxylic acid, di- C6-8-branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
11	DHNUP	1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
14	PIPP	V-pentyl-isopentylphthalate W-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
	Conclusio	on	PASS	PASS	PASS	PASS	-	-		

	с	ompound	Material 24	Client's Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 39 of 43

中国认可 国际互认 检测 TESTING **CNAS L11364**

3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di- C6-8-branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	0.1	0.005
14	PIPP	X-pentyl-isopentylphthalate Y-CAS# 776297-69-9	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	0.1	0.005
	Conclusio	on	PASS	-	-

Remark(s): (a) RL: Report limit

(c) N.D.: Not detected (result is less than RL) (c) Only DBP/DIBP/DPP/DNHP/DEHP/BBP/DINP are included in CNAS accreditation scope.

Lead Content (Pb) - 16 CFR 1303 22. CPSC-CH-E1003-09.1(Surface Coating) ,determined by AAS

_							
	Compound	Material					
	Compound	3	4	5	6	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.



Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 40 of 43

Compound		Material	Limit (mg/kg)	RL (mg/kg)
		7		
1	Lead (Pb)	N.D.	90	10
	Conclusion	PASS	-	-
			-	1

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

Material List:

Material #	Position / Sample Description
1	Brown wood,holder
2	Brown plywood,board
3	Transparent coating,board
4	Dark blue coating,logo
5	Red coating,logo
6	Dark green coating,logo
7	Multicolor coating,pattern
8	Transparent plastic, plate
9	Transparent soft plastic, plate
10	Light brown plastic,holder
11	Transparent plastic,cover
12	Orange plastic, button
13	Brown plastic,battery box
14	Black plastic,switch
15	Silvery metal,small screw
16	Silvery metal,screw

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 41 of 43

中国认可 国际互认 检测 TESTING CNAS L11364

17	Translucent white plastic, plate	
18	White printed black soft plastic, wire jacket	
19	Black printed red soft plastic, wire jacket	
20	Dark red plastic,connection	
21	White printed brown PCB	
22	Black plastic,button	1
23	Matt-white plastic,screw holder	
24	White foam with glue, washer	

Photo(s):



This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

Report No.: STSGZ2403113095E

Date: 11-Apr-2024

Page 42 of 43

中国认可 国际互认 检测 TESTING CNAS L11364




A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2403113095E

Date: 11-Apr-2024



签发测试报告条款

Conditions of Issuance of Test Reports



广州市德普华检测技术有限公司(以下简称[公司])为提供符合下述条款的测试和报告,而接受有关样品和货品。本公司基于下述条款提供服务, 下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。



下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。 All samples and goods are accepted by the Guangzhou Depuhua Test Services Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").

2. 由此测试申请所发出的任何报告(以下简称[报告]),本公司会严格为客户保密。未经本公司的书面同意,报告的整体或部分不得复制,也不得用 于广告或授权的其他用途。然而,客户可以将本公司印制的报告或认可的副本,向其客户、供货商或直接相关的其它人出示或提交。除非相关 政府部门、法律或法规要求,否则未经客户同意,本公司不得将报告内容向任何第三方讨论或披露。

Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it. or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court order.

- 除非相关政府部门、法律或法院要求,否则未经公司预先书面同意,本公司毋需,也并无义务到法院对有关报告作证。
 The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. 除非本公司进行抽样,并已在报告中说明,否则报告中适用于送测的样品(样品信息为客户提供),不适用于批量。 The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.

如果本公司确定报告被不当地使用,本公司保留撤回报告的权利,并有权要求其它适当的额外赔偿。 In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

- 6. 本公司接受样品进行测试的前提是,该测试报告不能作为针对本公司法律行动的依据。 Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 7. 如因使用本公司中心任何报告内的资料,或任何传播信息所描述与之有关的测试或研究导致的任何损失或损害,本公司概不负责。 The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 若需要在法院审理程序或者仲裁过程中使用测试报告,客户必须在提交测试样品前将该意图告知本公司。
 Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 9. 该测试报告的支持数据和信息本公司保存 10 年。个别评审机构有特别要求的,检测数据和报告的保存期可依情况变动。一旦超过上述提交的保存期限,数据和信息将被处理掉。任何情况下,本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害,本公司在任何情况下也不必承担任何损害,包括(但不限于)补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权(包括疏忽)、产品责任或其他原因的惩罚性损害。
 Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.
- 报告的签发记录可通过登录 www.stsgz.com 查询。如需进一步查询报告有效性或核实报告,需与本公司联系。 Issuance records of the Report are available on the internet at www.stsgz.com. Further enquiry of validity or verification of the Report should be addressed to the company.