

Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 1 of 40

Applicant :	CARPENTERS MANUFACTORY LIMITED
Address:	HUANG JIN JI INDUSTRIAL ZONE, SHANG JIE VILLAGE, QI SHI TOWN, DONG GUAN CITY, GUANG DONG PROVINCE, P.R.CHINA
The following sample(s) a	and sample information was/were submitted and identified by client as:
Sample Name:	Wall Element - Human body Systems
Model/Style/Item #:	ME15785
Labeled Age Grading:	3+
Requested Age Grading:	3+
Tested Age Grading:	3+
Receiving Date:	11-May-2021
Test Period:	From 11-May-2021 to 27-May-2021
Add Information:	
****	* * * * * Please refer to the following page for detailed results * * * * * * * * * * * * * * * * *

Signed for and on behalf of STS

TF. **TESTING SERVIO**

Tim Qi (Technical Director)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

 Guangzhou Depuhua Test Services Co. Ltd.

 A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong
 e-mail: stsgz@stsapp.com

 Phone: +86 (0)20-6664 1688
 Fax: +86 (0)20-6664 1699
 Web://www.stsgz.com



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 2 of 40

Test Summary:

#	Test Item(s)	Reference Standard/Method	Result
1	Safety of Toys: Mechanical and Physical Properties	EN 71-1:2014+A1:2018	PASS
2	General labeling requirement(CE marking, manufacturer/importer name and address, and product identification)	2009/48/EC	PASS
3	Safety of Toys: Flammability	EN 71-2:2011+A1:2014	PASS
4	Safety of Toys: Migration of Certain Elements	EN 71-3:2019	PASS
5	Phthalate content (DIBP、DEHP、DBP、BBP、 DINP、DIDP、DNOP) -Item 51&52 of Annex XVII of REACH Regulation (EC) 1907/2006.	EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS	PASS
6	Cadmium content -Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006	IEC 62321-5:2013, determined by AAS	PASS
7	Azo colorants content - Item 43 of Annex XVII of the REACH Regulation (EC) No 1907/2006 & amendment (EC) No 552/2009 and (EU) No 126/2013	ISO 14362-1:2017 & ISO 14362-3:2017, determined by GC/MS and HPLC	PASS
8	Mechanical and Physical Propertie	ASTM F963-17	PASS
9	Flammability of Solids	16 CFR 1500.44 / ASTM F963-17, A5	PASS
10	Soluble Migrated Elements ASTM F963-17	ASTM F963-17, determined by ICP-OES	PASS
11	Lead Content (Pb) ASTM F963-17	CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non- metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS	PASS
12	Lead Content (Pb) CPSIA H.R. 4040 Sec. 101	CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non- metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS	PASS
13	Lead Content (Pb) - 16 CFR 1303	CPSC-CH-E1003-09.1(Surface Coating) ,determined by AAS	PASS
14	Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP)-Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307	BBP, fety CPSC-CH-C1001-09.4, Solvent extract	
15	Mechanical and Physical Properties	SOR/2011-17	PASS
16	Flammability	SOR/2011-17	PASS
17	Lead Content (Pb) and Mercury Content (Hg) SOR/2011-17	SOR/2011-17, determined by ICP-OES	PASS
18	Soluble Migrated Elements SOR/2011-17	SOR/2011-17, determined by ICP-OES	PASS
19	Mechanical and Physical Propertie - Australian/New Zealand Standard on Safety of Toys	AS/NZS 8124.1:2016	PASS
20	Flammability Properties - Australian/New Zealand Standard on Safety of Toys	AS/NZS 8124.2:2016	PASS





Rep	port No.: STSGZ2105113075E	Date: 27-May-2021	Page 3 of 40
21	Soluble elements Content- Australian/New Zealand Standard on Safety of Toys	AS/NZS 8124.3:2012+A1:2016,determined by ICP	PASS
22	Phthalates content- As Client's Requirement	CPSC-CH-C1001-09.4, determined by GC-MS	SEE RESULT

Result:

1. Safety of Toys: Mechanical and Physical Properties – EN 71-1:2014+A1:2018

PASS

Clause	Parameter	Results
4	General requirements	1
4.1	Material cleanliness	Pass
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 4 of 40

4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirement	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 5 of 40

5.14	Straps intended to be worn fully or partially	NA
5.14	around the neck	
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Fax: +86 (0)20-6664 1699

Phone: +86 (0)20-6664 1688

Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 6 of 40

7.21	Toys with electrical cables exceeding 300 mm in length	NA	
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA	
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA	
7.24	Sledges with cords for pulling	NA	
7.25	Flying toys	NA	0
7.26	Improvised projectiles	NA	617

Remark(s): NA = Not Applicable

2. General labeling requirement - 2009/48/EC

Results			
Pass			
Pass			
Pass			

3. Safety of Toys: Flammability – EN 71-2:2011+A1:2014

Clause	Parameter	Results		
4.1	General requirements	Pass		
4.2	Toys to be worn on the head	NA		
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA		
4.4	Toys intended to be entered by a child	NA		
4.5	Soft-filled toys	NA		

Remark(s): NA = Not Applicable

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.



PASS

PASS



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 7 of 40

4. Safety of Toys: Migration of Certain Elements EN 71-3:2019 General elements determined by ICP-MS Chromium(VI) determined by IC-ICP-MS

Organic tin determined by GC-MS Material Limit RL Compound Category III*1 (mg/kg) (mg/kg) 1 2 3 4 N.D. N.D. 70000 10 1 Aluminum (AI) N.D. N.D. 2 Antimony (Sb) N.D. N.D. N.D. N.D. 560 10 3 N.D. N.D. N.D. N.D. Arsenic(As) 47 5 4 Barium(Ba) N.D. N.D. N.D. N.D. 18750 10 5 15000 10 Boron (B) N.D. N.D. N.D. N.D. 5 6 Cadmium (Cd) N.D. N.D. N.D. N.D. 17 7 N.D. N.D. N.D. N.D. 10 Chromium (III) (Cr) 460 8 Chromium (VI) (Cr) N.D. N.D. N.D. N.D. 0.053 0.053 9 Cobalt (Co) N.D. N.D. N.D. N.D. 130 10 10 Copper (Cu) N.D. N.D. N.D. N.D. 7700 10 11 Lead(Pb) N.D. N.D. N.D. N.D. 23 5 12 Manganese (Mn) N.D. N.D. N.D. N.D. 15000 10 13 Mercury (Hg) N.D. N.D. N.D. N.D. 94 10 14 N.D. N.D. N.D. N.D. 930 10 Nickel (Ni) 15 Selenium(Se) N.D. N.D. N.D. N.D. 460 10 16 Strontium (Sr) N.D. N.D. N.D. N.D. 56000 10 17 Tin (Sn) N.D. N.D. N.D. N.D. 180000 4.9 N.D.*2 N.D.*2 N.D.*2 N.D.*2 12^{*2} 0.2*2 18 Organic tin (Sn) 19 N.D. N.D. N.D. N.D. 46000 10 Zinc (Zn) Conclusion PASS PASS PASS PASS _

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 8 of 40

			Mat	erial			
Compound		Category III ^{*1}				Limit (mg/kg)	RL (mg/kg)
		5		7	8		
1	Aluminum (Al)	N.D.	N.D.	N.D.	N.D.	70000	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	10
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	5
4	Barium(Ba)	N.D.	N.D.	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	10
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	5
12	Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	10
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	10
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	10
16	Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12 ^{*2}	0.2*2
19	Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 9 of 40

Compound		Category III*1				Limit	RL
		9	10			(mg/kg)	(mg/kg)
1	Aluminum (Al)	N.D.	N.D.	N.D.	N.D.	70000	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	10
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	5
4	Barium(Ba)	N.D.	N.D.	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	10
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	5
12	Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	10
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	10
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	10
16	Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12 ^{*2}	0.2*2
19	Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 10 of 40

			Mat	erial				
Compound		Category III ^{*1}				Limit (mg/kg)	RL (mg/kg)	
		13		15	15 16			
1	Aluminum (Al)	N.D.	N.D.	N.D.	N.D.	70000	10	
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	10	
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	5	
4	Barium(Ba)	N.D.	N.D.	N.D.	N.D.	18750	10	
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10	
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	5	
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	10	
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.053	
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	10	
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10	
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	5	
12	Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	15000	10	
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	10	
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	10	
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	10	
16	Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	56000	10	
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9	
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12 ^{*2}	0.2*2	
19	Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	46000	10	
	Conclusion	PASS	PASS	PASS	PASS	-	-	





Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 11 of 40

		Material		
	Compound	Category III ^{*1}	Limit (mg/kg)	RL (mg/kg)
		17		
1	Aluminum (Al)	N.D.	70000	10
2	Antimony (Sb)	N.D.	560	10
3	Arsenic(As)	N.D.	47	5
4	Barium(Ba)	N.D.	18750	10
5	Boron (B)	N.D.	15000	10
6	Cadmium (Cd)	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	130	10
10	Copper (Cu)	N.D.	7700	10
11	Lead(Pb)	N.D.	23	5
12	Manganese (Mn)	N.D.	15000	10
13	Mercury (Hg)	N.D.	94	10
14	Nickel (Ni)	N.D.	930	10
15	Selenium(Se)	N.D.	460	10
16	Strontium (Sr)	N.D.	56000	10
17	Tin (Sn)	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	12 ^{*2}	0.2*2
19	Zinc (Zn)	N.D.	46000	10
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)
*1: Categories of various materials:
Category I: Dry, brittle, powder like or pliable material
Category II: Liquid or sticky material
Category III: Scraped-off material

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 12 of 40

*2: Expressed as soluble Tributyltin.

5. Phthalate content (DIBP、DEHP、DBP、BBP、DINP、DIDP、DNOP) - Item 51& 52 of Annex XVII of REACH Regulation (EC) 1907/2006

EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS

		0		Mat		Limit	RL	
		Compound	2	3	4	5	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	-	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	-	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	2 -	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	-	0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.		0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	-61	0.005
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	-
9	Sum of	5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	-
	Conclu	sion	PASS	PASS	PASS	PASS	-	-

		Commound		Mat	Limit	RL		
		Compound	6	7	8	9	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	<u></u>	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	<u> </u>	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	-	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	- (0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	- ~	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	-	0.005

Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 13 of 40

~							
8	Sum of 1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	-
9	Sum of 5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	-
	Conclusion	PASS	PASS	PASS	PASS	-	-

		Osmussud		Mat	erial		Limit	RL
		Compound	10	11	12	13	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	-	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	-	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	- 1	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	2 -	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	-	0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	-	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	-0	0.005
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	2-
9	Sum of	5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	-
	Conclu	sion	PASS	PASS	PASS	PASS	-	-

				Mat		Limit	RL	
		Compound	14	15	16	19	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.		0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	<u> </u>	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	-	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	- (0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	- 4	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	-	0.005
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong

Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699

Repo	ort No.: STSGZ2105113075E		Date: 27-Ma	ay-2021		Pa	ge 14 of 40
				1	1	1	
9	Sum of 5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	-
	Conclusion	PASS	PASS	PASS	PASS	-	-

Remark(s): (a) RL: Report limit

(b) N.D.: Not detected (result is less than RL)

6. Cadmium content -Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006 IEC 62321-5:2013, determined by AAS

		Compound		Mat	Limit	RL		
		Compound	2	3	4	5	(mg/kg)	(mg/kg)
_	1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
		Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mat	erial		Limit	RL
	Compound	6	7	8	9	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mate	erial		Limit	RL
	Compound	10	11	12	13	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mat	erial		Limit	RL
	Compound	14	15	16	19	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 15 of 40

7. Azo colourants content - Item 43 of Annex XVII of REACH Regulation (EC) No 1907/2006 & amendment EC No 552/2009 and (EU) No 126/2013

ISO 14362-1:2017& ISO 14362-3:2017, determined by GC/MS and HPLC

		1		100	
	Compound		Material	Limit	RL
	Compound		(mg/kg)	(mg/kg)	
1	Biphenyl-4-ylamine/4-aminobiphenyl/ Xenylamine CAS#92-67-1		N.D.	30	5
2	Benzidine CAS#92-87-5	\sim	N.D.	30	5
3	4-chloro-o-toluidine CAS#95-69-2	(1)	N.D.	30	5
4	2-Naphthylamine CAS#91-59-8	\sim	N.D.	30	5
5	o-aminoazotoluene/4-o-tolyazao-o- toluidine /4-amino-2',3- dimethylazobenzene* CAS#97-56-3		N.D.	30	5
6	5-nitro-o-toluidine/2-amino-4- nitrotoluol [*] CAS#99-55-8	6	N.D.	30	5
7	4-chloroaniline CAS#106-47-8	1	N.D.	30	5
8	4-methoxy-m-phenylenediamine/ 2,4-diaminoanisole CAS#615-05-4		N.D.	30	5
9	4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane CAS#101-77-9	2	N.D.	30	5
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'- ylenediamine CAS#91-94-1		N.D.	30	5
11	3,3'-dimethoxybenzidine/o-dianisidine CAS#119-90-4		N.D.	30	5
12	3,3'-dimethylbenzidine/4,4'-bi-o- toluidine CAS#119-93-7	E	N.D.	30	5
13	4,4'-methylenedi-o-toluidine CAS#838-88-0		N.D.	30	5
14	6-methoxy-m-toluidine/p-cresidine CAS#120-71-8		N.D.	30	5
15	4,4'-methylene-bis-(2-chloro-aniline)/ 2,2'-dichloro-4,4'-methylene-dianiline CAS#101-14-4		N.D.	30	5
16	4,4'-oxydianiline CAS#101-80-4		N.D.	30	5
17	4,4'-thiodianiline CAS#139-65-1		N.D.	30	5
18	o-toluidine/2-aminotoluen CAS#95-53-4	e S	N.D.	30	5
19	2,4-diaminotoluene/2,4- toluylendiamine/ methyl-m-phenylenediamine		N.D.	30	5

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www

Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 16 of 40

1	CAS#95-80-7	612		
20	2,4,5-trimethylaniline CAS#137-17-7	N.D.	30	5
21	o-anisidine/2-methoxyaniline CAS#90-04-0	N.D.	30	5
22	4-aminoazobenzene** CAS#60-09-3	N.D.	30	5
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) N.D.: Not detected (result is less than RL) (c) RL: Report limit *: The amines o-aminoazotoluene (No 5, CAS No.97-56-3) and 2-amino-4-nitrotoluene (No 6, CAS No.99-55-8) are further reduced to o-toluidine (No 18, CAS No. 95-53-4) and 2, 4-diaminotoluene (No 19, CAS No. 95-80-7). **: Azo colorants that are able to form 4-aminoazobenzene (No 22, CAS No. 60-09-3) generate, under the condition of this method, aniline (CAS No. 62-53-3) and 1, 4-phenylendiamine (CAS No. 106-50-3).Due to detection limits, only aniline may be detected. If aniline is detected above 5mg/kg, then the presence of these colorants should be tested by ISO 14362-3:2017.

Mechanical and Physical Properties – ASTM F963-17 8.

Clause	Parameter	Results
4	Safety Requirements	
4.1	Material Quality	Pass
4.4	Electrical / Thermal Energy	NA
4.5	Sound-Producing Toys	NA
4.6	Small Objects	Pass
4.7	Accessible Edges	Pass
4.8	Projections	NA
4.9	Accessible Points	Pass
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	Pass
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing

PASS



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 17 of 40

4.15	Stability and Over-Load Requirements	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapments in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 18 of 40

4.41	Toy Chests	NA
5	Labeling Requirements	
5.1	Federal Government Requirements	NA
5.2	Age Grading Labeling	Pass
5.3	Safety Labeling Requirements	Pass
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage Toys	NA
5.8	Toys Intended to be Assembled by an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Toy Caps	NA
5.13	Art Materials	NA
5.14	Electric Toys	NA
5.16	Promotional Materials	NA
5.17	Magnets	NA
6	Instructional Literature	(1)
6.1	Definition and Description	NA
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled by an Adult	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA

Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 19 of 40

7	Producer's Markings	Pass
8	Test Methods	
8.5	Normal Use Testing	Pass
8.6	Abuse Testing	Pass
8.7	Impact Tests	Pass
8.8	Torque Tests for Removal of Components	Pass
8.9	Tension Tests for Removal of Components	Pass
8.10	Compression Tests	Pass

Remark(s): NA = Not Applicable

9. Flammability of Solids – 16 CFR 1500.44 / ASTM F963-17, A5

Clause	Parameter	Results
16 CFR 1500.44 / ASTM F963-17, A5	Flammability	Pass

10. Soluble Migrated Elements ASTM F963-17, determined by ICP-OES

			Limit	RL			
	Compound	1	2	3	4	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

PASS

Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 20 of 40

8	Conclusion	PASS	PASS	PASS	PASS	500	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5

	0		Ma	terial		Limit	RL
	Compound	5	6	7	8	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Limit	RL			
	Compound	9	10	11	12	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 21 of 40

		Material				Limit	RL
	Compound	13	14	15	16	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	A	Material	Limit	RL
	Compound	17	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	60	5
2	Arsenic (As)	N.D.	25	2
3	Barium (Ba)	N.D.	1000	5
4	Cadmium (Cd)	N.D.	75	5
5	Chromium (Cr)	N.D.	60	5
6	Lead (Pb)	N.D.	90	5
7	Mercury (Hg)	N.D.	60	5
8	Selenium (Se)	N.D.	500	5
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 22 of 40

11. Lead Content (Pb) - ASTM F963-17

CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

			Limit	RL			
	Compound	2	3	14	15	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

		Compound	Mate	Limit	RL		
	Compound		16	18	(mg/kg)	(mg/kg)	
-	1	Lead (Pb)	N.D.	N.D.	90	10	
		Conclusion	PASS	PASS	-	-	

	Compound		Mat	erial		Limit	RL
	Compound	4	5	6	7	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

		Compound	Material				Limit	RL
			8	9	10	11	(mg/kg)	(mg/kg)
	1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
2		Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Material 13	Limit (mg/kg)	RL (mg/kg)
1	Lead (Pb)	N.D.	90	10
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 23 of 40

12. Lead Content (Pb) – CPSIA H.R. 4040 Sec. 101

CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

			Limit	RL			
	Compound	2	3	14	15	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

2	0 a man a mad	Mate	Limit	RL		
	Compound	16	18	(mg/kg)	(mg/kg)	
1	Lead (Pb)	N.D.	N.D.	90	10	
	Conclusion	PASS	PASS	-	-	

	Compound		Mat	erial		Limit	RL
	Compound	4	5	6	7	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mat	erial		Limit	RL
	Compound	8	9	10	11	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
<	Conclusion	PASS	PASS	PASS	PASS	-	-

	Material		Limit	RL
	Compound	13	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	90	10
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 24 of 40

13. Lead Content (Pb) - 16 CFR 1303 CPSC-CH-E1003-09.1(Surface Coating), determined by AAS

			Limit	RL			
	Compound	4	5	6	7	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

_	Compound			Mat	Limit	RL		
<			8	9	10	11	(mg/kg)	(mg/kg)
_	1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
		Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Material	Limit	RL
	Compound	13	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	90	10
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

14. Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP)-Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307. CPSC-CH-C1001-09.4, Solvent extract and determined by GC/MS

	Compound			Mat		Limit	RL	
			2	3	4	5	(%)	(%)
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl Phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl Phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

 Guangzhou Depuhua Test Services Co. Ltd.

 A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com

 Phone: +86 (0)20-6664 1688
 Fax: +86 (0)20-6664 1699

 Web://www.stsgz.com



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 25 of 40

6	DEHP	Bis (2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DCHP	Dicyclohexly Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclusion		PASS	PASS	PASS	PASS	-	-

				Mat	erial		Limit	RL
	Co	mpound	6	7	8	9	(%) 0.1	(%)
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.		0.005
2	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl Phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl Phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DEHP	Bis (2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DCHP	Dicyclohexly Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclus	ion	PASS	PASS	PASS	PASS	-	-

	Co	mpound		Mat	erial		Limit	RL (%)
	00	inpound	10	11	12	13	(%)	
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl Phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl Phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DEHP	Bis (2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DCHP	Dicyclohexly Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005

Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 26 of 40

	Conclu		PASS	PASS	PASS	PASS	-	-
8	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005

	Compound			Material		Limit	RL
	CO	mpouna	14	15	16	(%)	(%)
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	0.1	0.005
2	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl Phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl Phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	0.1	0.005
5	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	0.1	0.005
6	DEHP	Bis (2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	0.1	0.005
7	DCHP	Dicyclohexly Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	0.1	0.005
8	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0	N.D.	N.D.	N.D.	0.1	0.005
	Conclus	ion	PASS	PASS	PASS	-	-

Remark(s): (a) RL: Report limit

(b) N.D.: Not detected (result is less than RL)

15. Mechanical and Physical Properties – SOR/2011-17

Clause **Results** Parameter 3 Official languages Pass 4 Flexible film bags NA 7 Small parts Pass 8 Pass Metal edges 9 Wire frames NA 10 Plastic edges Pass 11 Wood Pass

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

PASS

Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 27 of 40

12	Glass	NA
13	Fasteners	Pass
14	Safety stops or locking devices	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Enclosures	NA
18	Stability	NA
19	Decibel limit	NA
28	Dolls, plush toys and soft toys – Fastenings	NA
29	Dolls, plush toys and soft toys – Stuffing	NA
30	Dolls, plush toys and soft toys – Small parts	NA
31	Dolls, plush toys and soft toys – Eyes and noses	NA
35	Plant seeds – Noise	NA
36	Plant seeds – stuffing material	NA
37	Pull and push toys	NA
38	Toys steam engines	NA
39	Finger paints	NA
40	Rattles	NA
41	Elastics	NA
42	Yo-yo type balls	NA
43	Magnetic toys	NA

Remark(s): NA = Not Applicable



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 28 of 40

PASS

16. Flammability – SOR/2011-17

Clause	Parameter	Results
21	Celluloid or cellulose nitrate	Pass
32	Dolls, plush toys and soft toys – Flammability of outer covering	NA
33	Dolls, plush toys and soft toys – Flammability of yarn	NA
34	Dolls, plush toys and soft toys – Flammability of hair or mane	NA

17. Lead Content (Pb) and Mercury Content (Hg) SOR/2011-17, determined by ICP-OES

	Quantum d		Material				
	Compound	4	5	6	7	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
2	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	Not Detected	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mate	Limit	RL		
	Compound	8	9	10	11	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
2	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	Not Detected	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Mat	Limit	RL	
	Compound	12 1		(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	90	10
2	Mercury (Hg)	N.D.	N.D.	Not Detected	5
	Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 29 of 40

18. Soluble Migrated Elements SOR/2011-17, determined by ICP-OES

	0		Mat	erial		Limit	RL
	Compound	4	5	6	7	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	1000	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	1000	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	1000	5
5	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	1000	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mate	erial		Limit	RL
	Compound	8	9	10	11	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	1000	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	1000	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	1000	5
5	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	1000	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Mat	Material		
	Compound	12 13		(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	1000	5
2	Arsenic (As)	N.D.	N.D.	1000	2
3	Barium (Ba)	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	1000	5
5	Selenium (Se)	N.D.	N.D.	1000	5
	Conclusion	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong

Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 30 of 40

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

19. Mechanical and Physical Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.1:2016

Section	Testing Items	Assessment
4	Requirements	6
4.1	Normal use	Pass
4.2	Reasonably foreseeable abuse	Pass
4.3	Material	Pass
4.4	Small parts	Pass
4.5	Shape, size, and strength of certain toys	NA
4.6	Edges	Pass
4.7	Points	Pass
4.8	Projections	NA
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in packaging and in toys	NA
4.11	Cords and elastics	NA
4.12	Folding mechanisms	NA
4.13	Holes, clearances and accessibility of mechanisms	NA
4.14	Springs	NA
4.15	Stability and overload requirements	NA
4.16	Enclosures	NA
4.17	Simulated protective equipment, such as helmets, hats and goggles.	NA
4.18	Projectile toys	NA
4.19	Rotors and propellers	NA
4.20	Aquatic toys	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 31 of 40

Section	Testing Items	Assessment
4.21	Braking	NA
4.22	Toy bicycles	NA
4.23	Speed limitation of electrically driven ride-on toys	NA
4.24	Toys containing a heat source	NA
4.25	Liquid-filled toys	NA
4.26	Mouth-actuated toys	NA
4.27	Toy roller skates, toy inline skates and toy skateboards	NA
4.28	Percussion caps	NA
4.29	Acoustic requirements	NA
4.30	Toy scooters	NA
4.31	Magnets and magnetic components	NA
В	Safety-labeling guidelines and manufacturer's markings	Pass
B.2	Safety-labeling guidelines	Pass
B.3	Instructional literature	NA
7	Manufacturer's markings	Pass
B.4	The name, trademark or mark of the manufacturer or the distributor	Pass
	The address of the manufacturer or the distributor	Pass

20. Flammability Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.2:2016

Section	Testing Items	Assessment
4.1	General requirement	Pass
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in a play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys (animals and dolls, etc.) with a piled or textile surface	NA

Note: NA = Not Applicable.

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

 Guangzhou Depuhua Test Services Co. Ltd.

 A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong
 e-mail: stsgz@stsapp.com

 Phone: +86 (0)20-6664 1688
 Fax: +86 (0)20-6664 1699
 Web://www.stsgz.com



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 32 of 40

21. Soluble elements Content- Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.3:2012+A1:2016,determined by ICP

	0 a man a sum d	Material			Limit	RL	
	Compound Antimony (Sb) Arsenic (As) Barium (Ba) Cadmium (Cd) Chromium (Cr) Lead (Pb)	1	2	3	4	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	O a man a sum d		Mat	erial		Limit	RL
	Compound	5	6	7	8	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 33 of 40

			100				•
	Compound		Mat	terial		Limit	RL
	Compound	9	10	11	12	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	0 a man a sun d		Mat	terial		Limit	RL
	Compound	13	14	15	16	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Material 17	Limit (mg/kg)	RL (mg/kg)
1	Antimony (Sb)	N.D.	60	5
2	Arsenic (As)	N.D.	25	2

Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 34 of 40

RL (%)

0.005

0.005

0.005

0.005

0.005

0.005

0.005

0.005

0.005

0.005

0.005

0.005

	Conclusion	PASS	-	-
8	Selenium (Se)	N.D.	500	5
7	Mercury (Hg)	N.D.	60	5
6	Lead (Pb)	N.D.	90	5
5	Chromium (Cr)	N.D.	60	5
4	Cadmium (Cd)	N.D.	75	5
3	Barium (Ba)	N.D.	1000	5
		(2)		

Remark(s) (a) mg/kg: milligram per kilogram (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

22. Phthalates content- As Client's Requirement Refer To CPSC-CH-C1001-09.4, determined by GC-MS

	•			Client's				
	Comp	ound	2	3	4	5	Limit (%)	
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	2
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	
3	ВВР	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	
10	DIHP	1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	
11	DHNUP	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	-
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong

Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699





Date: 27-May-2021

Page 35 of 40

				il a				
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	N-pentyl- isopentylphthalate O-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005

	0			Mat	Client's			
	Compound		6	7	8	9	Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	P-pentyl- isopentylphthalate Q-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

Fax: +86 (0)20-6664 1699

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong

Phone: +86 (0)20-6664 1688





Date: 27 May 2021

Report No.: STSGZ2105113075E			Date: 27-May-2021			\sim	Page 36 of 4		
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
Ś	5								
				Ma	terial		Client's		
	Comp	ound	10 11 12			13	Limit (%)	RL (%)	
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
10	DIHP	1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
11	DHNUP	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
14	PIPP	R-pentyl- isopentylphthalate S-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005	



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 37 of 40

1				1.1			
	0			Client's			
	Compo	ouna	14	15	16	Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	0.1	0.005
3	ВВР	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	T-pentyl- isopentylphthalate U-CAS# 776297-69-9	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	0.1	0.005

Remark(s): (a) RL: Report limit (b) N.D.: Not detected (result is less than R



Report No.: STSGZ2105113075E

Date: 27-May-2021

TEST REPORT

Page 38 of 40

Material List:

Er.	
Material #	Position / Sample Description
1	Brown wood, holder
2	Brown plywood, base
3	Nude plastic, screw
4	Transparent coating, board
5	Red coating, board
6	Dark blue coating, board
7	Dark green coating, board
8	White coating, board
9	Orange coating, board
10	Light yellow coating, board
11	Amaranth coating, board
12	Purple coating, board
13	Multicolor coating, board
14	Transparent plastic, board
15	Orange plastic, button
16	Black plastic, switch
17	Yellow textile, belt
18	Silvery metal, small screw
19	White plastic, screw cover



Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 39 of 40

Photo(s):



<<< <<< END OF REPORT >>> >>>

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

Report No.: STSGZ2105113075E

Date: 27-May-2021

Page 40 of 40



 Guangzhou Depuhua Test Services Co. Ltd.

 A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong
 e-mail: stsgz@stsapp.com

 Phone: +86 (0)20-6664 1688
 Fax: +86 (0)20-6664 1699
 Web://www.stsgz.com

签发测试报告条款

Conditions of Issuance of Test Reports

广州市德普华检测技术有限公司(以下简称[公司])为提供符合下述条款的测试和报告,而接受有关样品和货品。本公司基于下述条款提供服务, 下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。

1.

All samples and goods are accepted by the Guangzhou Depuhua Test Services Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").

2. 由此测试申请所发出的任何报告(以下简称[报告]),本公司会严格为客户保密。未经本公司的书面同意,报告的整体或部分不得复制,也不得用 于广告或授权的其他用途。然而,客户可以将本公司印制的报告或认可的副本,向其客户、供货商或直接相关的其它人出示或提交。除非相关 政府部门、法律或法规要求,否则未经客户同意,本公司不得将报告内容向任何第三方讨论或披露。

Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it. or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court order.

- 3. 除非相关政府部门、法律或法院要求,否则未经公司预先书面同意,本公司毋需,也并无义务到法院对有关报告作证。 The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. 除非本公司进行抽样,并已在报告中说明,否则报告中适用于送测的样品(样品信息为客户提供),不适用于批量。 The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
 - 如果本公司确定报告被不当地使用,本公司保留撤回报告的权利,并有权要求其它适当的额外赔偿。 In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 6. 本公司接受样品进行测试的前提是,该测试报告不能作为针对本公司法律行动的依据。 Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 7. 如因使用本公司中心任何报告内的资料,或任何传播信息所描述与之有关的测试或研究导致的任何损失或损害,本公司概不负责。 The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 若需要在法院审理程序或者仲裁过程中使用测试报告,客户必须在提交测试样品前将该意图告知本公司。
 Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 9. 该测试报告的支持数据和信息本公司保存 10 年。个别评审机构有特别要求的,检测数据和报告的保存期可依情况变动。一旦超过上述提交的保存期限,数据和信息将被处理掉。任何情况下,本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害,本公司在任何情况下也不必承担任何损害,包括(但不限于)补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权(包括疏忽)、产品责任或其他原因的惩罚性损害。 Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.
- 报告的签发记录可通过登录 www.stsgz.com 查询。如需进一步查询报告有效性或核实报告,需与本公司联系。 Issuance records of the Report are available on the internet at www.stsgz.com. Further enquiry of validity or verification of the Report should be addressed to the company.