

Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 1 of 27

Applicant: CARPENTERS MANUFACTORY LIMITED

Address: HUANG JIN JI INDUSTRIAL ZONE, SHANG JIE VILLAGE, QI SHI TOWN, DONG GUAN

CITY, GUANG DONG PROVINCE, P.R.CHINA

The following sample(s) and sample information was/were submitted and identified by client as:

Sample Name: Grocery Cabinet

Model/Style/Item #: ME16317

Labeled Age Grading: 3+

Requested Age 3+

Gradina:

Tested Age Grading: 3+

Receiving Date: 27-May-2021, 9-Dec-2021

Test Period: From 27-May-2021 to 10-Dec-2021

Add Information: -

Signed for and on behalf of STS TOTAL TEST OF TESTING SERVICES OF





Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 2 of 27

Test Summary:

| # | Test Item(s) | Reference Standard/Method | Result |
|---|---|--|--------------|
| 1 | Safety of Toys: Mechanical and Physical Properties | EN 71-1:2014+A1:2018 | PASS |
| 2 | General labeling requirement(CE marking, manufacturer/importer name and address, and product identification) | 2009/48/EC | PASS |
| 3 | Safety of Toys: Flammability | EN 71-2:2011+A1:2014 | PASS |
| 4 | Safety of Toys: Migration of Certain Elements | EN 71-3:2019 | PASS |
| 5 | Phthalate content (DIBP、DEHP、DBP、BBP、DINP、DIDP、DNOP) -Item 51&52 of Annex XVII of REACH Regulation (EC) 1907/2006. | EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS | PASS |
| 6 | Cadmium content -Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006 | IEC 62321-5:2013, determined by AAS | PASS |
| 7 | Mechanical and Physical Propertie | ASTM F963-17 (Except Clause 4.15) | PASS |
| 8 | Flammability of Solids | 16 CFR 1500.44 / ASTM F963-17, A5 | PASS |
| 9 | Soluble Migrated Elements ASTM F963-17 | ASTM F963-17, determined by ICP-OES | PASS |
| 0 | Lead Content (Pb) ASTM F963-17 | CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS | PASS |
| 1 | Lead Content (Pb) CPSIA H.R. 4040 Sec. 101 | CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS | PASS |
| 2 | Lead Content (Pb) - 16 CFR 1303 | CPSC-CH-E1003-09.1(Surface Coating) ,determined by AAS | PASS |
| 3 | Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP)-Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307 | CPSC-CH-C1001-09.4, Solvent extract and determined by GC/MS | PASS |
| 4 | Mechanical and Physical Properties | SOR/2011-17 | PASS |
| 5 | Flammability | SOR/2011-17 | PASS |
| 6 | Lead Content (Pb) and Mercury Content (Hg) SOR/2011-17 | SOR/2011-17, determined by ICP-OES | PASS |
| 7 | Soluble Migrated Elements SOR/2011-17 | SOR/2011-17, determined by ICP-OES | PASS |
| 8 | Mechanical and Physical Propertie - Australian/New Zealand Standard on Safety of Toys | AS/NZS 8124.1:2016 (Except Clause 4.15) | PASS |
| 9 | Flammability Properties - Australian/New Zealand Standard on Safety of Toys | AS/NZS 8124.2:2016 | PASS |
| 0 | Soluble elements Content- Australian/New Zealand Standard on Safety of Toys | AS/NZS 8124.3:2012+A1:2016,determined by ICP | PASS |
| 1 | Phthalates content- As Client's Requirement | CPSC-CH-C1001-09.4, determined by GC-MS | SEE RESUL |



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 3 of 27

Result:

1. Safety of Toys: Mechanical and Physical Properties – EN 71-1:2014+A1:2018

PASS

| Clause | Parameter | Results |
|--------|--|---------|
| 4 | General requirements | |
| 4.1 | Material cleanliness | Pass |
| 4.2 | Assembly | Pass |
| 4.3 | Flexible plastic sheeting | NA |
| 4.4 | Toy bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding materials | NA |
| 4.7 | Edges | Pass |
| 4.8 | Points and metallic wires | Pass |
| 4.9 | Protruding parts | NA |
| 4.10 | Parts moving against each other | NA |
| 4.11 | Mouth-actuated toys and other toys intended to be put in the mouth | NA |
| 4.12 | Balloons | NA |
| 4.13 | Cords of toy kites and other flying toys | NA |
| 4.14 | Enclosures | NA |
| 4.15 | Toys intended to bear the mass of a child | NA |
| 4.16 | Heavy immobile toys | Pass |
| 4.17 | Projectile toys | NA |
| 4.18 | Aquatic toys and inflatable toys | NA |
| 4.19 | Percussion caps specifically designed for use in toys and toys using percussion caps | NA |



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 4 of 27

| 4.20 | Acoustics | NA |
|------|---|----|
| 4.21 | Toys containing a non-electrical heat source | NA |
| 4.22 | Small balls | NA |
| 4.23 | Magnets | NA |
| 4.24 | Yo-yo balls | NA |
| 4.25 | Toys attached to food | NA |
| 4.26 | Toy disguise costumes | NA |
| 4.27 | Flying toys | NA |
| 5 | Toys intended for children under 36 months | |
| 5.1 | General requirement | NA |
| 5.2 | Soft-filled toys and soft-filled parts of a toy | NA |
| 5.3 | Plastic sheeting | NA |
| 5.4 | Cords, chains and electrical cables in toys | NA |
| 5.5 | Liquid-filled toys | NA |
| 5.6 | Speed limitation of electrically-driven ride-on toys | NA |
| 5.7 | Glass and porcelain | NA |
| 5.8 | Shape and size of certain toys | NA |
| 5.9 | Toys comprising monofilament fibres | NA |
| 5.10 | Small balls | NA |
| 5.11 | Play figures | NA |
| 5.12 | Hemispheric-shaped toys | NA |
| 5.13 | Suction cups | NA |
| 5.14 | Straps intended to be worn fully or partially around the neck | NA |
| 5.15 | Sledges with cords for pulling | NA |
| 6 | Packaging | NA |



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 5 of 27

| 7 | Warnings, markings and instructions for use | |
|------|---|------|
| 7.1 | General | Pass |
| 7.2 | Toys not intended for children under 36 months | Pass |
| 7.3 | Latex balloons | NA |
| 7.4 | Aquatic toys | NA |
| 7.5 | Functional toys | NA |
| 7.6 | Hazardous sharp functional edges and points | NA |
| 7.7 | Projectile toys | NA |
| 7.8 | Imitation protective masks and helmets | NA |
| 7.9 | Toy kites | NA |
| 7.10 | Roller skates, inline skates, skateboards and certain other ride-on toys | NA |
| 7.11 | Toys otherwise intended to be strung across a cradle, cot, or perambulator | NA |
| 7.12 | Liquid-filled teethers | NA |
| 7.13 | Percussion caps specifically designed for use in toys | NA |
| 7.14 | Acoustics | NA |
| 7.15 | Toy bicycles | NA |
| 7.16 | Toys intended to bear the mass of a child | NA |
| 7.17 | Toys comprising monofilament fibres | NA |
| 7.18 | Toy scooters | NA |
| 7.19 | Rocking horses and similar toys | NA |
| 7.20 | Magnetic / electrical experimental sets | NA |
| 7.21 | Toys with electrical cables exceeding 300 mm in length | NA |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | NA |
| 7.23 | Toys intended to be attached to a cradle, cot or perambulator | NA |



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 6 of 27

| 7.24 | Sledges with cords for pulling | NA |
|------|--------------------------------|----|
| 7.25 | Flying toys | NA |
| 7.26 | Improvised projectiles | NA |

Remark(s): NA = Not Applicable

2. General labeling requirement - 2009/48/EC

PASS

| Item(s) | Results |
|--|---------|
| CE Mark | Pass |
| Manufacturer/importer name and address | Pass |
| Product identification | Pass |

3. Safety of Toys: Flammability – EN 71-2:2011+A1:2014

PASS

| Clause | Parameter | Results |
|--------|---|---------|
| 4.1 | General requirements | Pass |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child in play | NA |
| 4.4 | Toys intended to be entered by a child | NA |
| 4.5 | Soft-filled toys | NA |

Remark(s): NA = Not Applicable

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 7 of 27

4.

Safety of Toys: Migration of Certain Elements EN 71-3:2019 General elements determined by ICP-MS Chromium(VI) determined by IC-ICP-MS Organic tin determined by GC-MS

| | | | Mat | | | | |
|----|---------------------|--------|--------|-----------|--------|------------------|---------------|
| | Compound | | Catego | ory III*1 | | Limit (mg/kg) | RL (mg/kg) |
| | | 1 | 2 | 2 3 | | | |
| 1 | Aluminum (Al) | N.D. | 24 | N.D. | 15 | 28130 | 10 |
| 2 | Antimony (Sb) | N.D. | N.D. | N.D. | N.D. | 560 | 2 |
| 3 | Arsenic(As) | N.D. | N.D. | N.D. | N.D. | 47 | 0.2 |
| 4 | Barium(Ba) | N.D. | N.D. | N.D. | N.D. | 18750 | 10 |
| 5 | Boron (B) | N.D. | N.D. | N.D. | N.D. | 15000 | 10 |
| 6 | Cadmium (Cd) | N.D. | N.D. | N.D. | N.D. | 17 | 0.01 |
| 7 | Chromium (III) (Cr) | N.D. | N.D. | N.D. | N.D. | 460 | 1.0 |
| 8 | Chromium (VI) (Cr) | N.D. | N.D. | N.D. | N.D. | 0.053 | 0.005 |
| 9 | Cobalt (Co) | N.D. | N.D. | N.D. | N.D. | 130 | 0.2 |
| 10 | Copper (Cu) | N.D. | N.D. | N.D. | N.D. | 7700 | 10 |
| 11 | Lead(Pb) | N.D. | N.D. | N.D. | N.D. | 23 | 0.1 |
| 12 | Manganese (Mn) | N.D. | N.D. | N.D. | N.D. | 15000 | 10 |
| 13 | Mercury (Hg) | N.D. | N.D. | N.D. | N.D. | 94 | 0.2 |
| 14 | Nickel (Ni) | N.D. | N.D. | N.D. | N.D. | 930 | 1.0 |
| 15 | Selenium(Se) | N.D. | N.D. | N.D. | N.D. | 460 | 1.0 |
| 16 | Strontium (Sr) | 13 | N.D. | N.D. | N.D. | 56000 | 10 |
| 17 | Tin (Sn) | N.D. | N.D. | N.D. | N.D. | 180000 | 4.9 |
| 18 | Organic tin (Sn) | N.D.*2 | N.D.*2 | N.D.*2 | N.D.*2 | 12*2 | 0.05 *2 |
| 19 | Zinc (Zn) | 39 | 1455 | N.D. | N.D. | 46000 | 10 |
| | Conclusion | PASS | PASS | PASS | PASS | - | - |



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 8 of 27

| | | Mat | erial | | |
|----|---------------------|----------------|--------|---------------|---------|
| | Compound | | Limit | RL (mg/kg) | |
| | Compound | Category III*1 | | | (mg/kg) |
| | A1 | 5 | 6 | 00400 | |
| 1 | Aluminum (Al) | 189 | 161 | 28130 | 10 |
| 2 | Antimony (Sb) | N.D. | N.D. | 560 | 2 |
| 3 | Arsenic(As) | N.D. | N.D. | 47 | 0.2 |
| 4 | Barium(Ba) | N.D. | 65 | 18750 | 10 |
| 5 | Boron (B) | N.D. | N.D. | 15000 | 10 |
| 6 | Cadmium (Cd) | N.D. | N.D. | 17 | 0.01 |
| 7 | Chromium (III) (Cr) | N.D. | N.D. | 460 | 1.0 |
| 8 | Chromium (VI) (Cr) | N.D. | N.D. | 0.053 | 0.005 |
| 9 | Cobalt (Co) | N.D. | N.D. | 130 | 0.2 |
| 10 | Copper (Cu) | N.D. | N.D. | 7700 | 10 |
| 11 | Lead(Pb) | N.D. | N.D. | 23 | 0.1 |
| 12 | Manganese (Mn) | N.D. | 10 | 15000 | 10 |
| 13 | Mercury (Hg) | N.D. | N.D. | 94 | 0.2 |
| 14 | Nickel (Ni) | N.D. | N.D. | 930 | 1.0 |
| 15 | Selenium(Se) | N.D. | N.D. | 460 | 1.0 |
| 16 | Strontium (Sr) | N.D. | 3598 | 56000 | 10 |
| 17 | Tin (Sn) | N.D. | N.D. | 180000 | 4.9 |
| 18 | Organic tin (Sn) | N.D.*2 | N.D.*2 | 12*2 | 0.05 *2 |
| 19 | Zinc (Zn) | N.D. | 17 | 46000 | 10 |
| | Conclusion | PASS | PASS | - | - |





Report No.: STSGZ2105273062E Page 9 of 27 Date: 10-Dec-2021

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)
*1: Categories of various materials:
Category I: Dry, brittle, powder like or pliable material

Category II: Liquid or sticky material Category III: Scraped-off material *2: Expressed as soluble Tributyltin.

5. Phthalate content (DIBP、DEHP、DBP、BBP、DINP、DIDP、DNOP) - Item 51& 52 of Annex XVII of REACH Regulation (EC) 1907/2006

EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS

| | | 0 | | Mat | erial | | Limit | RL |
|---|--------|--|------|------|-------|------|------------|-------|
| | | Compound | 1 | 2 | 3 | 4 | (%) | (%) |
| 1 | DBP | Dibutyl Phthalate CAS# 84-74-2 | N.D. | N.D. | N.D. | N.D. | - | 0.005 |
| 2 | BBP | Benzylbutyl Phthalate CAS# 85-68-7 | N.D. | N.D. | N.D. | N.D. | / <u>-</u> | 0.005 |
| 3 | DEHP | Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7 | N.D. | N.D. | N.D. | N.D. | - | 0.005 |
| 4 | DIBP | Diisobutyl phthalate CAS# 84-69-5 | N.D. | N.D. | N.D. | N.D. | - | 0.005 |
| 5 | DNOP | Di-n-octyl phthalate CAS# 117-84-0 | N.D. | N.D. | N.D. | N.D. | - | 0.005 |
| 6 | DINP | Di-iso-nonyl phthalate CAS# 28553-12-0 | N.D. | N.D. | N.D. | N.D. | - | 0.005 |
| 7 | DIDP | Diisodecyl phthalate CAS# 26761-40-0 | N.D. | N.D. | N.D. | N.D. | - | 0.005 |
| 8 | Sum of | 1, 2, 3 & 4 | N.D. | N.D. | N.D. | N.D. | 0.1 | - |
| 9 | Sum of | 5, 6 & 7 | N.D. | N.D. | N.D. | N.D. | 0.1 | |
| | Conclu | sion | PASS | PASS | PASS | PASS | - | - |

| Compound | | Mate | Limit | RL | | |
|----------|------|--|-------|------|-----|-------|
| | | 5 | 6 | (%) | (%) | |
| 1 | DBP | Dibutyl Phthalate CAS# 84-74-2 | N.D. | N.D. | - | 0.005 |
| 2 | ВВР | Benzylbutyl Phthalate CAS# 85-68-7 | N.D. | N.D. | - | 0.005 |
| 3 | DEHP | Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7 | N.D. | N.D. | - (| 0.005 |
| 4 | DIBP | Diisobutyl phthalate CAS# 84-69-5 | N.D. | N.D. | - (| 0.005 |
| 5 | DNOP | Di-n-octyl phthalate CAS# 117-84-0 | N.D. | N.D. | - | 0.005 |
| 6 | DINP | Di-iso-nonyl phthalate CAS# 28553-12-0 | N.D. | N.D. | - | 0.005 |



Report No.: STSGZ2105273062E Page 10 of 27 Date: 10-Dec-2021

| | Conclu | sion | PASS | PASS | - | - |
|---|--------|---|------|------|-----|-------|
| 9 | Sum of | 5, 6 & 7 | N.D. | N.D. | 0.1 | - |
| 8 | Sum of | 1, 2, 3 & 4 | N.D. | N.D. | 0.1 | - |
| 7 | DIDP | Diisodecyl phthalate CAS# 26761-40-0 | N.D. | N.D. | - | 0.005 |

Remark(s): (a) RL: Report limit (b) N.D.: Not detected (result is less than RL)

Cadmium content -Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006 6. IEC 62321-5:2013, determined by AAS

| Compound | | | Material | | | Limit | RL |
|----------|-------------------------------|------|----------|------|------|---------|---------|
| | | 1 | 2 | 3 | 4 | (mg/kg) | (mg/kg) |
| 1 | Cadmium (Cd) CAS#7440-43-9 | N.D. | N.D. | N.D. | N.D. | 100 | 10 |
| | Conclusion | PASS | PASS | PASS | PASS | - | - |

| Compound | | Mat | Material | | |
|----------|-------------------------------|------|----------|---------|---------|
| | | 5 | 6 | (mg/kg) | (mg/kg) |
| 1 | Cadmium (Cd) CAS#7440-43-9 | N.D. | N.D. | 100 | 10 |
| | Conclusion | PASS | PASS | - | - |

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

Mechanical and Physical Properties - ASTM F963-17

PASS

| Clause | Parameter | Results |
|--------|-----------------------------|---------|
| 4 | Safety Requirements | |
| 4.1 | Material Quality | Pass |
| 4.4 | Electrical / Thermal Energy | NA |
| 4.5 | Sound-Producing Toys | NA |



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 11 of 27

| 4.6 | Small Objects | Pass |
|------|---|------|
| 4.7 | Accessible Edges | Pass |
| 4.8 | Projections | NA |
| 4.9 | Accessible Points | Pass |
| 4.10 | Wires or Rods | NA |
| 4.11 | Nails and Fasteners | Pass |
| 4.12 | Plastic Film | NA |
| 4.13 | Folding Mechanisms and Hinges | NA |
| 4.14 | Cords, Straps, and Elastics | NA |
| 4.15 | Stability and Over-Load Requirements | NR* |
| 4.16 | Confined Spaces | NA |
| 4.17 | Wheels, Tires, and Axles | NA |
| 4.18 | Holes, Clearance, and Accessibility of Mechanisms | NA |
| 4.19 | Simulated Protective Devices | NA |
| 4.20 | Pacifiers | NA |
| 4.21 | Projectile Toys | NA |
| 4.22 | Teethers and Teething Toys | NA |
| 4.23 | Rattles | NA |
| 4.24 | Squeeze Toys | NA |
| 4.26 | Toys Intended to be Attached to a Crib or Playpen | NA |
| 4.27 | Stuffed and Beanbag-Type Toys | NA |
| 4.28 | Stroller and Carriage Toys | NA |
| 4.29 | Art Materials | NA |
| 4.30 | Toy Gun Marking | NA |
| 4.31 | Balloons | NA |



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 12 of 27

| 4.32 | Certain Toys with Nearly Spherical Ends | NA |
|------|---|------|
| 4.33 | Marbles | NA |
| 4.34 | Balls | NA |
| 4.35 | Pompoms | NA |
| 4.36 | Hemispheric-Shaped Objects | NA |
| 4.37 | Yo Yo Elastic Tether Toys | NA |
| 4.38 | Magnets | NA |
| 4.39 | Jaw Entrapments in Handles and Steering Wheels | NA |
| 4.40 | Expanding Materials | NA |
| 4.41 | Toy Chests | NA |
| 5 | Labeling Requirements | |
| 5.1 | Federal Government Requirements | NA |
| 5.2 | Age Grading Labeling | Pass |
| 5.3 | Safety Labeling Requirements | Pass |
| 5.4 | Aquatic Toys | NA |
| 5.5 | Crib and Playpen Toys | NA |
| 5.6 | Mobiles | NA |
| 5.7 | Stroller and Carriage Toys | NA |
| 5.8 | Toys Intended to be Assembled by an Adult | Pass |
| 5.9 | Simulated Protective Devices | NA |
| 5.10 | Toys with Functional Sharp Edges or Points | NA |
| 5.11 | Small Objects, Small Balls, Marbles, and Balloons | Pass |
| 5.12 | Toy Caps | NA |
| 5.13 | Art Materials | NA |
| 5.14 | Electric Toys | NA |



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 13 of 27

| 5.16 | Promotional Materials | NA |
|------|---|------|
| 5.17 | Magnets | NA |
| 6 | Instructional Literature | |
| 6.1 | Definition and Description | NA |
| 6.2 | Crib and Playpen Toys | NA |
| 6.3 | Mobiles | NA |
| 6.4 | Toys Intended to be Assembled by an Adult | Pass |
| 6.7 | Toys in Contact with Food | NA |
| 6.8 | Toy Chests | NA |
| 7 | Producer's Markings | Pass |
| 8 | Test Methods | |
| 8.5 | Normal Use Testing | Pass |
| 8.6 | Abuse Testing | Pass |
| 8.7 | Impact Tests | Pass |
| 8.8 | Torque Tests for Removal of Components | Pass |
| 8.9 | Tension Tests for Removal of Components | Pass |
| 8.10 | Compression Tests | Pass |

Remark(s): NA = Not Applicable

Flammability of Solids - 16 CFR 1500.44 / ASTM F963-17, A5

PASS

| Clause | Parameter | Results |
|--------------------------------------|--------------|---------|
| 16 CFR 1500.44 / ASTM F963-17, A5 | Flammability | Pass |

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Web://www.stsgz.com

⁼ According to the customer's requirements, this clause is not tested





Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 14 of 27

Soluble Migrated Elements ASTM F963-17, determined by ICP-OES 9.

| | | | Mat | erial | Limit | | RL |
|---|---------------|------|------|-------|-------|---------|---------|
| | Compound | 1 | 2 | 3 | 4 | (mg/kg) | (mg/kg) |
| 1 | Antimony (Sb) | N.D. | N.D. | N.D. | N.D. | 60 | 5 |
| 2 | Arsenic (As) | N.D. | N.D. | N.D. | N.D. | 25 | 2 |
| 3 | Barium (Ba) | N.D. | N.D. | N.D. | N.D. | 1000 | 5 |
| 4 | Cadmium (Cd) | N.D. | N.D. | N.D. | N.D. | 75 | 5 |
| 5 | Chromium (Cr) | N.D. | N.D. | N.D. | N.D. | 60 | 5 |
| 6 | Lead (Pb) | N.D. | N.D. | N.D. | N.D. | 90 | 5 |
| 7 | Mercury (Hg) | N.D. | N.D. | N.D. | N.D. | 60 | 5 |
| 8 | Selenium (Se) | N.D. | N.D. | N.D. | N.D. | 500 | 5 |
| | Conclusion | PASS | PASS | PASS | PASS | - | - |

| | | Mate | rial | Limit | RL | |
|---|---------------|------|------|---------|---------|--|
| | Compound | 5 | 6 | (mg/kg) | (mg/kg) | |
| 1 | Antimony (Sb) | N.D. | N.D. | 60 | 5 | |
| 2 | Arsenic (As) | N.D. | N.D. | 25 | 2 | |
| 3 | Barium (Ba) | N.D. | 45 | 1000 | 5 | |
| 4 | Cadmium (Cd) | N.D. | N.D. | 75 | 5 | |
| 5 | Chromium (Cr) | N.D. | N.D. | 60 | 5 | |
| 6 | Lead (Pb) | N.D. | N.D. | 90 | 5 | |
| 7 | Mercury (Hg) | N.D. | N.D. | 60 | 5 | |
| 8 | Selenium (Se) | N.D. | N.D. | 500 | 5 | |
| | Conclusion | PASS | PASS | - | - | |

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Web://www.stsgz.com



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 15 of 27

10. Lead Content (Pb) - ASTM F963-17

CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

| | Compound | Mat | erial | Limit RL (mg/kg) (mg/k | RL |
|---|------------|------|-------|---------------------------|---------|
| | Compound | 1 | 7 | | (mg/kg) |
| 1 | Lead (Pb) | N.D. | N.D. | 100 | 10 |
| | Conclusion | PASS | PASS | - | - |

| | Compound | | Mate | erial | | Limit (mg/kg) | RL |
|---|------------|------|------|-------|------|---------------|---------|
| | Compound | 2 | 3 | 4 | 5 | (mg/kg) | (mg/kg) |
| 1 | Lead (Pb) | N.D. | N.D. | N.D. | N.D. | 100 | 10 |
| | Conclusion | PASS | PASS | PASS | PASS | - | - |

| | Commonad | Material | Limit | RL |
|---|------------|----------|-------|---------|
| | Compound | 6 | | (mg/kg) |
| 1 | Lead (Pb) | N.D. | 100 | 10 |
| | Conclusion | PASS | - | - |

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

Lead Content (Pb) - CPSIA H.R. 4040 Sec. 101

CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

| Compound | | Mat | Limit | RL | |
|----------|------------|------|-------|---------|---------|
| | Compound | 1 | 7 | (mg/kg) | (mg/kg) |
| 1 | Lead (Pb) | N.D. | N.D. | 100 | 10 |
| | Conclusion | PASS | PASS | - | - |



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 16 of 27

| Compound | | Material | | | | Limit | RL |
|----------|------------|----------|------|------|------|---------|---------|
| | | 2 | 3 | 4 | 5 | (mg/kg) | (mg/kg) |
| 1 | Lead (Pb) | N.D. | N.D. | N.D. | N.D. | 90 | 10 |
| | Conclusion | PASS | PASS | PASS | PASS | - | - |

| Compound | | Material 6 | Limit (mg/kg) | RL (mg/kg) |
|----------|------------|------------|------------------|---------------|
| 1 | Lead (Pb) | N.D. | 90 | 10 |
| | Conclusion | PASS | - | - |

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

12. Lead Content (Pb) - 16 CFR 1303

CPSC-CH-E1003-09.1(Surface Coating) ,determined by AAS

| | Compound | Material | Limit | RL | | | |
|---|------------|----------|-------|------|------|---------|---------|
| | Compound | 2 | 3 | 4 | 5 | (mg/kg) | (mg/kg) |
| 1 | Lead (Pb) | N.D. | N.D. | N.D. | N.D. | 90 | 10 |
| | Conclusion | PASS | PASS | PASS | PASS | - | - |

| Compound | | Material | Limit | RL |
|----------|------------|----------|-------|---------|
| | | 6 | | (mg/kg) |
| 1 | Lead (Pb) | N.D. | 90 | 10 |
| | Conclusion | PASS | - | - |

Remark(s): (a) mg/kg: milligram per kilogram

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 17 of 27

13. Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP)-Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307.

CPSC-CH-C1001-09.4, Solvent extract and determined by GC/MS

| | O a manual d | | | Material | | | | RL |
|---|--------------|--|------|----------|------|------|-----|-------|
| | Compound | | 1 | 2 | 3 | 4 | (%) | (%) |
| 1 | DIBP | Diisobutyl phthalate CAS# 84-69-5 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 2 | DBP | Dibutyl phthalate CAS# 84-74-2 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 3 | DPENP | Di-n-pentyl Phthalate CAS# 131-18-0 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 4 | DHEXP | Di-n-hexyl Phthalate CAS# 84-75-3 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 5 | BBP | Benzyl butyl phthalate CAS# 85-68-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 6 | DEHP | Bis (2-ethylhexyl) phthalate CAS# 117-81-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 7 | DCHP | Dicyclohexly Phthalate CAS# 84-61-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 8 | DINP | Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| | Conclus | ion | PASS | PASS | PASS | PASS | - | - |

| | | | Mat | Limit | RL | |
|---|---------|--|------|-------|-----|-------|
| | Co | mpound | 5 | 6 | (%) | (%) |
| 1 | DIBP | Diisobutyl phthalate CAS# 84-69-5 | N.D. | N.D. | 0.1 | 0.005 |
| 2 | DBP | Dibutyl phthalate CAS# 84-74-2 | N.D. | N.D. | 0.1 | 0.005 |
| 3 | DPENP | Di-n-pentyl Phthalate CAS# 131-18-0 | N.D. | N.D. | 0.1 | 0.005 |
| 4 | DHEXP | Di-n-hexyl Phthalate CAS# 84-75-3 | N.D. | N.D. | 0.1 | 0.005 |
| 5 | BBP | Benzyl butyl phthalate CAS# 85-68-7 | N.D. | N.D. | 0.1 | 0.005 |
| 6 | DEHP | Bis (2-ethylhexyl) phthalate CAS# 117-81-7 | N.D. | N.D. | 0.1 | 0.005 |
| 7 | DCHP | Dicyclohexly Phthalate CAS# 84-61-7 | N.D. | N.D. | 0.1 | 0.005 |
| 8 | DINP | Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0 | N.D. | N.D. | 0.1 | 0.005 |
| | Conclus | ion | PASS | PASS | - | - |

Remark(s): (a) RL: Report limit

(b) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Web://www.stsgz.com



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 18 of 27

14. Mechanical and Physical Properties - SOR/2011-17

PASS

| Clause | Parameter | Results |
|--------|--|---------|
| 3 | Official languages | NA |
| 4 | Flexible film bags | NA |
| 7 | Small parts | Pass |
| 8 | Metal edges | Pass |
| 9 | Wire frames | NA |
| 10 | Plastic edges | NA |
| 11 | Wood | Pass |
| 12 | Glass | NA |
| 13 | Fasteners | Pass |
| 14 | Safety stops or locking devices | NA |
| 15 | Spring-wound driving mechanisms | NA |
| 16 | Projectile components | NA |
| 17 | Enclosures | NA |
| 18 | Stability | NA |
| 19 | Decibel limit | NA |
| 28 | Dolls, plush toys and soft toys – Fastenings | NA |
| 29 | Dolls, plush toys and soft toys – Stuffing | NA |
| 30 | Dolls, plush toys and soft toys – Small parts | NA |
| 31 | Dolls, plush toys and soft toys – Eyes and noses | NA |
| 35 | Plant seeds – Noise | NA |
| 36 | Plant seeds – stuffing material | NA |
| 37 | Pull and push toys | NA |
| 38 | Toys steam engines | NA |



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 19 of 27

| 39 | Finger paints | NA |
|----|------------------|----|
| 40 | Rattles | NA |
| 41 | Elastics | NA |
| 42 | Yo-yo type balls | NA |
| 43 | Magnetic toys | NA |

Remark(s): NA = Not Applicable

15. Flammability - SOR/2011-17

PASS

| Clause | Parameter | Results |
|--------|--|---------|
| 21 | Celluloid or cellulose nitrate | Pass |
| 32 | Dolls, plush toys and soft toys – Flammability of outer covering | NA |
| 33 | Dolls, plush toys and soft toys – Flammability of yarn | NA |
| 34 | Dolls, plush toys and soft toys – Flammability of hair or mane | NA |

16. Lead Content (Pb) and Mercury Content (Hg) SOR/2011-17, determined by ICP-OES

| | Commonad | Material | | | | Limit | RL |
|---|--------------|----------|------|------|------|-----------------|---------|
| | Compound | 2 | 3 | 4 | 5 | (mg/kg) | (mg/kg) |
| 1 | Lead (Pb) | N.D. | N.D. | N.D. | N.D. | 90 | 10 |
| 2 | Mercury (Hg) | N.D. | N.D. | N.D. | N.D. | Not Detected | 5 |
| | Conclusion | PASS | PASS | PASS | PASS | - | - |

| Compound | | Material | Limit | RL |
|----------|--------------|----------|-----------------|---------|
| | | 6 | (mg/kg) | (mg/kg) |
| 1 | Lead (Pb) | N.D. | 90 | 10 |
| 2 | Mercury (Hg) | N.D. | Not Detected | 5 |
| | Conclusion | PASS | - | - |



Report No.: STSGZ2105273062E Page 20 of 27 Date: 10-Dec-2021

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

17. **Soluble Migrated Elements** SOR/2011-17, determined by ICP-OES

| | | / 2-21 | | | | | |
|------------|---------------|--------|----------|------|------|---------|---------|
| Compound - | | | Material | | | Limit | RL |
| | Compound | 2 | 3 | 4 | 5 | (mg/kg) | (mg/kg) |
| 1 | Antimony (Sb) | N.D. | N.D. | N.D. | N.D. | 1000 | 5 |
| 2 | Arsenic (As) | N.D. | N.D. | N.D. | N.D. | 1000 | 2 |
| 3 | Barium (Ba) | N.D. | N.D. | N.D. | N.D. | 1000 | 5 |
| 4 | Cadmium (Cd) | N.D. | N.D. | N.D. | N.D. | 1000 | 5 |
| 5 | Selenium (Se) | N.D. | N.D. | N.D. | N.D. | 1000 | 5 |
| | Conclusion | PASS | PASS | PASS | PASS | - | - |

| | 0 | Material | Limit (mg/kg) | RL |
|---|---------------|----------|---------------|---------|
| | Compound | 6 | | (mg/kg) |
| 1 | Antimony (Sb) | N.D. | 1000 | 5 |
| 2 | Arsenic (As) | N.D. | 1000 | 2 |
| 3 | Barium (Ba) | N.D. | 1000 | 5 |
| 4 | Cadmium (Cd) | N.D. | 1000 | 5 |
| 5 | Selenium (Se) | N.D. | 1000 | 5 |
| | Conclusion | PASS | - | - |

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Web://www.stsgz.com



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 21 of 27

18. Mechanical and Physical Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.1:2016

| Section | Testing Items | Assessment |
|---------|--|------------|
| 4 | Requirements | |
| 4.1 | Normal use | Pass |
| 4.2 | Reasonably foreseeable abuse | Pass |
| 4.3 | Material | Pass |
| 4.4 | Small parts | Pass |
| 4.5 | Shape, size, and strength of certain toys | NA |
| 4.6 | Edges | Pass |
| 4.7 | Points | Pass |
| 4.8 | Projections | NA |
| 4.9 | Metal wires and rods | NA |
| 4.10 | Plastic film or plastic bags in packaging and in toys | NA |
| 4.11 | Cords and elastics | NA |
| 4.12 | Folding mechanisms | NA |
| 4.13 | Holes, clearances and accessibility of mechanisms | NA |
| 4.14 | Springs | NA |
| 4.15 | Stability and overload requirements | NR* |
| 4.16 | Enclosures | NA |
| 4.17 | Simulated protective equipment, such as helmets, hats and goggles. | NA |
| 4.18 | Projectile toys | NA |
| 4.19 | Rotors and propellers | NA |
| 4.20 | Aquatic toys | NA |
| 4.21 | Braking | NA |
| 4.22 | Toy bicycles | NA |
| 4.23 | Speed limitation of electrically driven ride-on toys | NA |



Report No.: STSGZ2105273062E Page 22 of 27 Date: 10-Dec-2021

| Section | Testing Items | Assessment |
|---------|--|------------|
| 4.24 | Toys containing a heat source | NA |
| 4.25 | Liquid-filled toys | NA |
| 4.26 | Mouth-actuated toys | NA |
| 4.27 | Toy roller skates, toy inline skates and toy skateboards | NA |
| 4.28 | Percussion caps | NA |
| 4.29 | Acoustic requirements | NA |
| 4.30 | Toy scooters | NA |
| 4.31 | Magnets and magnetic components | NA |
| В | Safety-labeling guidelines and manufacturer's markings | Pass |
| B.2 | Safety-labeling guidelines | Pass |
| B.3 | Instructional literature | Pass |
| | Manufacturer's markings | Pass |
| B.4 | The name, trademark or mark of the manufacturer or the distributor | Pass |
| | The address of the manufacturer or the distributor | Pass |

Flammability Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.2:2016 19.

| Section | Testing Items | Assessment |
|---------|--|------------|
| 4.1 | General requirement | Pass |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child in a play | NA |
| 4.4 | Toys intended to be entered by a child | NA |
| 4.5 | Soft-filled toys (animals and dolls, etc.) with a piled or textile surface | NA |

Remark(s): NA = Not Applicable

Remark(s): NA = Not Applicable

* = According to the customer's requirements, this clause is not tested





Report No.: STSGZ2105273062E Page 23 of 27 Date: 10-Dec-2021

20. Soluble elements Content- Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.3:2012+A1:2016,determined by ICP

| | Commonad | Material | | | | Limit | RL |
|---|---------------|----------|------|------|------|---------|---------|
| | Compound | 1 | 2 | 3 | 4 | (mg/kg) | (mg/kg) |
| 1 | Antimony (Sb) | N.D. | N.D. | N.D. | N.D. | 60 | 5 |
| 2 | Arsenic (As) | N.D. | N.D. | N.D. | N.D. | 25 | 2 |
| 3 | Barium (Ba) | N.D. | N.D. | N.D. | N.D. | 1000 | 5 |
| 4 | Cadmium (Cd) | N.D. | N.D. | N.D. | N.D. | 75 | 5 |
| 5 | Chromium (Cr) | N.D. | N.D. | N.D. | N.D. | 60 | 5 |
| 6 | Lead (Pb) | N.D. | N.D. | N.D. | N.D. | 90 | 5 |
| 7 | Mercury (Hg) | N.D. | N.D. | N.D. | N.D. | 60 | 5 |
| 8 | Selenium (Se) | N.D. | N.D. | N.D. | N.D. | 500 | 5 |
| | Conclusion | PASS | PASS | PASS | PASS | - | - |

| | 0 | Mate | Material | | |
|---|---------------|------|----------|---------|---------|
| | Compound | 5 | 6 | (mg/kg) | (mg/kg) |
| 1 | Antimony (Sb) | N.D. | N.D. | 60 | 5 |
| 2 | Arsenic (As) | N.D. | N.D. | 25 | 2 |
| 3 | Barium (Ba) | N.D. | N.D. | 1000 | 5 |
| 4 | Cadmium (Cd) | N.D. | N.D. | 75 | 5 |
| 5 | Chromium (Cr) | N.D. | N.D. | 60 | 5 |
| 6 | Lead (Pb) | N.D. | N.D. | 90 | 5 |
| 7 | Mercury (Hg) | N.D. | N.D. | 60 | 5 |
| 8 | Selenium (Se) | N.D. | N.D. | 500 | 5 |
| | Conclusion | PASS | PASS | - | - |

Remark(s) (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)







21. Phthalates content- As Client's Requirement Refer To CPSC-CH-C1001-09.4, determined by GC-MS

| Compound | | | | Material | | | Client's | |
|----------|-------|--|------|----------|------|------|-----------|--------|
| | | | 1 2 | 2 | 3 | 4 | Limit (%) | RL (%) |
| 1 | DBP | Dibutyl phthalate CAS# 84-74-2 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 2 | DEHP | Di(2-ethylhexyl) phthalate CAS# 117-81-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 3 | BBP | Benzyl butyl phthalate CAS# 85-68-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 4 | DINP | Di-isononyl phthalate CAS# 68515-48-0 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 5 | DNOP | Di-n-octyl phthalate CAS# 117-84-0 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 6 | DIDP | Di-isodecyl phthalate CAS# 26761-40-0 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 7 | DPP | Dipentyl phthalate CAS# 131-18-0 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 8 | DIBP | Di-iso-butyl phthalate CAS# 84-69-5 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 9 | Dnpp | Phthalic acid, bis-n-pentyl ester CAS# 131-18-0 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 10 | DIHP | 1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 11 | DHNUP | 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 12 | DMEP | Dimethoxyethyl phthalate CAS# 117-82-8 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 13 | DIPP | Di-isopentyl phthalate CAS# 605-50-5 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 14 | PIPP | N-pentyl- isopentylphthalate O-CAS# 776297-69-9 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 15 | - | 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 16 | DHP | Di-n-hexyl phthalate CAS# 84-75-3 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 17 | DNHP | Di-n-hexyl phthalate CAS# 84-75-3 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 25 of 27

| Compound | | | Mate | Client's | RL (%) | | |
|----------|-------|--|------|----------|-----------|----------|--|
| | Comp | ound | 5 6 | | Limit (%) | IXL (70) | |
| 1 | DBP | Dibutyl phthalate CAS# 84-74-2 | N.D. | N.D. | 0.1 | 0.005 | |
| 2 | DEHP | Di(2-ethylhexyl) phthalate CAS# 117-81-7 | N.D. | N.D. | 0.1 | 0.005 | |
| 3 | ВВР | Benzyl butyl phthalate CAS# 85-68-7 | N.D. | N.D. | 0.1 | 0.005 | |
| 4 | DINP | Di-isononyl phthalate CAS# 68515-48-0 | N.D. | N.D. | 0.1 | 0.005 | |
| 5 | DNOP | Di-n-octyl phthalate CAS# 117-84-0 | N.D. | N.D. | 0.1 | 0.005 | |
| 6 | DIDP | Di-isodecyl phthalate CAS# 26761-40-0 | N.D. | N.D. | 0.1 | 0.005 | |
| 7 | DPP | Dipentyl phthalate CAS# 131-18-0 | N.D. | N.D. | 0.1 | 0.005 | |
| 8 | DIBP | Di-iso-butyl phthalate CAS# 84-69-5 | N.D. | N.D. | 0.1 | 0.005 | |
| 9 | Dnpp | Phthalic acid, bis-n-pentyl ester CAS# 131-18-0 | N.D. | N.D. | 0.1 | 0.005 | |
| 10 | DIHP | 1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6 | N.D. | N.D. | 0.1 | 0.005 | |
| 11 | DHNUP | 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4 | N.D. | N.D. | 0.1 | 0.005 | |
| 12 | DMEP | Dimethoxyethyl phthalate CAS# 117-82-8 | N.D. | N.D. | 0.1 | 0.005 | |
| 13 | DIPP | Di-isopentyl phthalate CAS# 605-50-5 | N.D. | N.D. | 0.1 | 0.005 | |
| 14 | PIPP | P-pentyl- isopentylphthalate Q-CAS# 776297-69-9 | N.D. | N.D. | 0.1 | 0.005 | |
| 15 | - | 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0 | N.D. | N.D. | 0.1 | 0.005 | |
| 16 | DHP | Di-n-hexyl phthalate CAS# 84-75-3 | N.D. | N.D. | 0.1 | 0.005 | |
| 17 | DNHP | Di-n-hexyl phthalate CAS# 84-75-3 | N.D. | N.D. | 0.1 | 0.005 | |

Remark(s): (a) RL: Report limit (b) N.D.: Not detected (result is less than R



Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 26 of 27

Material List:

| Material # | Position / Sample Description |
|------------|-------------------------------|
| 1 | Brown plywood, holder |
| 2 | Transparent coating, holder |
| 3 | Red coating, holder |
| 4 | Dark green coating, holder |
| 5 | White coating, holder |
| 6 | Black coating, holder |
| 7 | Silvery metal, hex screw |
| 7 | Silvery metal, hex screw |

Photo(s):







Report No.: STSGZ2105273062E Date: 10-Dec-2021 Page 27 of 27

声明

Statement

本检测报告首页所列信息中除样品来源、接样日期、检测日期、检测结果和检测结论外,均由委托方提供,委托方对样品的代表性和资料的真实性负责,本实验室不承担任何相关责任。

的其实区域的一种实施室中海地区内相关设置。
The information as listed on the first page of this test report was all provided by the client except the sample from, date received, test period, test results and test conclusion. The client shall be responsible for the representativeness of sample and authenticity of materials, for which STS shall bear no responsibilities.

本检测报告以实测值进行符合性判定,未考虑不确定度所带来的风险,特别约定、标准或规范中有明确规定的除外。此种判定方式所带来的风险由客户自行承担,本实验室不承担相关责任。

The judgment method of determining the conformity in this test report is according to the measured value without considering the risk caused by uncertainty, unless otherwise clearly stipulated in special agreement, standard or specification. The client shall assume the risk caused by the judgment method, and STS shall not bear related responsibilities.

检测报告无批准人签字及"检验检测专用章"无效,未经本实验室书面同意,不得整体或部分复制本报告。
 The test report is effective only with both signature and specialized stamp. Without written approval of STS, this report can't be reproduced in full or in part.

4. 本检测报告的检测结果仅对送测样品负责,未加盖资质认定标志的检测报告不对社会具有公证证明作用,对于检测数据、结果的使用,所产生的直接或间接损失及一切法律后果,本实验室不承担任何经济和法律责任。

This test data is only responsible for the tested sample. The data and results provided by the report without CMA accreditation are not to prove to the society, and STS is not responsible for any economic and legal responsibility for the use of the test data, the direct or indirect losses resulting from the use of the test and all legal consequences.

5. 本检测报告中检测项目标注有下划线则该项目不在本实验室资质认定能力范围内,该项目检测结果仅作为客户委托、科研、教学或内部质量控制等目的使用

The underlined test item in the report is out of the scope of CMA accreditation. The test result only used for client's requirement, scientific researching ,teaching or internal quality control.

6. 其它声明请查阅报告页脚及书面报告背页。

For other statements, please refer to the footer of the report.

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com
Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

签发测试报告条款

Conditions of Issuance of Test Reports

1. 广州市德普华检测技术有限公司(以下简称[公司])为提供符合下述条款的测试和报告,而接受有关样品和货品。本公司基于下述条款提供服务,下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。

All samples and goods are accepted by the Guangzhou Depuhua Test Services Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").

2. 由此测试申请所发出的任何报告(以下简称[报告]),本公司会严格为客户保密。未经本公司的书面同意,报告的整体或部分不得复制,也不得用于广告或授权的其他用途。然而,客户可以将本公司印制的报告或认可的副本,向其客户、供货商或直接相关的其它人出示或提交。除非相关政府部门、法律或法规要求,否则未经客户同意,本公司不得将报告内容向任何第三方讨论或披露。

Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it. or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court order.

3. 除非相关政府部门、法律或法院要求,否则未经公司预先书面同意,本公司毋需,也并无义务到法院对有关报告作证。 The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. 除非本公司进行抽样,并已在报告中说明,否则报告中适用于送测的样品(样品信息为客户提供),不适用于批量。
The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.

- 5. 如果本公司确定报告被不当地使用,本公司保留撤回报告的权利,并有权要求其它适当的额外赔偿。
 In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 6. 本公司接受样品进行测试的前提是,该测试报告不能作为针对本公司法律行动的依据。
 Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 7. 如因使用本公司中心任何报告内的资料,或任何传播信息所描述与之有关的测试或研究导致的任何损失或损害,本公司概不负责。 The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 8. 若需要在法院审理程序或者仲裁过程中使用测试报告,客户必须在提交测试样品前将该意图告知本公司。
 Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing
- 9. 该测试报告的支持数据和信息本公司保存 10 年。个别评审机构有特别要求的,检测数据和报告的保存期可依情况变动。一旦超过上述提交的保存期限,数据和信息将被处理掉。任何情况下,本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害,本公司在任何情况下也不必承担任何损害,包括(但不限于)补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权(包括疏忽)、产品责任或其他原因的惩罚性损害。

Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

10. 报告的签发记录可通过登录 www.stsgz.com 查询。如需进一步查询报告有效性或核实报告,需与本公司联系。 Issuance records of the Report are available on the internet at www.stsgz.com. Further enquiry of validity or verification of the Report should be addressed to the company.