

Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 1 of 30

Applicant : CARPENTERS MANUFACTORY LIMITED

Address: HUANG JIN JI INDUSTRIAL ZONE, SHANG JIE VILLAGE, QI SHI TOWN, DONG GUAN CITY, GUANG DONG PROVINCE, P.R.CHINA

The following sample(s) and sample information was/were submitted and identified by client as:

Sample Name:	Grocery Stand with Roof
Model/Style/Item #:	ME16324
Labeled Age Grading:	3+
Requested Age Grading:	3+
Tested Age Grading:	3+
Receiving Date:	27-May-2021
Test Period:	From 27-May-2021 to 7-Jun-2021
Add Information:	

Signed for and on behalf of STS

TING SERV

Tim Qi (Technical Director)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

 Guangzhou Depuhua Test Services Co. Ltd.

 A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong
 e-mail: stsgz@stsapp.com

 Phone: +86 (0)20-6664 1688
 Fax: +86 (0)20-6664 1699
 Web://www.stsgz.com



Date: 10-Jun-2021

Page 2 of 30

Test Summary:

#	Test Item(s)	Reference Standard/Method	Result
1	Safety of Toys: Mechanical and Physical Properties	EN 71-1:2014+A1:2018	PASS
2	General labeling requirement(CE marking, manufacturer/importer name and address, and product identification)	2009/48/EC	PASS
3	Safety of Toys: Flammability	EN 71-2:2011+A1:2014	PASS
4	Safety of Toys: Migration of Certain Elements	EN 71-3:2019	PASS
5	Phthalate content (DIBP、DEHP、DBP、BBP、 DINP、DIDP、DNOP) -Item 51&52 of Annex XVII of REACH Regulation (EC) 1907/2006.	EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS	PASS
6	Cadmium content -Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006	IEC 62321-5:2013, determined by AAS	PASS
7	Azo colorants content - Item 43 of Annex XVII of the REACH Regulation (EC) No 1907/2006 & amendment (EC) No 552/2009 and (EU) No 126/2013	ISO 14362-1:2017 & ISO 14362-3:2017, determined by GC/MS and HPLC	PASS
8	Mechanical and Physical Propertie	ASTM F963-17	PASS
9	Flammability of Solids	16 CFR 1500.44 / ASTM F963-17, A5	PASS
10	Soluble Migrated Elements ASTM F963-17	ASTM F963-17, determined by ICP-OES	PASS
11	Lead Content (Pb) ASTM F963-17	CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non- metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS	PASS
12	Lead Content (Pb) CPSIA H.R. 4040 Sec. 101	d Content (Pb) CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-	
13	Lead Content (Pb) - 16 CFR 1303	CPSC-CH-E1003-09.1(Surface Coating) ,determined by AAS	PASS
14	Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP-Consumer Product Safety, CPSC-CH-C1001-09.4, Solvent e		PASS
15	Mechanical and Physical Properties	SOR/2011-17	PASS
16	Flammability	SOR/2011-17	PASS
17	Lead Content (Pb) and Mercury Content (Ha)		PASS
18	Soluble Migrated Elements SOR/2011-17	SOR/2011-17, determined by ICP-OES	PASS
19	Mechanical and Physical Propertie - Australian/New Zealand Standard on Safety of Toys	AS/NZS 8124.1:2016	PASS
20	Flammability Properties - Australian/New Zealand Standard on Safety of Toys	AS/NZS 8124.2:2016	PASS

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Fax: +86 (0)20-6664 1699

Phone: +86 (0)20-6664 1688





Report No.: STSGZ2105273063E Page 3 of 30 Date: 10-Jun-2021 AS/NZS Soluble elements Content- Australian/New Zealand 21 8124.3:2012+A1:2016,determined by PASS Standard on Safety of Toys ICP CPSC-CH-C1001-09.4, determined by SEE 22 Phthalates content- As Client's Requirement GC-MS RESULT

Result:

1. Safety of Toys: Mechanical and Physical Properties – EN 71-1:2014+A1:2018

PASS

Clause	Parameter	Results
4	General requirements	
4.1	Material cleanliness	Pass
4.2	Assembly	Pass
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	Pass

Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 4 of 30

4.17	Projectile toys	NA			
4.18	Aquatic toys and inflatable toys	NA			
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA			
4.20	Acoustics	NA			
4.21	Toys containing a non-electrical heat source	NA			
4.22	Small balls	NA			
4.23	Magnets	NA			
4.24	Yo-yo balls	NA			
4.25	Toys attached to food	NA			
4.26	Toy disguise costumes	NA			
4.27	Flying toys	NA			
5	Toys intended for children under 36 months				
5.1	General requirement	NA			
5.2	Soft-filled toys and soft-filled parts of a toy	NA			
5.3	Plastic sheeting	NA			
5.4	Cords, chains and electrical cables in toys	NA			
5.5	Liquid-filled toys	NA			
5.6	Speed limitation of electrically-driven ride-on toys	NA			
5.7	Glass and porcelain	NA			
5.8	Shape and size of certain toys	NA			
5.9	Toys comprising monofilament fibres	NA			
5.10	Small balls	NA			
5.11	Play figures	NA			
5.12	Hemispheric-shaped toys	NA			
5.13	Suction cups	NA			

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Date: 10-Jun-2021

Page 5 of 30

5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Report No .:	STSGZ2105	273063E
--------------	-----------	---------

Date: 10-Jun-2021

Page 6 of 30

7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark(s): NA = Not Applicable

General labeling requirement - 2009/48/EC 2.

Item(s)	Results
CE Mark	Pass
Manufacturer/importer name and address	Pass
Product identification	Pass

Safety of Toys: Flammability – EN 71-2:2011+A1:2014 3.

Clause	Parameter	Results		
4.1	General requirements	Pass		
4.2	Toys to be worn on the head	NA		
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA		
4.4	Toys intended to be entered by a child	NA		
4.5	Soft-filled toys	NA		

Remark(s): NA = Not Applicable

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

PASS

PASS



Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 7 of 30

Safety of Toys: Migration of Certain Elements EN 71-3:2019 General elements determined by ICP-MS Chromium(VI) determined by IC-ICP-MS Organic tin determined by GC-MS 4.

			Mat	erial			
	Compound	Category III ^{*1}				Limit (mg/kg)	RL (mg/kg)
		1	2	3	4		(
1	Aluminum (Al)	N.D.	N.D.	N.D.	N.D.	70000	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	10
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	5
4	Barium(Ba)	N.D.	N.D.	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	10
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	5
12	Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	10
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	10
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	10
16	Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12 ^{*2}	0.2 ^{*2}
19	Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.



Date: 10-Jun-2021

Page 8 of 30

			Ма	terial			
	Compound	Category III*1				Limit (mg/kg)	RL (mg/kg)
		5	6	7	8		
1	Aluminum (Al)	N.D.	N.D.	N.D.	N.D.	70000	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	10
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	5
4	Barium(Ba)	N.D.	N.D.	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	10
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	5
12	Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	10
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	10
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	10
16	Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12 ^{*2}	0.2*2
19	Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-



Date: 10-Jun-2021

Page 9 of 30

		Mate	erial		
	Compound	Catego	Limit (mg/kg)	RL (mg/kg)	
		9	10		
1	Aluminum (Al)	N.D.	N.D.	70000	10
2	Antimony (Sb)	N.D.	N.D.	560	10
3	Arsenic(As)	N.D.	N.D.	47	5
4	Barium(Ba)	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	N.D.	130	10
10	Copper (Cu)	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	23	5
12	Manganese (Mn)	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	94	10
14	Nickel (Ni)	N.D.	N.D.	930	10
15	Selenium(Se)	N.D.	N.D.	460	10
16	Strontium (Sr)	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	12 ^{*2}	0.2*2
19	Zinc (Zn)	N.D.	N.D.	46000	10
	Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)
*1: Categories of various materials:
Category I: Dry, brittle, powder like or pliable material
Category II: Liquid or sticky material
Category III: Scraped-off material





Date: 10-Jun-2021

Page 10 of 30

*2: Expressed as soluble Tributyltin.

5. Phthalate content (DIBP、DEHP、DBP、BBP、DINP、DIDP、DNOP) - Item 51& 52 of Annex XVII of REACH Regulation (EC) 1907/2006

EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS

		O annu annu d	Material				Limit	RL
		Compound	2	3	4	5	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	-	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	-	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	2 -	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	-	0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.		0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.		0.005
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	-
9	Sum of	5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	-
	Conclu	sion	PASS	PASS	PASS	PASS	-	-

		O a man a mark		Mat	erial		Limit	RL
	Compound		6	7	8	9	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	1-)	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	<u> </u>	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	-	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	- (0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	-	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	-	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd. A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

Report No.: STSGZ2105273063E Date: 10-Jun-2021 Page 11 of 30 8 Sum of 1, 2, 3 & 4 N.D. N.D. N.D. N.D. 0.1 9 Sum of 5, 6 & 7 N.D. N.D. N.D. N.D. 0.1 Conclusion PASS PASS PASS PASS --

Remark(s): (a) RL: Report limit

(b) N.D.: Not detected (result is less than RL)

6. Cadmium content -Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006 IEC 62321-5:2013, determined by AAS

	Compound			Mat	erial		Limit	RL
			2	3	4	5	(mg/kg)	(mg/kg)
	1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
		Conclusion	PASS	PASS	PASS	PASS	-	-

Compound			Mate		Limit	RL	
	Compound	6	7	8	9	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)



7. Azo colourants content - Item 43 of Annex XVII of REACH Regulation (EC) No 1907/2006 & amendment EC No 552/2009 and (EU) No 126/2013

ISO 14362-1:2017& ISO 14362-3:2017, determined by GC/MS and HPLC

	Compound		Material			RL
			10		(mg/kg)	(mg/kg)
1	Biphenyl-4-ylamine/4-aminobiphenyl/ Xenylamine CAS#92-67-1	\frown	N.D.		30	5
2	Benzidine CAS#92-87-5	12	N.D.		30	5
3	4-chloro-o-toluidine CAS#95-69-2	\bigcirc	N.D.		30	5
4	2-Naphthylamine CAS#91-59-8		N.D.		30	5

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

 Guangzhou Depuhua Test Services Co. Ltd.

 A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong

 Phone: +86 (0)20-6664 1688

 Fax: +86 (0)20-6664 1699

 Web://www.stsgz.com

Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 12 of 30

5	o-aminoazotoluene/4-o-tolyazao-o- toluidine /4-amino-2',3- dimethylazobenzene [*] CAS#97-56-3	N.D.	30	5
6	5-nitro-o-toluidine/2-amino-4- nitrotoluol [*] CAS#99-55-8	N.D.	30	5
7	4-chloroaniline CAS#106-47-8	N.D.	30	5
8	4-methoxy-m-phenylenediamine/ 2,4-diaminoanisole CAS#615-05-4	N.D.	30	5
9	4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane CAS#101-77-9	N.D.	30	5
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'- ylenediamine CAS#91-94-1	N.D.	30	5
11	3,3'-dimethoxybenzidine/o-dianisidine CAS#119-90-4	N.D.	30	5
12	3,3'-dimethylbenzidine/4,4'-bi-o- toluidine CAS#119-93-7	N.D.	30	5
13	4,4'-methylenedi-o-toluidine CAS#838-88-0	N.D.	30	5
14	6-methoxy-m-toluidine/p-cresidine CAS#120-71-8	N.D.	30	5
15	4,4'-methylene-bis-(2-chloro-aniline)/ 2,2'-dichloro-4,4'-methylene-dianiline CAS#101-14-4	N.D.	30	5
16	4,4'-oxydianiline CAS#101-80-4	N.D.	30	5
17	4,4'-thiodianiline CAS#139-65-1	N.D.	30	5
18	o-toluidine/2-aminotoluen CAS#95-53-4	N.D.	30	5
19	2,4-diaminotoluene/2,4- toluylendiamine/ methyl-m-phenylenediamine CAS#95-80-7	N.D.	30	5
20	2,4,5-trimethylaniline CAS#137-17-7	N.D.	30	5
21	o-anisidine/2-methoxyaniline CAS#90-04-0	N.D.	30	5
22	4-aminoazobenzene** CAS#60-09-3	N.D.	30	5
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) N.D.: Not detected (result is less than RL)

 (c) RL: Report limit
 *: The amines o-aminoazotoluene (No 5, CAS No.97-56-3) and 2-amino-4-nitrotoluene (No 6, CAS No.99-55-8) are further reduced to o-toluidine (No 18, CAS No. 95-53-4) and 2, 4-diaminotone (No 19, CAS No. 95-80-7).
 **: Azo colorants that are able to form 4-aminoazobenzene (No 22, CAS No. 60-09-3) generate, under the condition of this method, aniline (CAS No. 62-53-

3) and 1, 4-phenylendiamine (CAS No. 106-50-3). Due to detection limits, only aniline may be detected. If aniline is detected above 5mg/kg, then the presence of these colorants should be tested by ISO 14362-3:2017.



Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 13 of 30

PASS

8. Mechanical and Physical Properties – ASTM F963-17

Clause	Parameter	Results
4	Safety Requirements	
4.1	Material Quality	Pass
4.4	Electrical / Thermal Energy	NA
4.5	Sound-Producing Toys	NA
4.6	Small Objects	Pass
1.7	Accessible Edges	Pass
1.8	Projections	NA
1.9	Accessible Points	Pass
1.10	Wires or Rods	NA
1.11	Nails and Fasteners	Pass
4.12	Plastic Film	NA
1.13	Folding Mechanisms and Hinges	NA
1.14	Cords, Straps, and Elastics	NA
1.15	Stability and Over-Load Requirements	Pass
1.16	Confined Spaces	NA
1.17	Wheels, Tires, and Axles	NA
1.18	Holes, Clearance, and Accessibility of Mechanisms	NA
1.19	Simulated Protective Devices	NA
1.20	Pacifiers	NA
1.21	Projectile Toys	NA
1.22	Teethers and Teething Toys	NA
1.23	Rattles	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.



Date: 10-Jun-2021

Page 14 of 30

4.24	Squeeze Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapments in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labeling Requirements	
5.1	Federal Government Requirements	NA
5.2	Age Grading Labeling	Pass
5.3	Safety Labeling Requirements	Pass
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage Toys	NA



Date: 10-Jun-2021

Page 15 of 30

5.8	Toys Intended to be Assembled by an Adult	Pass
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	Pass
5.12	Toy Caps	NA
5.13	Art Materials	NA
5.14	Electric Toys	NA
5.16	Promotional Materials	NA
5.17	Magnets	NA
6	Instructional Literature	
6.1	Definition and Description	NA
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled by an Adult	Pass
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
7	Producer's Markings	Pass
8	Test Methods	
8.5	Normal Use Testing	Pass
8.6	Abuse Testing	Pass
8.7	Impact Tests	Pass
8.8	Torque Tests for Removal of Components	Pass
8.9	Tension Tests for Removal of Components	Pass
8.10	Compression Tests	Pass

Remark(s): NA = Not Applicable

Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Flammability of Solids - 16 CFR 1500.44 / ASTM F963-17, A5 9.

Clause	Parameter	Results
16 CFR 1500.44 / ASTM F963-17, A5	Flammability	Pass

Soluble Migrated Elements ASTM F963-17, determined by ICP-OES 10.

	Commonwed		Ma	Material			RL
	Compound	1	2	3	4	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mat	erial		Limit	RL
	Compound	5	6	7	8	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong

Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699



PASS

Report No.: STSGZ2105273063E Page 17 of 30 Date: 10-Jun-2021 8 Selenium (Se) N.D. N.D. N.D. N.D. 500 5 Conclusion PASS PASS PASS PASS

		Mat	erial	Limit	RL	
	Compound	9	10	(mg/kg)	(mg/kg)	
1	Antimony (Sb)	N.D.	N.D.	60	5	
2	Arsenic (As)	N.D.	N.D.	25	2	
3	Barium (Ba)	N.D.	N.D.	1000	5	
4	Cadmium (Cd)	N.D.	N.D.	75	5	
5	Chromium (Cr)	N.D.	N.D.	60	5	
6	Lead (Pb)	N.D.	N.D.	90	5	
7	Mercury (Hg)	N.D.	N.D.	60	5	
8	Selenium (Se)	N.D.	N.D.	500	5	
	Conclusion	PASS	PASS	-	-	

Remark(s): (a) mg/kg: milligram per kilogram

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

11. Lead Content (Pb) – ASTM F963-17

CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

	Compound			Material				
			2	3	10	(mg/kg)	(mg/kg)	
	1	Lead (Pb)	N.D.	N.D.	N.D.	100	10	
		Conclusion	PASS	PASS	PASS	-	-	

	Compound			Limit	RL		
	Compound	4	5	6	7	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 18 of 30

	Compound	Mat	Limit	RL	
Compound		8	9	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	90	10
	Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

Lead Content (Pb) - CPSIA H.R. 4040 Sec. 101 12.

CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

	Commoned		Limit	RL		
	Compound	2	3	10	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	-	-

	Compound		Mat	erial		RL	
	Compound	4	5	6	7	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

		Compound	Mate	Material		
V		Compound	8	9	(mg/kg)	(mg/kg)
	1	Lead (Pb)	N.D.	N.D.	90	10
		Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)



Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 19 of 30

13. Lead Content (Pb) - 16 CFR 1303

CPSC-CH-E1003-09.1(Surface Coating) ,determined by AAS

	Compound	Material				Limit	RL
	Compound	4	5	6	7	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mate	erial	Limit	RL
1			8	9	(mg/kg)	(mg/kg)
	1	Lead (Pb)	N.D.	N.D.	90	10
		Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

14. Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP)-Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307. CPSC-CH-C1001-09.4, Solvent extract and determined by GC/MS

	0.0			Mat	erial		Limit	RL
	Compound		2	3	4	5	(%)	(%)
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl Phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl Phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DEHP	Bis (2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DCHP	Dicyclohexly Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclus	ion	PASS	PASS	PASS	PASS	-	-

Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 20 of 30

			1					
				Mat		Limit	RL	
	Co	mpound	6	7	8	9	(%)	(%)
1	DIBP Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005	
2	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl Phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl Phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DEHP	Bis (2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DCHP	Dicyclohexly Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclus	ion	PASS	PASS	PASS	PASS	-	-

Remark(s): (a) RL: Report limit (b) N.D.: Not detected (result is less than RL)

Mechanical and Physical Properties - SOR/2011-17 15.

Clause Parameter Results 3 Official languages NA NA 4 Flexible film bags 7 Small parts Pass 8 Metal edges Pass 9 Wire frames NA 10 NA Plastic edges 11 Wood Pass 12 Glass NA 13 Fasteners Pass

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

PASS

Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 21 of 30

14	Safety stops or locking devices	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Enclosures	NA
18	Stability	NA
19	Decibel limit	NA
28	Dolls, plush toys and soft toys – Fastenings	NA
29	Dolls, plush toys and soft toys – Stuffing	NA
30	Dolls, plush toys and soft toys – Small parts	NA
31	Dolls, plush toys and soft toys – Eyes and noses	NA
35	Plant seeds – Noise	NA
36	Plant seeds – stuffing material	NA
37	Pull and push toys	NA
38	Toys steam engines	NA
39	Finger paints	NA
40	Rattles	NA
41	Elastics	NA
42	Yo-yo type balls	NA
43	Magnetic toys	NA

Remark(s): NA = Not Applicable

16. Flammability – SOR/2011-17

Clause	Parameter	Results
21	Celluloid or cellulose nitrate	Pass
32	Dolls, plush toys and soft toys – Flammability of outer covering	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

PASS





 Report No.: STSGZ2105273063E
 Date: 10-Jun-2021
 Page 22 of 30

 33
 Dolls, plush toys and soft toys – Flammability of yarn
 NA

 34
 Dolls, plush toys and soft toys – Flammability of hair or mane
 NA

17. Lead Content (Pb) and Mercury Content (Hg) SOR/2011-17, determined by ICP-OES

_								
	Compound			Limit	RL			
			4	5	6	7	(mg/kg)	(mg/kg)
	1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	10
-	2	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	Not Detected	5
		Conclusion	PASS	PASS	PASS	PASS	-	-

	0	Mat	Limit	RL	
	Compound	8	9	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	90	10
2	Mercury (Hg)	N.D.	N.D.	Not Detected	5
	Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm

(b) RL: Report limit(c) N.D.: Not detected (result is less than RL)



18. Soluble Migrated Elements SOR/2011-17, determined by ICP-OES

	Compound		Material Limit				RL	
	Compound	4	5	6	7	(mg/kg)	(mg/kg)	
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	1000	5	
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	1000	2	
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5	
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	1000	5	

Report No.: STSGZ2105273063E Date: 10-Jun-2021 Page 23 of 30 5 Selenium (Se) N.D. N.D. N.D. N.D. 1000 5 Conclusion PASS PASS PASS PASS Material Limit RL Compound (mg/kg) (mg/kg) 8 9 1 N.D. N.D. 1000 5 Antimony (Sb) 2 Arsenic (As) N.D. N.D. 1000 2 3 N.D. N.D. 1000 5 Barium (Ba) 4 Cadmium (Cd) N.D. N.D. 1000 5 5 N.D. N.D. 1000 5 Selenium (Se) PASS PASS Conclusion _ -

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm (b) RL: Report limit

(b) RL: Report limit(c) N.D.: Not detected (result is less than RL)

19. Mechanical and Physical Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.1:2016

Section	Testing Items	Assessment
4	Requirements	
4.1	Normal use	Pass
4.2	Reasonably foreseeable abuse	Pass
4.3	Material	Pass
4.4	Small parts	Pass
4.5	Shape, size, and strength of certain toys	NA
4.6	Edges	Pass
4.7	Points	Pass
4.8	Projections	NA
4.9	Metal wires and rods	NA



Date: 10-Jun-2021

Page 24 of 30

Section	Testing Items	Assessment
4.10	Plastic film or plastic bags in packaging and in toys	NA
4.11	Cords and elastics	NA
4.12	Folding mechanisms	NA
4.13	Holes, clearances and accessibility of mechanisms	NA
4.14	Springs	NA
4.15	Stability and overload requirements	Pass
4.16	Enclosures	NA
4.17	Simulated protective equipment, such as helmets, hats and goggles.	NA
4.18	Projectile toys	NA
4.19	Rotors and propellers	NA
4.20	Aquatic toys	NA
4.21	Braking	NA
4.22	Toy bicycles	NA
4.23	Speed limitation of electrically driven ride-on toys	NA
4.24	Toys containing a heat source	NA
4.25	Liquid-filled toys	NA
4.26	Mouth-actuated toys	NA
4.27	Toy roller skates, toy inline skates and toy skateboards	NA
4.28	Percussion caps	NA
4.29	Acoustic requirements	NA
4.30	Toy scooters	NA
4.31	Magnets and magnetic components	NA
В	Safety-labeling guidelines and manufacturer's markings	Pass
B.2	Safety-labeling guidelines	Pass
B.3	Instructional literature	Pass
B.4	Manufacturer's markings	Pass

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.



Date: 10-Jun-2021

Page 25 of 30

Section	Testing Items	Assessment
	The name, trademark or mark of the manufacturer or the distributor	Pass
	The address of the manufacturer or the distributor	Pass

Remark(s): NA = Not Applicable

20. Flammability Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.2:2016

Section	Testing Items	Assessment
4.1	General requirement	Pass
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in a play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys (animals and dolls, etc.) with a piled or textile surface	NA

Note: NA = Not Applicable.

21. Soluble elements Content- Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.3:2012+A1:2016,determined by ICP

	0 d		Mat	erial	Limit	Limit	RL
Compound		1	2	3	4	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5

Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 26 of 30

8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

			Ма	terial		Limit	RL	
	Compound	5	6	7	8	(mg/kg)	(mg/kg)	
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5	
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2	
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5	
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5	
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5	
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5	
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5	
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5	
	Conclusion	PASS	PASS	PASS	PASS	-	-	

	0d	Mate	erial	Limit	RL
	Compound	9	10	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	-	-

Remark(s) (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)





Date: 10-Jun-2021

Page 27 of 30

22. Phthalates content- As Client's Requirement Refer To CPSC-CH-C1001-09.4, determined by GC-MS

Compound			Material				Client's	
			2	3	4	5	Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	ВВР	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	N-pentyl- isopentylphthalate O-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005

Compound			Mat	Client's	RL (%)			
	Com	pound	6	7	8	9	Limit (%)	KL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 28 of 30

2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	P-pentyl- isopentylphthalate Q-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005

Remark(s): (a) RL: Report limit (b) N.D.: Not detected (result is less than R

Material List:

Material #	Position / Sample Description
1	Brown wood, pole
2	Brown plywood, holder
2	Brown plywood, holder


Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 29 of 30

3	Nude plastic, screw
4	Transparent coating, holder
5	Red coating, board
6	Dark blue coating, board
7	Dark green coating, board
8	Light yellow coating, board
9	Purple coating, board
10	Yellow/purple fabric, roof board
11	Silvery metal, hex screw

Photo(s):



A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

Report No.: STSGZ2105273063E

Date: 10-Jun-2021

Page 30 of 30



A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

签发测试报告条款

Conditions of Issuance of Test Reports



广州市德普华检测技术有限公司(以下简称[公司])为提供符合下述条款的测试和报告,而接受有关样品和货品。本公司基于下述条款提供服务, 下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。



下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。 All samples and goods are accepted by the Guangzhou Depuhua Test Services Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").

2. 由此测试申请所发出的任何报告(以下简称[报告]),本公司会严格为客户保密。未经本公司的书面同意,报告的整体或部分不得复制,也不得用 于广告或授权的其他用途。然而,客户可以将本公司印制的报告或认可的副本,向其客户、供货商或直接相关的其它人出示或提交。除非相关 政府部门、法律或法规要求,否则未经客户同意,本公司不得将报告内容向任何第三方讨论或披露。

Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it. or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court order.

- 除非相关政府部门、法律或法院要求,否则未经公司预先书面同意,本公司毋需,也并无义务到法院对有关报告作证。
 The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. 除非本公司进行抽样,并已在报告中说明,否则报告中适用于送测的样品(样品信息为客户提供),不适用于批量。 The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.

如果本公司确定报告被不当地使用,本公司保留撤回报告的权利,并有权要求其它适当的额外赔偿。 In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

- 6. 本公司接受样品进行测试的前提是,该测试报告不能作为针对本公司法律行动的依据。 Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 7. 如因使用本公司中心任何报告内的资料,或任何传播信息所描述与之有关的测试或研究导致的任何损失或损害,本公司概不负责。 The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 若需要在法院审理程序或者仲裁过程中使用测试报告,客户必须在提交测试样品前将该意图告知本公司。
 Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 9. 该测试报告的支持数据和信息本公司保存 10 年。个别评审机构有特别要求的,检测数据和报告的保存期可依情况变动。一旦超过上述提交的保存期限,数据和信息将被处理掉。任何情况下,本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害,本公司在任何情况下也不必承担任何损害,包括(但不限于)补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权(包括疏忽)、产品责任或其他原因的惩罚性损害。
 Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

 报告的签发记录可通过登录 www.stsgz.com 查询。如需进一步查询报告有效性或核实报告,需与本公司联系。 Issuance records of the Report are available on the internet at www.stsgz.com. Further enquiry of validity or verification of the Report should be addressed to the company.

