

Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 1 of 45

CARPENTERS MANUFACTORY LIMITED Applicant:

HUANG JIN JI INDUSTRIAL ZONE, SHANG JIE VILLAGE, QI SHI TOWN, DONG GUAN Address:

CITY, GUANG DONG PROVINCE, P.R.CHINA

The following sample(s) and sample information was/were submitted and identified by client as:

Wave Ladder - Low/Wave Climber/Wave Ladder - High/Steps/Slope - High/Slope -Sample Name:

Low/Platform - Low/Platform - High/Tunnel/Curved Steps/Zigzag Climber/1000L x 500W Rectangular Mat/500L x 500W Square Mat/500L Triangular Mat/500L 90° Corner Mat

ME18250,ME18267,ME18274,ME18281,ME18342,ME18298,ME18304,ME18311,ME1832 Model/Style/Item #:

8,ME18380,ME18397,ME19035,ME19042,ME19318,ME19325

Labeled Age Grading: 3+

Requested Age Grading:

3+

Tested Age Grading: 3+

Receiving Date: 27-May-2021, 25-Jun-2021, 17-Dec-2021

Test Period: From 27-May-2021 to 22-Dec-2021


Add Information:

*******************Please refer to the following page for detailed results***********

Signed for and on behalf of ST **TESTING SERVICE** Tim Qi (Technical Director)







Test Summary:

#	Test Item(s)	Reference Standard/Method	Result			
1	Safety of Toys: Mechanical and Physical Properties	EN 71-1:2014+A1:2018	PASS			
2	General labeling requirement(CE marking, manufacturer/importer name and address, and product identification)	2009/48/EC	PASS			
3	Safety of Toys: Flammability	EN 71-2:2011+A1:2014	PASS			
4	Safety of Toys: Migration of Certain Elements	EN 71-3:2019	PASS			
5	Phthalate content (DIBP、DEHP、DBP、BBP、DINP、DIDP、DNOP) -Item 51&52 of Annex XVII of REACH Regulation (EC) 1907/2006.	EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS	PASS			
6	Cadmium content -Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006	IEC 62321-5:2013, determined by AAS	PASS			
7	Azo colorants content - Item 43 of Annex XVII of the REACH Regulation (EC) No 1907/2006 & amendment (EC) No 552/2009 and (EU) No 126/2013	s content - Item 43 of Annex XVII of the ISO 14362-1:2017 & ISO 14362-3:2017,				
8	Mechanical and Physical Propertie	ASTM F963-17	PASS			
9	Flammability of Solids	16 CFR 1500.44 / ASTM F963-17, A5	PASS			
10	Soluble Migrated Elements ASTM F963-17	ASTM F963-17, determined by ICP-OES	PASS			
11	Lead Content (Pb) ASTM F963-17	CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non- metal Substrate), CPSC-CH-E1003-09.1				
12	(Surface Coating), determined by AAS CPSC-CH-E1001-08.3 (Metal Lead Content (Pb) CPSIA H.R. 4040 Sec. 101 (Surface Coating), determined by AAS (Surface Coating), determined by AAS					
13	Lead Content (Pb) - 16 CFR 1303	CPSC-CH-E1003-09.1(Surface Coating) ,determined by AAS	PASS			
14	Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP)-Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307	(DIBP, DBP, DPENP, DHEXP, BBP, HP, DINP)-Consumer Product Safety and determined by GC/MS				
15	Phthalates (DEHP、DBP、BBP、DINP、DIDP、DNOP)- Canada Consumer Product Safety Act: Phthalates Regulations (SOR/2016-188).	Canada Health Product Safety laboratory Book 5-Laboratory Policies and Procedures Part B:Testing Methods Section,Method C34 Determination of Phthalates in Polyvinyl Chloride Consumer Products ,Solvent extract and determined by GC/MS	PASS			
16	Mechanical and Physical Properties	SOR/2011-17	PASS			
17	Flammability	SOR/2011-17	PASS			



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 3 of 45

18	Lead Content (Pb) and Mercury Content (Hg) SOR/2011-17	SOR/2011-17, determined by ICP-OES	PASS
19	Soluble Migrated Elements SOR/2011-17	SOR/2011-17, determined by ICP-OES	PASS
20	Mechanical and Physical Propertie - Australian/New Zealand Standard on Safety of Toys	AS/NZS 8124.1:2016	PASS
21	Flammability Properties - Australian/New Zealand Standard on Safety of Toys	AS/NZS 8124.2:2016	PASS
22	Soluble elements Content- Australian/New Zealand Standard on Safety of Toys	AS/NZS 8124.3:2012+A1:2016,determined by ICP	PASS
23	Phthalates content- As Client's Requirement	CPSC-CH-C1001-09.4, determined by GC-MS	SEE RESULT

Result:

1. Safety of Toys: Mechanical and Physical Properties – EN 71-1:2014+A1:2018

PASS

Clause	Parameter	Results		
4	General requirements			
4.1	Material cleanliness	Pass		
4.2	Assembly	NA		
4.3	Flexible plastic sheeting	Pass		
4.4	Toy bags	NA		
4.5	Glass	NA		
4.6	Expanding materials	NA		
4.7	Edges	Pass		
4.8	Points and metallic wires	Pass		
4.9	Protruding parts	NA		
4.10	Parts moving against each other	NA		
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA		
4.12	Balloons	NA		



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 4 of 45

4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	Pass
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirement	Pass
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 5 of 45

5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 6 of 45

7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark(s): NA = Not Applicable

2. General labeling requirement - 2009/48/EC

PASS

Item(s)	Results
CE Mark	Pass
Manufacturer/importer name and address	Pass
Product identification	Pass

3. Safety of Toys: Flammability - EN 71-2:2011+A1:2014

PASS

Clause	Parameter	Results			
4.1	General requirements	Pass			
4.2	Toys to be worn on the head	NA			
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA			
4.4	Toys intended to be entered by a child	NA			



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 7 of 45

4.5 Soft-filled toys NA

Remark(s): NA = Not Applicable

4. Safety of Toys: Migration of Certain Elements

EN 71-3:2019
General elements determined by ICP-MS
Chromium(VI) determined by IC-ICP-MS
Organic tin determined by GC-MS

			Ма	terial			
	Compound		Limit (mg/kg)	RL (mg/kg)			
		1	2	3	4		
1	Aluminum (Al)	20	19	21	20	28130	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	2
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	0.2
4	Barium(Ba)	29	28	30	16	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	0.01
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	1.0
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.005
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	0.2
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	0.1
12	Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	0.2
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	1.0
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	1.0
16	Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	56000	10

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 8 of 45

17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12* ²	0.05 *2
19	Zinc (Zn)	33	32	34	30	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

			Ма	terial			
	Compound	Category III ^{*1}				Limit (mg/kg)	RL (mg/kg)
		5	6	7	8		
/1	Aluminum (Al)	19	21	16	15	28130	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	2
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	0.2
4	Barium(Ba)	15	17	19	18	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	0.01
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	1.0
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.005
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	0.2
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	0.1
12	Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	0.2
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	1.0
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	1.0
16	Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12*2	0.05 *2



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 9 of 45

19	Zinc (Zn)	29	31	23	22	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

			Mat	Limit (mg/kg)			
	Compound		Catego		RL (mg/kg)		
		9	10	11	12		
1	Aluminum (AI)	17	19	N.D.	12	28130	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	2
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	0.2
4	Barium(Ba)	20	20	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	0.01
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	1.0
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.005
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	0.2
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	0.1
12	Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	0.2
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	1.0
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	1.0
16	Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12*2	0.05 *2
19	Zinc (Zn)	24	24	N.D.	N.D.	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 10 of 45

			terial				
	Compound		Categ	ory III*1		Limit (mg/kg)	RL (mg/kg)
		13	14	15	16		(0 0)
1	Aluminum (Al)	N.D.	77	N.D.	11	28130	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	2
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	0.2
4	Barium(Ba)	N.D.	N.D.	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	0.01
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	1.0
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.005
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	0.2
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	0.1
12	Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	0.2
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	1.0
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	1.0
16	Strontium (Sr)	65	N.D.	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12*2	0.05 *2
19	Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 11 of 45

		1124		
	Compound	Material Category III ^{*1}	Limit	RL
	Compound	17	(mg/kg)	(mg/kg)
1	Aluminum (Al)	N.D.	28130	10
2	Antimony (Sb)	N.D.	560	2
3	Arsenic(As)	N.D.	47	0.2
4	Barium(Ba)	N.D.	18750	10
5	Boron (B)	N.D.	15000	10
6	Cadmium (Cd)	N.D.	17	0.01
7	Chromium (III) (Cr)	N.D.	460	1.0
8	Chromium (VI) (Cr)	N.D.	0.053	0.005
9	Cobalt (Co)	N.D.	130	0.2
10	Copper (Cu)	N.D.	7700	10
11	Lead(Pb)	N.D.	23	0.1
12	Manganese (Mn)	N.D.	15000	10
13	Mercury (Hg)	N.D.	94	0.2
14	Nickel (Ni)	N.D.	930	1.0
15	Selenium(Se)	N.D.	460	1.0
16	Strontium (Sr)	N.D.	56000	10
17	Tin (Sn)	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	12*2	0.05 *2
19	Zinc (Zn)	N.D.	46000	10
	Conclusion	PASS	-	-





Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 12 of 45

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

*1: Categories of various materials:
Category I: Dry, brittle, powder like or pliable material

Category II: Liquid or sticky material Category III: Scraped-off material *2: Expressed as soluble Tributyltin.

5. Phthalate content (DIBP、DEHP、DBP、BBP、DINP、DIDP、DNOP) - Item 51& 52 of Annex XVII of REACH Regulation (EC) 1907/2006

EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS

		0		Mat	erial		Limit	RL
		Compound	1	2	3	4	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	-	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	/ <u>-</u>	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	-	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	-	0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	-	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	-	0.005
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	-
9	Sum of	5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	
	Conclu	sion	PASS	PASS	PASS	PASS	-	-

	Compound			Mat	Limit	RL		
		Compound	5	6	7	8	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	-	0.005
2	ВВР	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	-	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	- (0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	- (0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	-	0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	-	0.005



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 13 of 45

	Conclu	sion	PASS	PASS	PASS	PASS	-	-
9	Sum of	5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	_
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	-
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	-	0.005

		Commonad		Mat	erial		Limit	RL
		Compound	9	10	11	12	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	-	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	-	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.) -	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	-	0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	-	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	-	0.005
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	N.D.	N.D.	0.1	<u>-</u>
9	Sum of	5, 6 & 7	N.D.	N.D.	N.D.	N.D.	0.1	-
	Conclu	sion	PASS	PASS	PASS	PASS	-	-

		Compound	Mate	erial	Limit	RL
		Compound	17	20	(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.		0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	<u></u>	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	-	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	- (0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	- 1	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	-	0.005



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 14 of 45

	Conclusion	PASS	PASS	-	-
9	Sum of 5, 6 & 7	N.D.	N.D.	0.1	-
8	Sum of 1, 2, 3 & 4	N.D.	N.D.	0.1	-

Remark(s): (a) RL: Report limit (b) N.D.: Not detected (result is less than RL)

Cadmium content -Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006 6. IEC 62321-5:2013, determined by AAS

	Compound		Mat	Limit	RL		
	Compound		2	3	4	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mat	Limit	RL		
	Compound	5	6	7	8	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Commonad		Mate	Limit	RL		
Compound		9	10	11	12	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

Compound		Mat	Limit	RL	
	Compound	17	20	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)





Report No.: STSGZ2105273067E Page 15 of 45 Date: 12-Apr-2022

7. Azo colourants content - Item 43 of Annex XVII of REACH Regulation (EC) No 1907/2006 & amendment EC No 552/2009 and (EU) No 126/2013 ISO 14362-1:2017& ISO 14362-3:2017, determined by GC/MS and HPLC

	0		Mat	erial		Limit	RL
	Compound	1 2 3 4		4	(mg/kg)	(mg/kg)	
1	Biphenyl-4-ylamine/4-aminobiphenyl/ Xenylamine CAS#92-67-1	N.D.	N.D.	N.D.	N.D.	30	5
2	Benzidine CAS#92-87-5	N.D.	N.D.	N.D.	N.D.	30	5
3	4-chloro-o-toluidine CAS#95-69-2	N.D.	N.D.	N.D.	N.D.	30	5
4	2-Naphthylamine CAS#91-59-8	N.D.	N.D.	N.D.	N.D.	30	5
5	o-aminoazotoluene/4-o-tolyazao-o- toluidine /4-amino-2',3- dimethylazobenzene*	N.D.	N.D.	N.D.	N.D.	30	5
6	5-nitro-o-toluidine/2-amino-4- nitrotoluol* CAS#99-55-8	N.D.	N.D.	N.D.	N.D.	30	5
7	4-chloroaniline CAS#106-47-8	N.D.	N.D.	N.D.	N.D.	30	5
8	4-methoxy-m-phenylenediamine/ 2,4-diaminoanisole CAS#615-05-4	N.D.	N.D.	N.D.	N.D.	30	5
9	4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane CAS#101-77-9	N.D.	N.D.	N.D.	N.D.	30	5
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'- ylenediamine CAS#91-94-1	N.D.	N.D.	N.D.	N.D.	30	5
11	3,3'-dimethoxybenzidine/o-dianisidine CAS#119-90-4	N.D.	N.D.	N.D.	N.D.	30	5
12	3,3'-dimethylbenzidine/4,4'-bi-o- toluidine CAS#119-93-7	N.D.	N.D.	N.D.	N.D.	30	5
13	4,4'-methylenedi-o-toluidine CAS#838-88-0	N.D.	N.D.	N.D.	N.D.	30	5
14	6-methoxy-m-toluidine/p-cresidine CAS#120-71-8	N.D.	N.D.	N.D.	N.D.	30	5
15	4,4'-methylene-bis-(2-chloro-aniline)/ 2,2'-dichloro-4,4'-methylene-dianiline CAS#101-14-4	N.D.	N.D.	N.D.	N.D.	30	5
16	4,4'-oxydianiline CAS#101-80-4	N.D.	N.D.	N.D.	N.D.	30	5
17	4,4'-thiodianiline CAS#139-65-1	N.D.	N.D.	N.D.	N.D.	30	5
18	o-toluidine/2-aminotoluen CAS#95-53-4	N.D.	N.D.	N.D.	N.D.	30	5
19	2,4-diaminotoluene/2,4- toluylendiamine/ methyl-m-phenylenediamine CAS#95-80-7	N.D.	N.D.	N.D.	N.D.	30	5



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 16 of 45

	Conclusion	PASS	PASS	PASS	PASS	-	-
22	4-aminoazobenzene** CAS#60-09-3	N.D.	N.D.	N.D.	N.D.	30	5
21	o-anisidine/2-methoxyaniline CAS#90-04-0	N.D.	N.D.	N.D.	N.D.	30	5
20	2,4,5-trimethylaniline CAS#137-17-7	N.D.	N.D.	N.D.	N.D.	30	5

	0	Material						Limit	RL
	Compound	5	6	7	8	(mg/kg)	(mg/kg)		
1	Biphenyl-4-ylamine/4-aminobiphenyl/ Xenylamine CAS#92-67-1	N.D.	N.D.	N.D.	N.D.	30	5		
2	Benzidine CAS#92-87-5	N.D.	N.D.	N.D.	N.D.	30	5		
3	6-chloro-o-toluidine CAS#95-69-2	N.D.	N.D.	N.D.	N.D.	30	5		
4	3-Naphthylamine CAS#91-59-8	N.D.	N.D.	N.D.	N.D.	30	5		
5	o-aminoazotoluene/4-o-tolyazao-o- toluidine /4-amino-2',3- dimethylazobenzene* CAS#97-56-3	N.D.	N.D.	N.D.	N.D.	30	5		
6	7-nitro-o-toluidine/2-amino-4- nitrotoluol* CAS#99-55-8	N.D.	N.D.	N.D.	N.D.	30	5		
7	4-chloroaniline CAS#106-47-8	N.D.	N.D.	N.D.	N.D.	30	5		
8	4-methoxy-m-phenylenediamine/ 2,4-diaminoanisole CAS#615-05-4	N.D.	N.D.	N.D.	N.D.	30	5		
9	4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane CAS#101-77-9	N.D.	N.D.	N.D.	N.D.	30	5		
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'- ylenediamine CAS#91-94-1	N.D.	N.D.	N.D.	N.D.	30	5		
-11	3,3'-dimethoxybenzidine/o-dianisidine CAS#119-90-4	N.D.	N.D.	N.D.	N.D.	30	5		
12	3,3'-dimethylbenzidine/4,4'-bi-o- toluidine CAS#119-93-7	N.D.	N.D.	N.D.	N.D.	30	5		
13	4,4'-methylenedi-o-toluidine CAS#838-88-0	N.D.	N.D.	N.D.	N.D.	30	5		
14	6-methoxy-m-toluidine/p-cresidine CAS#120-71-8	N.D.	N.D.	N.D.	N.D.	30	5		
15	4,4'-methylene-bis-(2-chloro-aniline)/ 2,2'-dichloro-4,4'-methylene-dianiline CAS#101-14-4	N.D.	N.D.	N.D.	N.D.	30	5		
16	4,4'-oxydianiline CAS#101-80-4	N.D.	N.D.	N.D.	N.D.	30	5		
17	4,4'-thiodianiline CAS#139-65-1	N.D.	N.D.	N.D.	N.D.	30	5		



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 17 of 45

	Conclusion	PASS	PASS	PASS	PASS	-	-
22	4-aminoazobenzene** CAS#60-09-3	N.D.	N.D.	N.D.	N.D.	30	5
21	o-anisidine/2-methoxyaniline CAS#90-04-0	N.D.	N.D.	N.D.	N.D.	30	5
20	2,4,5-trimethylaniline CAS#137-17-7	N.D.	N.D.	N.D.	N.D.	30	5
19	2,4-diaminotoluene/2,4- toluylendiamine/ methyl-m-phenylenediamine CAS#95-80-7	N.D.	N.D.	N.D.	N.D.	30	5
18	o-toluidine/2-aminotoluen CAS#95-53-4	N.D.	N.D.	N.D.	N.D.	30	5

		122	Mat	erial		Limit	RL
	Compound	9	10	13	14	(mg/kg)	(mg/kg)
1	Biphenyl-4-ylamine/4-aminobiphenyl/ Xenylamine CAS#92-67-1	N.D.	N.D.	N.D.	N.D.	30	5
2	Benzidine CAS#92-87-5	N.D.	N.D.	N.D.	N.D.	30	5
3	8-chloro-o-toluidine CAS#95-69-2	N.D.	N.D.	N.D.	N.D.	30	5
4	4-Naphthylamine CAS#91-59-8	N.D.	N.D.	N.D.	N.D.	30	5
5	o-aminoazotoluene/4-o-tolyazao-o- toluidine /4-amino-2',3- dimethylazobenzene* CAS#97-56-3	N.D.	N.D.	N.D.	N.D.	30	5
6	9-nitro-o-toluidine/2-amino-4- nitrotoluol* CAS#99-55-8	N.D.	N.D.	N.D.	N.D.	30	5
7	4-chloroaniline CAS#106-47-8	N.D.	N.D.	N.D.	N.D.	30	5
8	4-methoxy-m-phenylenediamine/ 2,4-diaminoanisole CAS#615-05-4	N.D.	N.D.	N.D.	N.D.	30	5
9	4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane CAS#101-77-9	N.D.	N.D.	N.D.	N.D.	30	5
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'- ylenediamine CAS#91-94-1	N.D.	N.D.	N.D.	N.D.	30	5
11	3,3'-dimethoxybenzidine/o-dianisidine CAS#119-90-4	N.D.	N.D.	N.D.	N.D.	30	5
12	3,3'-dimethylbenzidine/4,4'-bi-o- toluidine CAS#119-93-7	N.D.	N.D.	N.D.	N.D.	30	5
13	4,4'-methylenedi-o-toluidine CAS#838-88-0	N.D.	N.D.	N.D.	N.D.	30	5
14	6-methoxy-m-toluidine/p-cresidine CAS#120-71-8	N.D.	N.D.	N.D.	N.D.	30	5
15	4,4'-methylene-bis-(2-chloro-aniline)/ 2,2'-dichloro-4,4'-methylene-dianiline CAS#101-14-4	N.D.	N.D.	N.D.	N.D.	30	5

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 18 of 45

	Conclusion	PASS	PASS	PASS	PASS	-	-
22	4-aminoazobenzene** CAS#60-09-3	N.D.	N.D.	N.D.	N.D.	30	5
21	o-anisidine/2-methoxyaniline CAS#90-04-0	N.D.	N.D.	N.D.	N.D.	30	5
20	2,4,5-trimethylaniline CAS#137-17-7	N.D.	N.D.	N.D.	N.D.	30	5
19	2,4-diaminotoluene/2,4- toluylendiamine/ methyl-m-phenylenediamine CAS#95-80-7	N.D.	N.D.	N.D.	N.D.	30	5
18	o-toluidine/2-aminotoluen CAS#95-53-4	N.D.	N.D.	N.D.	N.D.	30	5
17	4,4'-thiodianiline CAS#139-65-1	N.D.	N.D.	N.D.	N.D.	30	5
16	4,4'-oxydianiline CAS#101-80-4	N.D.	N.D.	N.D.	N.D.	30	5

	Material		erial	Limit	RL	
	Compound	15	16	(mg/kg)	(mg/kg)	
1	Biphenyl-4-ylamine/4-aminobiphenyl/ Xenylamine CAS#92-67-1	N.D.	N.D.	30	5	
2	Benzidine CAS#92-87-5	N.D.	N.D.	30	5	
3	10-chloro-o-toluidine CAS#95-69-2	N.D.	N.D.	30	5	
4	5-Naphthylamine CAS#91-59-8	N.D.	N.D.	30	5	
5	o-aminoazotoluene/4-o-tolyazao-o- toluidine /4-amino-2',3- dimethylazobenzene* CAS#97-56-3	N.D.	N.D.	30	5	
6	11-nitro-o-toluidine/2-amino-4- nitrotoluol* CAS#99-55-8	N.D.	N.D.	30	5	
7	4-chloroaniline CAS#106-47-8	N.D.	N.D.	30	5	
8	4-methoxy-m-phenylenediamine/ 2,4-diaminoanisole CAS#615-05-4	N.D.	N.D.	30	5	
9	4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane CAS#101-77-9	N.D.	N.D.	30	5	
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'- ylenediamine CAS#91-94-1	N.D.	N.D.	30	5	
11	3,3'-dimethoxybenzidine/o-dianisidine CAS#119-90-4	N.D.	N.D.	30	5	
12	3,3'-dimethylbenzidine/4,4'-bi-o- toluidine CAS#119-93-7	N.D.	N.D.	30	5	
13	4,4'-methylenedi-o-toluidine CAS#838-88-0	N.D.	N.D.	30	5	



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 19 of 45

	Conclusion	PASS	PASS	-	•
22	4-aminoazobenzene** CAS#60-09-3	N.D.	N.D.	30	5
21	o-anisidine/2-methoxyaniline CAS#90-04-0	N.D.	N.D.	30	5
20	2,4,5-trimethylaniline CAS#137-17-7	N.D.	N.D.	30	5
19	2,4-diaminotoluene/2,4- toluylendiamine/ methyl-m-phenylenediamine CAS#95-80-7	N.D.	N.D.	30	5
18	o-toluidine/2-aminotoluen CAS#95-53-4	N.D.	N.D.	30	5
17	4,4'-thiodianiline CAS#139-65-1	N.D.	N.D.	30	5
16	4,4'-oxydianiline CAS#101-80-4	N.D.	N.D.	30	5
15	4,4'-methylene-bis-(2-chloro-aniline)/ 2,2'-dichloro-4,4'-methylene-dianiline CAS#101-14-4	N.D.	N.D.	30	5
14	6-methoxy-m-toluidine/p-cresidine CAS#120-71-8	N.D.	N.D.	30	5

Remark(s): (a) mg/kg: milligram per kilogram (b) N.D.: Not detected (result is less than RL)

Mechanical and Physical Properties - ASTM F963-17

PASS

Clause	Parameter	Results
4	Safety Requirements	
4.1	Material Quality	Pass
4.4	Electrical / Thermal Energy	NA
4.5	Sound-Producing Toys	NA
4.6	Small Objects	Pass
4.7	Accessible Edges	Pass
4.8	Projections	NA

⁽c) RL: Report limit
*: The amines o-aminoazotoluene (No 5, CAS No.97-56-3) and 2-amino-4-nitrotoluene (No 6, CAS No.99-55-8) are further reduced to o-toluidine (No 18,

CAS No. 95-53-4) and 2, 4-diaminotoluene (No 19, CAS No. 95-80-7).

**: Azo colorants that are able to form 4-aminoazobenzene (No 22, CAS No. 60-09-3) generate, under the condition of this method, aniline (CAS No. 62-53-3) and 1, 4-phenylendiamine (CAS No. 106-50-3). Due to detection limits, only aniline may be detected. If aniline is detected above 5mg/kg, then the presence of these colorants should be tested by ISO 14362-3:2017.



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 20 of 45

4.9	Accessible Points	Pass
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	NA
4.12	Plastic Film	Pass
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	Pass
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 21 of 45

4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapments in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labeling Requirements	
5.1	Federal Government Requirements	NA
5.2	Age Grading Labeling	Pass
5.3	Safety Labeling Requirements	Pass
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage Toys	NA
5.8	Toys Intended to be Assembled by an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	Pass
5.12	Toy Caps	NA
5.13	Art Materials	NA
5.14	Electric Toys	NA
5.16	Promotional Materials	NA
5.17	Magnets	NA
6	Instructional Literature	



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 22 of 45

6.1	Definition and Description	NA
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled by an Adult	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
7	Producer's Markings	Pass
8	Test Methods	
8.5	Normal Use Testing	Pass
8.6	Abuse Testing	Pass
8.7	Impact Tests	Pass
8.8	Torque Tests for Removal of Components	Pass
8.9	Tension Tests for Removal of Components	Pass
8.10	Compression Tests	Pass

Remark(s): NA = Not Applicable

9. Flammability of Solids - 16 CFR 1500.44 / ASTM F963-17, A5

PASS

Clause	Parameter	Results
16 CFR 1500.44 / ASTM F963-17, A5	Flammability	Pass

10. Soluble Migrated Elements ASTM F963-17, determined by ICP-OES

Compound				Limit	RL		
	Compound	1	2	3	4	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 23 of 45

	Conclusion	PASS	PASS	PASS	PASS	-	-
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
3	Barium (Ba)	20	20	20	11	1000	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2

			Mat	erial		Limit	RL
	Compound	5	6	7	8	(mg/kg)	(mg/kg
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	11	11	13	13	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

Commonad			Limit	RL			
	Compound	9	10	11	12	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	14	14	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 24 of 45

			Ma	terial		Limit	RL
	Compound	13	14	15	16	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Commonad	Material	Limit	RL
	Compound	17	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	60	5
2	Arsenic (As)	N.D.	25	2
3	Barium (Ba)	N.D.	1000	5
4	Cadmium (Cd)	N.D.	75	5
5	Chromium (Cr)	N.D.	60	5
6	Lead (Pb)	N.D.	90	5
7	Mercury (Hg)	N.D.	60	5
8	Selenium (Se)	N.D.	500	5
	Conclusion	PASS	-	-



Report No.: STSGZ2105273067E Page 25 of 45 Date: 12-Apr-2022

Remark(s): (a) mg/kg: milligram per kilogram

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

11. Lead Content (Pb) - ASTM F963-17

CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

	Compound		Mat	erial		Limit	RL
	Compound	1	2	3	4	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
A.	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Limit	RL			
	Compound	5	6	7	8	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mat	erial		Limit	RL
	Compound	9	10	11	12	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Mate	Limit	RL	
	Compound	18	19	(mg/kg)	(mg/kg)
1	Lead (Pb)	18	N.D.	100	10
Conclusion		PASS	PASS	-	-

	Compound	Material	Limit	RL (mg/kg)
		17	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	90	10
	Conclusion	PASS	-	-



Report No.: STSGZ2105273067E Page 26 of 45 Date: 12-Apr-2022

Remark(s): (a) mg/kg: milligram per kilogram

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

Lead Content (Pb) - CPSIA H.R. 4040 Sec. 101 12.

CPSC-CH-E1001-08.3 (Metal Substrate), CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

	Compound		Mat	Limit	RL		
	Compound	1	2	3	4	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Commonad		Material				RL
	Compound	5	6	7	8	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-
				•		1	

	Compound		Mat	Limit	RL		
	Compound	9	10	11	12	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Mate	Limit	RL	
	Compound	18	19	(mg/kg)	(mg/kg)
1	Lead (Pb)	18	N.D.	100	10
Conclusion		PASS	PASS	-	-

	Compound	Material 17	Limit (mg/kg)	RL (mg/kg)
1	Lead (Pb)	N.D.	90	10
	Conclusion	PASS	-	-



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 27 of 45

Remark(s): (a) mg/kg: milligram per kilogram

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

Lead Content (Pb) - 16 CFR 1303

CPSC-CH-E1003-09.1(Surface Coating), determined by AAS

	Compound	Material	Limit	RL
	Compound	17	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	90	10
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP)-Consumer Product Safety 14. Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307.

CPSC-CH-C1001-09.4, Solvent extract and determined by GC/MS

	0		Material				Limit	RL
	Co	mpound	1	2	3	4	(%)	(%)
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl Phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl Phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DEHP	Bis (2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DCHP	Dicyclohexly Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclusion		PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Web://www.stsgz.com



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 28 of 45

			Material				Limit	RL		
	Co	pmpound	5	6	7	8	(%)	(%)		
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
2	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
3	DPENP	Di-n-pentyl Phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
4	DHEXP	Di-n-hexyl Phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
5	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
6	DEHP	Bis (2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
7	DCHP	Dicyclohexly Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
8	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005		
	Conclusion		PASS	PASS	PASS	PASS	-	-		

	_		Material				Limit	RL
	Compound		9	10	11	12	(%)	(%)
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl Phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl Phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DEHP	Bis (2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DCHP	Dicyclohexly Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclusion		PASS	PASS	PASS	PASS	-	-

	Compound		Material	Limit	RL
			17	(%)	(%)
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	0.1	0.005



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 29 of 45

	Conclusion		PASS	-	-
8	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0	N.D.	0.1	0.005
7	DCHP	Dicyclohexly Phthalate CAS# 84-61-7	N.D.	0.1	0.005
6	DEHP	Bis (2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	0.1	0.005
5	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl Phthalate CAS# 84-75-3	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl Phthalate CAS# 131-18-0	N.D.	0.1	0.005
2	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	0.1	0.005

Remark(s): (a) RL: Report limit

(b) N.D.: Not detected (result is less than RL)

15. Phthalates (DEHP、DBP、BBP、DINP、DIDP、DNOP)- Canada Consumer Product Safety Act: Phthalates Regulations (SOR/2016-188).

Canada Health Product Safety laboratory Book 5-Laboratory Policies and Procedures Part B:Testing Methods Section, Method C34 Determination of Phthalates in Polyvinyl Chloride Consumer Products, Solvent extract and determined by GC/MS

			Mate	orial			
	Co	ompound	IVIALE	#11a1	Limit	RL	
	Compound		11 12		(%)	(%)	
1	DEHP	Bis (2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	0.1	0.005	
2	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	0.1	0.005	
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	0.1	0.005	
4	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0,68515- 48-0	N.D.	N.D.	0.1	0.005	
5	DIDP	Diisodecyl phthalate CAS# 26761-40-0, 68515-49-1	N.D.	N.D.	0.1	0.005	
6	6 DNOP Di-n-octyl phthalate CAS# 117-84-0		N.D.	N.D.	0.1	0.005	
	Conclusion		PASS	PASS	-	-	

Remark(s): (a) RL: Report limit

(b) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 30 of 45

16. Mechanical and Physical Properties - SOR/2011-17

PASS

Clause	Parameter	Results
3	Official languages	NA
4	Flexible film bags	Pass
7	Small parts	Pass
8	Metal edges	NA
9	Wire frames	NA
10	Plastic edges	Pass
11	Wood	NA
12	Glass	NA
13	Fasteners	NA
14	Safety stops or locking devices	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Enclosures	NA
18	Stability	Pass
19	Decibel limit	NA
28	Dolls, plush toys and soft toys – Fastenings	NA
29	Dolls, plush toys and soft toys – Stuffing	NA
30	Dolls, plush toys and soft toys – Small parts	NA
31	Dolls, plush toys and soft toys – Eyes and noses	NA
35	Plant seeds – Noise	NA
36	Plant seeds – stuffing material	NA
37	Pull and push toys	NA
38	Toys steam engines	NA



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 31 of 45

39	Finger paints	NA
40	Rattles	NA
41	Elastics	NA
42	Yo-yo type balls	NA
43	Magnetic toys	NA

Remark(s): NA = Not Applicable

17. Flammability - SOR/2011-17

PASS

Clause	Parameter	Results
21	Celluloid or cellulose nitrate	Pass
32	Dolls, plush toys and soft toys – Flammability of outer covering	NA
33	Dolls, plush toys and soft toys – Flammability of yarn	NA
34	Dolls, plush toys and soft toys – Flammability of hair or mane	NA

Lead Content (Pb) and Mercury Content (Hg) 18. SOR/2011-17, determined by ICP-OES

Compound			Material		Limit	RL (mg/kg)
		11	12	17	(mg/kg)	
1	Lead (Pb)	N.D.	N.D.	N.D.	90	10
2	Mercury (Hg)	N.D.	N.D.	N.D.	Not Detected	5
	Conclusion	PASS	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 32 of 45

Soluble Migrated Elements SOR/2011-17, determined by ICP-OES 19.

	Compound		Material		Limit	RL (mg/kg)
	Compound	11	12	17	(mg/kg)	
1	Antimony (Sb)	N.D.	N.D.	N.D.	1000	5
2	Arsenic (As)	N.D.	N.D.	N.D.	1000	2
3	Barium (Ba)	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	1000	5
5	Selenium (Se)	N.D.	N.D.	N.D.	1000	5
	Conclusion	PASS	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

20. Mechanical and Physical Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.1:2016

Section	Testing Items	Assessment
4	Requirements	
4.1	Normal use	Pass
4.2	Reasonably foreseeable abuse	Pass
4.3	Material	Pass
4.4	Small parts	Pass
4.5	Shape, size, and strength of certain toys	NA
4.6	Edges	Pass
4.7	Points	Pass
4.8	Projections	NA
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in packaging and in toys	Pass
4.11	Cords and elastics	NA



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 33 of 45

Section	Testing Items	Assessment
4.12	Folding mechanisms	NA
4.13	Holes, clearances and accessibility of mechanisms	NA
4.14	Springs	NA
4.15	Stability and overload requirements	Pass
4.16	Enclosures	NA
4.17	Simulated protective equipment, such as helmets, hats and goggles.	NA NA
4.18	Projectile toys	NA
4.19	Rotors and propellers	NA
4.20	Aquatic toys	NA
4.21	Braking	NA
4.22	Toy bicycles	NA
4.23	Speed limitation of electrically driven ride-on toys	NA
4.24	Toys containing a heat source	NA
4.25	Liquid-filled toys	NA
4.26	Mouth-actuated toys	NA
4.27	Toy roller skates, toy inline skates and toy skateboards	NA
4.28	Percussion caps	NA
4.29	Acoustic requirements	NA
4.30	Toy scooters	NA
4.31	Magnets and magnetic components	NA
В	Safety-labeling guidelines and manufacturer's markings	Pass
B.2	Safety-labeling guidelines	Pass
B.3	Instructional literature	NA
	Manufacturer's markings	Pass
B.4	The name, trademark or mark of the manufacturer or the distributor	Pass
	The address of the manufacturer or the distributor	Pass



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 34 of 45

Remark(s): NA = Not Applicable

21. Flammability Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.2:2016

Section	Testing Items	Assessment
4.1	General requirement	Pass
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in a play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys (animals and dolls, etc.) with a piled or textile surface	NA

Remark(s): NA = Not Applicable

22. Soluble elements Content- Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.3:2012+A1:2016,determined by ICP

	0.0000000000000000000000000000000000000		Mat	erial		Limit	RL (mg/kg)
	Compound	1	2	2 3	4	(mg/kg)	
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	20	20	20	11	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 35 of 45

	Q		Mat	erial		Limit	RL
Compound		5	6	7	8	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	11	11	13	13	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Commonad		Mate		Limit	RL	
	Compound	9	10	11	12	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	14	14	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mat	Limit	RL		
Compound		13	14	15	16	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2



Report No.: STSGZ2105273067E Page 36 of 45 Date: 12-Apr-2022

	Conclusion	PASS	PASS	PASS	PASS	-	-
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
3	Barium (Ba)	N.D.	N.D.	N.D.	N.D.	1000	5

	Commonad	Material	Limit	RL
	Compound	17	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	60	5
2	Arsenic (As)	N.D.	25	2
3	Barium (Ba)	N.D.	1000	5
4	Cadmium (Cd)	N.D.	75	5
5	Chromium (Cr)	N.D.	60	5
6	Lead (Pb)	N.D.	90	5
7	Mercury (Hg)	N.D.	60	5
8	Selenium (Se)	N.D.	500	5
	Conclusion	PASS	-	-

Remark(s) (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

23. Phthalates content- As Client's Requirement Refer To CPSC-CH-C1001-09.4, determined by GC-MS

Compound			Mate	Client's	DL (9/)			
		1	2	3	4	Limit (%)	RL (%)	
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 37 of 45

3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	N-pentyl- isopentylphthalate O-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
					1	1	1	T.

	Compound			Mat	Client's	DI (%)		
	Compound			6	7	8	Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

e-mail: stsgz@stsapp.com



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 38 of 45

7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	P-pentyl- isopentylphthalate Q-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005

	0	d		Mat	Client's	RI (%)		
	Compo	ouna	9	10	11	12	Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

e-mail: stsgz@stsapp.com



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 39 of 45

11	DHNUP	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	R-pentyl- isopentylphthalate S-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005

	0		Material	Client's	DI (0/.)
	Comp	ouna	17	Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	0.1	0.005
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	0.1	0.005
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di-C6-8- branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	0.1	0.005
14	PIPP	T-pentyl- isopentylphthalate U-CAS# 776297-69-9	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

e-mail: stsgz@stsapp.com



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 40 of 45

15		1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	0.1	0.005

Remark(s): (a) RL: Report limit (b) N.D.: Not detected (result is less than R

Material List:

Material #	Position / Sample Description
1	Red PU, shell
2	Yellow PU, shell
3	Orange PU, shell
4	Light purple PU, shell
5	Purple PU, shell
6	Blue PU, shell
7	Dark blue PU, shell
8	Green PU, shell
9	Yellow-green PU, shell
10	Nude PU, shell
11	Transparent plastic, zipper teeth
12	Beige hook tape, Velcro
13	Beige loop tape, Velcro
14	Black printed white fabric, label
15	Taupe/white fabric, logo
16	Beige fabric, zipper tape
17	Beige coating, zipper



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 41 of 45

18	Silvery metal, zipper puller	
19	Silvery metal, zipper slider	
20	White foam, inner	(51-)

Remark(s): (a) The data of #1,#2,#6,#7,#10,#12 were retesting result.

Photo(s):




This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 42 of 45




This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com




Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 43 of 45





Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 44 of 45



<<< << END OF REPORT >>> >>>



Report No.: STSGZ2105273067E Date: 12-Apr-2022 Page 45 of 45

声明

Statement

本检测报告首页所列信息中除样品来源、接样日期、检测日期、检测结果和检测结论外,均由委托方提供,委托方对样品的代表性和资料的真实性负责,本实验室不承担任何相关责任。

的其实区域的一种实施室中海地区内相关设置。
The information as listed on the first page of this test report was all provided by the client except the sample from, date received, test period, test results and test conclusion. The client shall be responsible for the representativeness of sample and authenticity of materials, for which STS shall bear no responsibilities.

2. 本检测报告以实测值进行符合性判定,未考虑不确定度所带来的风险,特别约定、标准或规范中有明确规定的除外。此种判定方式所带来的风险由客户自行承担,本实验室不承担相关责任。

The judgment method of determining the conformity in this test report is according to the measured value without considering the risk caused by uncertainty, unless otherwise clearly stipulated in special agreement, standard or specification. The client shall assume the risk caused by the judgment method, and STS shall not bear related responsibilities.

检测报告无批准人签字及"检验检测专用章"无效,未经本实验室书面同意,不得整体或部分复制本报告。
 The test report is effective only with both signature and specialized stamp. Without written approval of STS, this report can't be reproduced in full or in part.

4. 本检测报告的检测结果仅对送测样品负责,未加盖资质认定标志的检测报告不对社会具有公证证明作用,对于检测数据、结果的使用,所产生的直接或间接损失及一切法律后果,本实验室不承担任何经济和法律责任。

This test data is only responsible for the tested sample. The data and results provided by the report without CMA accreditation are not to prove to the society, and STS is not responsible for any economic and legal responsibility for the use of the test data, the direct or indirect losses resulting from the use of the test and all legal consequences.

5. 本检测报告中检测项目标注有下划线则该项目不在本实验室资质认定能力范围内,该项目检测结果仅作为客户委托、科研、教学或内部质量控制等目的使用

The underlined test item in the report is out of the scope of CMA accreditation. The test result only used for client's requirement, scientific researching ,teaching or internal quality control.

6. 其它声明请查阅报告页脚及书面报告背页。

For other statements, please refer to the footer of the report.

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301, 3/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong e-mail: stsgz@stsapp.com
Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

签发测试报告条款

Conditions of Issuance of Test Reports

1. 广州市德普华检测技术有限公司(以下简称[公司])为提供符合下述条款的测试和报告,而接受有关样品和货品。本公司基于下述条款提供服务,下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。

All samples and goods are accepted by the Guangzhou Depuhua Test Services Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").

2. 由此测试申请所发出的任何报告(以下简称[报告]),本公司会严格为客户保密。未经本公司的书面同意,报告的整体或部分不得复制,也不得用于广告或授权的其他用途。然而,客户可以将本公司印制的报告或认可的副本,向其客户、供货商或直接相关的其它人出示或提交。除非相关政府部门、法律或法规要求,否则未经客户同意,本公司不得将报告内容向任何第三方讨论或披露。

Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it. or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court order.

- 3. 除非相关政府部门、法律或法院要求,否则未经公司预先书面同意,本公司毋需,也并无义务到法院对有关报告作证。 The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. 除非本公司进行抽样,并已在报告中说明,否则报告中适用于送测的样品(样品信息为客户提供),不适用于批量。
 The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
- 5. 如果本公司确定报告被不当地使用,本公司保留撤回报告的权利,并有权要求其它适当的额外赔偿。 In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 6. 本公司接受样品进行测试的前提是,该测试报告不能作为针对本公司法律行动的依据。
 Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 7. 如因使用本公司中心任何报告内的资料,或任何传播信息所描述与之有关的测试或研究导致的任何损失或损害,本公司概不负责。 The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 8. 若需要在法院审理程序或者仲裁过程中使用测试报告,客户必须在提交测试样品前将该意图告知本公司。
 Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing
- 9. 该测试报告的支持数据和信息本公司保存10年。个别评审机构有特别要求的,检测数据和报告的保存期可依情况变动。一旦超过上述提交的保存期限,数据和信息将被处理掉。任何情况下,本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害,本公司在任何情况下也不必承担任何损害,包括(但不限于)补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权(包括疏忽)、产品责任或其他原因的惩罚性损害。

Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

10. 报告的签发记录可通过登录 www.stsgz.com 查询。如需进一步查询报告有效性或核实报告,需与本公司联系。 Issuance records of the Report are available on the internet at www.stsgz.com. Further enquiry of validity or verification of the Report should be addressed to the company.