



Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 1 of 29

Applicant :	CARPENTERS MANUFACTORY LIMITED		
Address:	HUANG JIN JI INDUSTRIAL ZONE, SHANG JIE VILLAGE, QI SHI TOWN, DONG GUAN CITY, GUANG DONG PROVINCE, P.R.CHINA		
The following sample(s) and	I sample information was/were submitted and identified by client as:		
Sample Name:	Mobile Art Station,Wall Element Storage Cabinet,Handy Learning Boards Storage Rack(10 Piece),Handy Learning Board Storage Rack Optional Castors Base ,Mobile Storage Unit		
Model/Style/Item #:	ME08190, ME06639, MK10841, MK08725, ME24145		
Labeled Age Grading:	3Y+		
Requested Age Grading:	3Y+		
Tested Age Grading:	3Y+		
Receiving Date:	4-Dec-2023		
Test Period:	From 4-Dec-2023 to 15-Dec-2023		
Add Information:			
* * * * * * * * * * * * * * * * * *	* * * Please refer to the following page for detailed results * * * * * * * * * * * * * * * * *		

Signed for and on behalf of STS SUHUA TEC

Mark Mai (Technical Director)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Date: 19-Dec-2023

Page 2 of 29

中国认可 国际互认 检测 TESTING CNAS L11364

Test Summary:

#	Test Item(s)	Reference Standard/Method	Result
1	Safety of Toys: Mechanical and Physical Properties	EN 71-1:2014+A1:2018	PASS
2	Safety of Toys: Flammability	EN 71-2:2020	PASS
3	Safety of Toys: Migration of Certain Elements	EN 71-3:2019+A1:2021	PASS
4	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
5	Phthalate content (DIBP、DEHP、DBP、BBP、 DINP、DIDP、DNOP) -Item 51&52 of Annex XVII of REACH Regulation (EC) 1907/2006.	EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS	PASS
6	Cadmium content -Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006	IEC 62321-5:2013, determined by AAS	PASS
7	Mechanical and Physical Propertie	ASTM F963-17	PASS
8	Flammability of Solids	16 CFR 1500.44 / ASTM F963-17, A5	PASS
9	Soluble Migrated Elements ASTM F963-17	ASTM F963-17, determined by ICP-OES	PASS
10	Lead Content (Pb) ASTM F963-17	CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS	PASS
11	Lead Content (Pb) CPSIA H.R. 4040 Sec. 101	CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS	PASS
12	Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP) - CPSIA H.R. 4040 Sec. 108	CPSC-CH-C1001-09.4, Solvent extract and determined by GC/MS	PASS
13	Mechanical and Physical Properties (Except Clause 3)	SOR/2011-17	PASS
14	Flammability	SOR/2011-17	PASS
15	Lead Content (Pb) and Mercury Content (Hg) SOR/2011-17	Canada Product Safety Laboratory Book 5 - Laboratory Policies and Procedures Part B,Test Methods Section, Method C02.2:2017&Method C-07:2019	PASS
16	Soluble Migrated Elements SOR/2011-17	Canada Product safety reference manual Book 5- Laboratory policies and procedures Part B: Test Methods Section, Method C-03: 2018	PASS
17	Phthalates (DBP, BBP, DEHP, DNOP, DINP, DIDP) SOR/2016-188	Canada health - Product Safety Reference Manual, Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section. Method C-34:2018, Solvent extract and	PASS

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China e-n Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 3 of 29

中国认可 国际互认 检测 TESTING CNAS L11364

1		determined by GC/MS	
18	Mechanical and Physical Propertie - Australian/New Zealand Standard on Safety of Toys	AS/NZS ISO 8124.1:2019	PASS
19	Flammability Properties - Australian/New Zealand Standard on Safety of Toys	AS/NZS 8124.2:2016	PASS
20	Soluble elements Content- Australian/New Zealand Standard on Safety of Toys	AS/NZS ISO 8124.3:2021,determined by ICP	PASS
21	Phthalates content- As Client's Requirement	CPSC-CH-C1001-09.4, determined by GC- MS	PASS
22	Lead Content (Pb) - 16 CFR 1303	CPSC-CH-E1003-09.1(Surface Coating) ,determined by AAS	PASS

Result:

1. Safety of Toys: Mechanical and Physical Properties – EN 71-1:2014+A1:2018

PASS

Clause	Parameter	Results		
4	General requirements			
4.1	Material cleanliness	Pass		
4.2	Assembly	Pass		
4.3	Flexible plastic sheeting	NA		
4.4	Toy bags	NA		
4.5	Glass	NA		
4.6	Expanding materials	NA		
4.7	Edges	Pass		
4.8	Points and metallic wires	Pass		
4.9	Protruding parts	NA		
4.10	Parts moving against each other	NA		
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA		
4.12	Balloons	NA		
4.13	Cords of toy kites and other flying toys	NA		

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 4 of 29

4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	Pass
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirement	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.



Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 5 of 29

5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 6 of 29

7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark(s): NA = Not Applicable

2. Safety of Toys: Flammability – EN 71-2:2020

PASS

Clause	Parameter	Results
4.1	General requirements	Pass
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Remark(s): (a) NA = Not Applicable

(b) Except for 4.1 Flammable, highly flammable and extremely flammable gases, liquids and gelatinous bodies materials.

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 7 of 29

3. Safety of Toys: Migration of Certain Elements EN 71-3:2019+A1:2021 General elements determined by ICP-MS Chromium(VI) determined by IC-ICP-MS Organic tin determined by GC-MS

			Mat	erial			
Compound		Category III*1				Limit (mg/kg)	RL (mg/kg)
		1	2	3	4	_ (ing/kg)	(99)
1	Aluminum (Al)	N.D.	N.D.	N.D.	N.D.	70000	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	10
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	5
4	Barium(Ba)	66	N.D.	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10
6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	10
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	5
12	Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	10
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	10
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	10
16	Strontium (Sr)	11	N.D.	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	N.D.*2	N.D.*2	N.D.*2	12 ^{*2}	0.2 ^{*2}
19	Zinc (Zn)	N.D.	1319	N.D.	N.D.	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China e-m Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





REPORT TEST

Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 8 of 29

1				
		Material		
Compound		Category III*1	Limit (mg/kg)	RL (mg/kg)
		10		(3 3,
1	Aluminum (Al)	N.D.	70000	10
2	Antimony (Sb)	N.D.	560	10
3	Arsenic(As)	N.D.	47	5
4	Barium(Ba)	N.D.	18750	10
5	Boron (B)	N.D.	15000	10
6	Cadmium (Cd)	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	130	10
10	Copper (Cu)	N.D.	7700	10
11	Lead(Pb)	N.D.	23	5
12	Manganese (Mn)	N.D.	15000	10
13	Mercury (Hg)	N.D.	94	10
14	Nickel (Ni)	N.D.	930	10
15	Selenium(Se)	N.D.	460	10
16	Strontium (Sr)	N.D.	56000	10
17	Tin (Sn)	N.D.	180000	4.9
18	Organic tin (Sn)	N.D.*2	12 ^{*2}	0.2*2
19	Zinc (Zn)	N.D.	46000	10
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm

(a) mg/kg. minigram per kilogram – part per minor – p
(b) RL: Report limit
(c) N.D.: Not detected (result is less than RL)
*1: Categories of various materials:
Category I: Dry, brittle, powder like or pliable material

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 9 of 29

Category II: Liquid or sticky material Category III: Scraped-off material *2: Expressed as soluble Tributyltin.

4. Safety of Toys:Labeling requirement EN 71- 1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC

Carrinary table.		
	Observation Result	Location
Washing/Cleaning instruction	Not applicable	- 2
CE mark	Present	Packaging
Importer's Name & Address	Present	Packaging
Manufacturer's Name & Address	Present	Packaging
Product ID	Present	Packaging

Remark(s): 1.According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."

2.CE marking should be visible from outside the packaging and its height must be at least 5mm.

3.Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.

4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

5. The label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

6. This item is not included in CNAS Accreditation scope.

Phthalate content (DIBP、DEHP、DBP、BBP、DINP、DIDP、DNOP) - Item 51& 52 of Annex XVII of REACH Regulation (EC) 1907/2006

EN 14372:2004 & IEC 62321-8:2017, determined by GC-MS

	0 annual d		Material				Limit	RL
Compound		1	2	3	4	(%)	(%)	
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	-	0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	- (0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	- 4	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	-	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 10 of 29

				6				
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	-	0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.		0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.		0.005
8	Sum of 1, 2, 3 & 4		N.D.	N.D.	N.D.	N.D.	0.1	-
9	Sum of	Sum of 5, 6 & 7		N.D.	N.D.	N.D.	0.1	-
	Conclusion		PASS	PASS	PASS	PASS	-	-

Compound			Mate	Limit	RL	
	Compound		5 10		(%)	(%)
1	DBP	Dibutyl Phthalate CAS# 84-74-2	N.D.	N.D.	- (0.005
2	BBP	Benzylbutyl Phthalate CAS# 85-68-7	N.D.	N.D.	-	0.005
3	DEHP	Bis-(2-ethylhexyl)Phthalate CAS# 117-81-7	N.D.	N.D.	-	0.005
4	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	-	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.		0.005
6	DINP	Di-iso-nonyl phthalate CAS# 28553-12-0	N.D.	N.D.	-	0.005
7	DIDP	Diisodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	-	0.005
8	Sum of	1, 2, 3 & 4	N.D.	N.D.	0.1	-
9	Sum of	5, 6 & 7	N.D.	N.D.	0.1	-
	Conclu	sion	PASS	PASS	-	-

Remark(s): (a) RL: Report limit (b) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





REPORT TEST

Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 11 of 29

6. Cadmium content -Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006 IEC 62321-5:2013, determined by AAS

Compound		Material 2	Limit (mg/kg)	RL (mg/kg)	
1	Cadmium (Cd) CAS#7440-43-9	N.D.	1000	10	
	Conclusion	PASS	-	-	

	Compound		Material				Limit	RL
1			1	3	4	5	(mg/kg)	(mg/kg)
	1	Cadmium (Cd) CAS#7440-43-9	N.D.	N.D.	N.D.	N.D.	100	10
		Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Material	Limit	RL
	Compound	10	(mg/kg)	(mg/kg)
1	Cadmium (Cd) CAS#7440-43-9	N.D.	100	10
	Conclusion	PASS	-	-

Remark(s): (a) RL: Report limit (b) N.D.: Not detected (result is less than RL)

Mechanical and Physical Properties – ASTM F963-17 7.

PASS

Clause	Parameter	Results
4	Safety Requirements	
4.1	Material Quality	Pass
4.2	Flammability	NA
4.4	Electrical / Thermal Energy	NA
4.5	Sound-Producing Toys	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.



Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 12 of 29

4.6	Small Objects	NA
4.7	Accessible Edges	Pass
4.8	Projections	NA
4.9	Accessible Points	Pass
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	Pass
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	Pass
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 13 of 29

4.32	Certain Toys with Nearly Spherical Ends	NA		
4.33	Marbles	NA		
4.34	Balls	NA		
4.35	Pompoms	NA		
4.36	Hemispheric-Shaped Objects	NA		
4.37	Yo Yo Elastic Tether Toys	NA		
4.38	Magnets	NA		
4.39	Jaw Entrapments in Handles and Steering Wheels	NA		
4.40	Expanding Materials	NA		
4.41	Toy Chests	NA		
5	Labeling Requirements			
5.1	Federal Government Requirements	NA		
5.2	Age Grading Labeling	Pass		
5.3	Safety Labeling Requirements	Pass		
5.4	Aquatic Toys	NA		
5.5	Crib and Playpen Toys	NA		
5.6	Mobiles	NA		
5.7	Stroller and Carriage Toys	NA		
5.8	Toys Intended to be Assembled by an Adult	Pass		
5.9	Simulated Protective Devices	NA		
5.10	Toys with Functional Sharp Edges or Points	NA		
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA		
5.12	Toy Caps	NA		
5.13	Art Materials	NA		
5.14	Electric Toys	NA		

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 14 of 29

5.16	Promotional Materials	Pass
5.17	Magnets	NA
6	Instructional Literature	E.
6.1	Definition and Description	Pass
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled by an Adult	Pass
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
7	Producer's Markings	Pass
8	Test Methods	
8.5	Normal Use Testing	Pass
8.6	Abuse Testing	Pass
8.7	Impact Tests	Pass
8.8	Torque Tests for Removal of Components	Pass
8.9	Tension Tests for Removal of Components	Pass
8.10	Compression Tests	Pass

Remark(s): NA = Not Applicable

8. Flammability of Solids – 16 CFR 1500.44 / ASTM F963-17, A5

Clause	Parameter	Results
16 CFR 1500.44 / ASTM F963-17, A5	Flammability	Pass

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.





PASS





REPORT TEST

Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 15 of 29

Soluble Migrated Elements ASTM F963-17, determined by ICP-OES 9.

Compound		Material				Limit	RL
		1	1 2		3 4		(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	46	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

	O a man a sum d	Mate	rial	Limit	RL
	Compound	5	10	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 16 of 29

10. Lead Content (Pb) – ASTM F963-17

CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

	Compound	Material	Limit		
	Compound	2	(mg/kg)	(mg/kg)	
1	Lead (Pb)	N.D.	90	10	
	Conclusion	PASS	-	-	

		Compound		Mate	erial		Limit	RL
1	Compound		1	3	4	5	(mg/kg)	(mg/kg)
	1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
		Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mat	erial		Limit	RL
	Compound	6 7		8	9	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound	Mate	erial	Limit	RL
	Compound	10	11	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	N.D.	100	10
	Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China e-r Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 17 of 29

11. Lead Content (Pb) – CPSIA H.R. 4040 Sec. 101

CPSC-CH-E1002-08.3 (Non-metal Substrate), CPSC-CH-E1003-09.1 (Surface Coating), determined by AAS

Compound		Material	Limit	RL
	Compound	2	(mg/kg)	(mg/kg)
1	Lead (Pb)	N.D.	90	10
	Conclusion	PASS	-	-

		Compound		Mate	erial		Limit	RL
1	Compound		1	3	4	5	(mg/kg)	(mg/kg)
	1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10
		Conclusion	PASS	PASS	PASS	PASS	-	-

	Compound		Mate	erial		Limit	RL	
	Compound	6	7	8	9	(mg/kg)	(mg/kg)	
1	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	100	10	
	Conclusion	PASS	PASS	PASS	PASS	-	-	

	Commound	Mate	erial	Limit	RL	
	Compound	10	11	(mg/kg)	(mg/kg)	
1	Lead (Pb)	N.D.	N.D.	100	10	
	Conclusion	PASS	PASS	-	-	

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit

(b) RL: Report limit (c) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China e-r Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 18 of 29

12. Phthalates (DIBP, DBP, DPENP, DHEXP, BBP, DEHP, DCHP, DINP) - CPSIA H.R. 4040 Sec. 108 CPSC-CH-C1001-09.4, Solvent extract and determined by GC/MS

Compound			Mat	erial			
Comp	Jouna	1	2	3	4	Limit (%)	RL (%)
DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
DBP	Dibutylphthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
DPENP	Di-n-pentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
DHEXP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
DCHP	Dicycphexyl Phthalate CAS# 84-61-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
Conclusi	on	PASS	PASS	PASS	PASS	-	-
	DIBP DBP DPENP DHEXP BBP DEHP DCHP DINP	DIBPCAS# 84-69-5DBPDibutylphthalate CAS# 84-74-2DPENPDi-n-pentyl phthalate CAS# 131-18-0DHEXPDi-n-hexyl phthalate CAS# 84-75-3BBPBenzylbutylphthalate CAS# 85-68-7DEHPDiethylhexylphthalate CAS# 117-81-7DCHPDiothylphthalate CAS# 84-61-7DINIDDiisononylphthalate	1DIBPDiisobutyl phthalate CAS# 84-69-5N.D.DBPDibutylphthalate CAS# 84-74-2N.D.DPENPDi-n-pentyl phthalate CAS# 131-18-0N.D.DHEXPDi-n-hexyl phthalate CAS# 84-75-3N.D.DHEXPDi-n-hexyl phthalate CAS# 85-68-7N.D.DEHPDiethylhexylphthalate CAS# 117-81-7N.D.DCHPDicycphexyl Phthalate CAS# 84-61-7N.D.DINPDiisononylphthalate CAS# 28553-12-0N.D.	Compound12DIBPDiisobutyl phthalate CAS# 84-69-5N.D.N.D.DBPDibutylphthalate CAS# 84-74-2N.D.N.D.DPENPDi-n-pentyl phthalate CAS# 131-18-0N.D.N.D.DHEXPDi-n-hexyl phthalate 	123DIBPDiisobutyl phthalate CAS# 84-69-5N.D.N.D.N.D.DBPDibutylphthalate CAS# 84-74-2N.D.N.D.N.D.DPENPDi-n-pentyl phthalate CAS# 131-18-0N.D.N.D.N.D.DHEXPDi-n-hexyl phthalate CAS# 84-75-3N.D.N.D.N.D.DHEXPDi-n-hexyl phthalate CAS# 85-68-7N.D.N.D.N.D.DEHPDien-hexyl phthalate CAS# 85-68-7N.D.N.D.N.D.DEHPDiethylhexylphthalate CAS# 117-81-7N.D.N.D.N.D.DCHPDicycphexyl Phthalate CAS# 84-61-7N.D.N.D.N.D.DINPDiisononylphthalate CAS# 28553-12-0N.D.N.D.N.D.	Compound1234DIBPDisobutyl phthalate CAS# 84-69-5N.D.N.D.N.D.N.D.DBPDibutylphthalate CAS# 84-74-2N.D.N.D.N.D.N.D.DPENPDi-n-pentyl phthalate CAS# 131-18-0N.D.N.D.N.D.N.D.DHEXPDi-n-hexyl phthalate CAS# 84-75-3N.D.N.D.N.D.N.D.DHEXPDi-n-hexyl phthalate CAS# 85-68-7N.D.N.D.N.D.N.D.BBPBenzylbutylphthalate CAS# 85-68-7N.D.N.D.N.D.N.D.DEHPDiethylhexylphthalate CAS# 85-68-7N.D.N.D.N.D.N.D.DEHPDiethylhexylphthalate CAS# 85-68-7N.D.N.D.N.D.N.D.DINPDisononylphthalate CAS# 84-61-7N.D.N.D.N.D.N.D.DINPDisononylphthalate CAS# 28553-12-0N.D.N.D.N.D.N.D.	CompoundLimit (%)1234DIBPDisobutyl phthalate CAS# 84-69-5N.D.N.D.N.D.N.D.N.D.0.1DBPDibutylphthalate CAS# 84-74-2N.D.N.D.N.D.N.D.N.D.0.1DPENPDi-n-pentyl phthalate CAS# 84-75-3N.D.N.D.N.D.N.D.N.D.0.1DHEXPDi-n-hexyl phthalate CAS# 84-75-3N.D.N.D.N.D.N.D.N.D.0.1BBPBenzylbutylphthalate CAS# 85-68-7N.D.N.D.N.D.N.D.N.D.0.1DEHPDiethylnexylphthalate CAS# 85-68-7N.D.N.D.N.D.N.D.0.1DEHPDiethylnexylphthalate CAS# 86-68-7N.D.N.D.N.D.N.D.0.1DEHPDiethylnexylphthalate CAS# 86-68-7N.D.N.D.N.D.N.D.0.1DEHPDiethylnexylphthalate CAS# 86-68-7N.D.N.D.N.D.N.D.0.1DEHPDisononylphthalate CAS# 84-61-7N.D.N.D.N.D.N.D.0.1DINPDisononylphthalate CAS# 84-61-7N.D.N.D.N.D.N.D.0.1DINPDisononylphthalate CAS# 2853-12-0N.D.N.D.N.D.N.D.0.1

	0		Mate	rial		
	Compound		5	10	Limit (%)	RL (%)
1	DIBP	Diisobutyl phthalate CAS# 84-69-5	N.D.	N.D.	0.1	0.005
2	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	N.D.	0.1	0.005
3	DPENP	Di-n-pentyl phthalate CAS# 131-18-0	N.D.	N.D.	0.1	0.005
4	DHEXP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	0.1	0.005
5	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	N.D.	0.1	0.005
6	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	N.D.	0.1	0.005
7	DCHP	Dicycphexyl Phthalate CAS# 84-61-7	N.D.	N.D.	0.1	0.005
8	DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	N.D.	0.1	0.005
	Conclus	ion	PASS	PASS	-	-

Remark(s): (a) RL: Report limit

(b) N.D.: Not detected (result is less than RL)

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 19 of 29

PASS

13. Mechanical and Physical Properties – SOR/2011-17

Clause	Parameter	Results
3	Official languages	NR
4	Flexible film bags	NA
7	Small parts	NA
8	Metal edges	NA
9	Wire frames	NA
10	Plastic edges	Pass
11	Wood	Pass
12	Glass	NA
13	Fasteners	Pass
14	Safety stops or locking devices	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Enclosures	NA
18	Stability	NA
19	Decibel limit	NA
28	Dolls, plush toys and soft toys – Fastenings	NA
29	Dolls, plush toys and soft toys – Stuffing	NA
30	Dolls, plush toys and soft toys – Small parts	NA
31	Dolls, plush toys and soft toys – Eyes and noses	NA
35	Plant seeds – Noise	NA
36	Plant seeds – stuffing material	NA
37	Pull and push toys	NA
38	Toys steam engines	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Report No.: STSGZ2312043074E

Date: 19-Dec-2023

中国认可 国际互认 检测 TESTING CNAS L11364

39	Finger paints		NA
40	Rattles		NA
41	Elastics		NA
42	Yo-yo type balls		NA
43	Magnetic toys	51-	NA

Remark(s): NA = Not Applicable NR=Not Required

14. Flammability - SOR/2011-17

ClauseParameterResults21Celluloid or cellulose nitratePass32Dolls, plush toys and soft toys – Flammability of outer coveringNA33Dolls, plush toys and soft toys – Flammability of yarnNA34Dolls, plush toys and soft toys – Flammability of hair or maneNA

15. Lead Content (Pb) and Mercury Content (Hg)

Canada Product Safety Laboratory Book 5 - Laboratory Policies and Procedures Part B, Test Methods Section, Method C02.2:2017&Method C-07:2019

	O a mar a sur a l	Limit	RL	
	Compound	2		(mg/kg)
1	Lead (Pb)	N.D.	90	10
2	Mercury (Hg)	N.D.	Not Detected	5
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm

(b) RL: Report limit(c) N.D.: Not detected (result is less than RL)

(d) This item is not included in CNAS Accreditation scope.

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

e-mail: stsgz@stsapp.com

PASS











Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 21 of 29

16. Soluble Migrated Elements- SOR/ 2011 - 17

Canada Product safety reference manual Book 5- Laboratory policies and procedures Part B: Test Methods Section, Method C-03: 2018, determined by ICP-OES

	Compound	Material	Limit	RL
		(mg/kg)	(mg/kg)	
1	Antimony (Sb)	N.D.	1000	5
2	Arsenic (As)	5	1000	2
3	Barium (Ba)	N.D.	1000	5
4	Cadmium (Cd)	N.D.	1000	5
5	Selenium (Se)	28	1000	5
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm

(b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)
 (d) This item is not included in CNAS Accreditation scope.

17. Phthalates – (DBP, BBP, DEHP, DNOP, DINP, DIDP) Canada health – Product Safety Reference Manual, Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section. Method C-34:2018, Solvent extract and determined by GC/MS, solvent extract and determined by GC/MS

	Compound			Material				
	Con	ipouna	2	3	4	5	– Limit (%)	RL (%)
1	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DNOP	Di-n-octylphthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Diisodecylphthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclusion		PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.





Date: 19-Dec-2023

Page 22 of 29

中国认可 国际互认 检测 TESTING **CNAS L11364**

	Compound		Material		
	Con	npound	10	Limit (%)	RL (%)
1	DBP	Dibutylphthalate CAS# 84-74-2	N.D.	0.1	0.005
2	BBP	Benzylbutylphthalate CAS# 85-68-7	N.D.	0.1	0.005
3	DEHP	Diethylhexylphthalate CAS# 117-81-7	N.D.	0.1	0.005
4	DNOP	Di-n-octylphthalate CAS# 117-84-0	N.D.	0.1	0.005
5	DINP	Diisononylphthalate CAS# 28553-12-0	N.D.	0.1	0.005
6	DIDP	Diisodecylphthalate CAS# 26761-40-0	N.D.	0.1	0.005
	Conclu	sion	PASS	-	-

Remark(s): (a) RL: Report limit (b) N.D.: Not detected (result is less than RL) (c) This item is not included in CNAS Accreditation scope.

Mechanical and Physical Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS ISO 8124.1:2019 18.

Section	Testing Items	Assessment
4	Requirements	
4.1	Normal use	Pass
4.2	Reasonably foreseeable abuse	Pass
4.3	Material	Pass
4.4	Small parts	NA
4.5	Shape, size, and strength of certain toys	NA
4.6	Edges	Pass
4.7	Points	Pass
4.8	Projections	NA
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in packaging and in toys	NA
4.11	Cords and elastics	NA

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.






Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 23 of 29

Section	Testing Items	Assessment
4.12	Folding mechanisms	NA
4.13	Holes, clearances and accessibility of mechanisms	NA
4.14	Springs	NA
4.15	Stability and overload requirements	Pass
4.16	Enclosures	NA
4.17	Simulated protective equipment, such as helmets, hats and goggles.	NA
4.18	Projectile toys	NA
4.19	Rotors and propellers	NA
4.20	Aquatic toys	NA
4.21	Braking	NA
4.22	Toy bicycles	NA
4.23	Speed limitation of electrically driven ride-on toys	NA
4.24	Toys containing a heat source	NA
4.25	Liquid-filled toys	NA
4.26	Mouth-actuated toys	NA
4.27	Toy roller skates, toy inline skates and toy skateboards	NA
4.28	Percussion caps	NA
4.29	Acoustic requirements	NA
4.30	Toy scooters	NA
4.31	Magnets and magnetic components	NA
В	Safety-labeling guidelines and manufacturer's markings	
B.1	General	Pass
B.2	Safety-labeling guidelines	Pass
B.3	Instructional literature	Pass
B.4	Manufacturer's markings	Pass

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.







Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Section	Testing Items	Assessment
	The name, trademark or mark of the manufacturer or the distributor	Pass
	The address of the manufacturer or the distributor	Pass

Remark(s): NA = Not Applicable

19. Flammability Properties - Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.2:2016

Section	Testing Items	Assessment
4.1	General requirement	Pass
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in a play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys (animals and dolls, etc.) with a piled or textile surface	NA

Remark(s): (c) NA = Not Applicable

(d) Except for 4.1 Flammable, highly flammable and extremely flammable gases, liquids and gelatinous bodies materials.

20. Soluble elements Content- Australian/New Zealand Standard on Safety of Toys AS/NZS ISO 8124.3:2021,determined by ICP

Compound			Material Lin			Limit	RL
	Compound	1	2	3	4	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	N.D.	N.D.	25	2
3	Barium (Ba)	46	N.D.	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	PASS	PASS	-	-

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 25 of 29

	Compound	Mater	Limit	RL	
	Compound	5	10	(mg/kg)	(mg/kg)
1	Antimony (Sb)	N.D.	N.D.	60	5
2	Arsenic (As)	N.D.	N.D.	25	2
3	Barium (Ba)	N.D.	N.D.	1000	5
4	Cadmium (Cd)	N.D.	N.D.	75	5
5	Chromium (Cr)	N.D.	N.D.	60	5
6	Lead (Pb)	N.D.	N.D.	90	5
7	Mercury (Hg)	N.D.	N.D.	60	5
8	Selenium (Se)	N.D.	N.D.	500	5
	Conclusion	PASS	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm (b) RL: Report limit

(c) N.D.: Not detected (result is less than RL)

21. Phthalates content- As Client's Requirement Refer To CPSC-CH-C1001-09.4, determined by GC-MS

				Material			Client's	
	Compound		1	2	3	4	Limit (%)	RL (%)
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	N.D.	N.D.	0.1	0.005
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	N.D.	N.D.	0.1	0.005
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 26 of 29

9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
10	DIHP	1,2-Benzenedicarboxylic acid, di- C6-8-branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	N.D.	N.D.	0.1	0.005
11	DHNUP	1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	N.D.	N.D.	0.1	0.005
14	PIPP	N-pentyl-isopentylphthalate O-CAS# 776297-69-9	N.D.	N.D.	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	N.D.	N.D.	0.1	0.005
	Conclusi	on	PASS	PASS	PASS	PASS	-	-

Compound			Ма	Client's			
	Compound		5 10		Limit (%)	RL (%)	
1	DBP	Dibutyl phthalate CAS# 84-74-2	N.D.	N.D.	0.1	0.005	
2	DEHP	Di(2-ethylhexyl) phthalate CAS# 117-81-7	N.D.	N.D.	0.1	0.005	
3	BBP	Benzyl butyl phthalate CAS# 85-68-7	N.D.	N.D.	0.1	0.005	
4	DINP	Di-isononyl phthalate CAS# 68515-48-0	N.D.	N.D.	0.1	0.005	
5	DNOP	Di-n-octyl phthalate CAS# 117-84-0	N.D.	N.D.	0.1	0.005	
6	DIDP	Di-isodecyl phthalate CAS# 26761-40-0	N.D.	N.D.	0.1	0.005	
7	DPP	Dipentyl phthalate CAS# 131-18-0	N.D.	N.D.	0.1	0.005	
8	DIBP	Di-iso-butyl phthalate CAS# 84-69-5	N.D.	N.D.	0.1	0.005	
9	Dnpp	Phthalic acid, bis-n-pentyl ester CAS# 131-18-0	N.D.	N.D.	0.1	0.005	
10	DIHP	1,2-Benzenedicarboxylic acid, di- C6-8-branchedalkyl esters,C7- rich CAS# 71888-89-6	N.D.	N.D.	0.1	0.005	
11	DHNUP	1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters CAS# 68515-42-4	N.D.	N.D.	0.1	0.005	

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China

Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699

Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 27 of 29

中国认可 国际互认 检测 TESTING **CNAS L11364**

	Conclus	ion	PASS	PASS	-	-
17	DNHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	0.1	0.005
16	DHP	Di-n-hexyl phthalate CAS# 84-75-3	N.D.	N.D.	0.1	0.005
15	-	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear CAS# 84777-06-0	N.D.	N.D.	0.1	0.005
14	PIPP	P-pentyl-isopentylphthalate Q-CAS# 776297-69-9	N.D.	N.D.	0.1	0.005
13	DIPP	Di-isopentyl phthalate CAS# 605-50-5	N.D.	N.D.	0.1	0.005
12	DMEP	Dimethoxyethyl phthalate CAS# 117-82-8	N.D.	N.D.	0.1	0.005

Remark(s): (a) RL: Report limit


(c) N.D.: Not detected (result is less than RL)
 (c) Only DBP/DIBP/DPP/DNHP/DEHP/BBP/DINP are included in CNAS accreditation scope.

22. Lead Content (Pb) - 16 CFR 1303

CPSC-CH-E1003-09.1 (Surface Coating) ,determined by AAS

Compound		Material 2			Limit (mg/kg)	RL (mg/kg)
1	Lead (Pb)		N.D.		90	10
	Conclusion		PASS		-	-

Remark(s): (a) mg/kg: milligram per kilogram (b) RL: Report limit (c) N.D.: Not detected (result is less than RL)





Material List:

Material #	Position / Sample Description
1	Brown plywood,body ^{*a}
2	Transparent coating,frame*b
3	Grey plastic,wheel

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Report No.: STSGZ2312043074E

Date: 19-Dec-2023

Page 28 of 29

中国认可 国际互认 检测 TESTING CNAS L11364

4	Dark grey plastic,wheel
5	White plastic, wheel
6	Silvery metal,base screw
7	Silvery metal, wheel holder
8	Silvery metal,small screw
9	Silvery metal,screw holder
10	Transparent plastic,washer*c
11	Silvery metal,handle ^{*d}

Remark:

(a)*a=the test date was copies fromSTSGZ2304283016-4. (b)*b=the test date was copies from STSGZ2304283016-7. (c)*c=the test date was copies from STSGZ2312043062-5. (d)*d=the test date was copies from STSGZ2312043068-9.

Photo(s):



<<< <<< END OF REPORT >>> >>>

This report is issued by the company in accordance with the requirements of the "Conditions of Issuance of Test Reports" printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Guangzhou Depuhua Test Services Co. Ltd.


A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com





Report No.: STSGZ2312043074E

Date: 19-Dec-2023



Guangzhou Depuhua Test Services Co. Ltd.

A301&A401, 3/F.&4/F., Xinghui Building, Guanqiao, Shilou, Panyu District, Guangzhou, Guangdong, China e-mail: stsgz@stsapp.com Phone: +86 (0)20-6664 1688 Fax: +86 (0)20-6664 1699 Web://www.stsgz.com

签发测试报告条款

Conditions of Issuance of Test Reports



广州市德普华检测技术有限公司(以下简称[公司])为提供符合下述条款的测试和报告,而接受有关样品和货品。本公司基于下述条款提供服务, 下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。



下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。 All samples and goods are accepted by the Guangzhou Depuhua Test Services Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").

2. 由此测试申请所发出的任何报告(以下简称[报告]),本公司会严格为客户保密。未经本公司的书面同意,报告的整体或部分不得复制,也不得用 于广告或授权的其他用途。然而,客户可以将本公司印制的报告或认可的副本,向其客户、供货商或直接相关的其它人出示或提交。除非相关 政府部门、法律或法规要求,否则未经客户同意,本公司不得将报告内容向任何第三方讨论或披露。

Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it. or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court order.

- 除非相关政府部门、法律或法院要求,否则未经公司预先书面同意,本公司毋需,也并无义务到法院对有关报告作证。
 The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. 除非本公司进行抽样,并已在报告中说明,否则报告中适用于送测的样品(样品信息为客户提供),不适用于批量。 The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.

如果本公司确定报告被不当地使用,本公司保留撤回报告的权利,并有权要求其它适当的额外赔偿。 In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

- 6. 本公司接受样品进行测试的前提是,该测试报告不能作为针对本公司法律行动的依据。 Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 7. 如因使用本公司中心任何报告内的资料,或任何传播信息所描述与之有关的测试或研究导致的任何损失或损害,本公司概不负责。 The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 若需要在法院审理程序或者仲裁过程中使用测试报告,客户必须在提交测试样品前将该意图告知本公司。
 Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 9. 该测试报告的支持数据和信息本公司保存 10 年。个别评审机构有特别要求的,检测数据和报告的保存期可依情况变动。一旦超过上述提交的保存期限,数据和信息将被处理掉。任何情况下,本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害,本公司在任何情况下也不必承担任何损害,包括(但不限于)补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权(包括疏忽)、产品责任或其他原因的惩罚性损害。
 Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

 报告的签发记录可通过登录 www.stsgz.com 查询。如需进一步查询报告有效性或核实报告,需与本公司联系。 Issuance records of the Report are available on the internet at www.stsgz.com. Further enquiry of validity or verification of the Report should be addressed to the company.

